NDB No. 03002 Babyfood, meat, beef, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 71g
Proximates:							
Water	g	80.60	0.400	53	12.09	22.85	57.23
Energy	kcal	107		0	16	30	76
Energy	kj	448		0	67	127	318
Protein (N x 5.95)	g	13.60	0.100	25	2.04	3.86	9.66
Total lipid (fat)	g	5.40	0.400	26	0.81	1.53	3.83
Carbohydrate, by difference	g	0.00		0	0.00	0.00	0.00
Fiber, total dietary	g	0.0		0	0.0	0.0	0.0
Ash	g	0.80	0.000	29	0.12	0.23	0.57
Sugars, total	g						
Minerals:							
Calcium	mg	7	0.000	29	1	2	5
Iron	mg	1.47	0.050	31	0.22	0.42	1.04
Magnesium	mg	17		3	3	5	12
Phosphorus	mg	84		2	13	24	60
Potassium	mg	220		15	33	62	156
Sodium	mg	81		18	12	23	58
Zinc	mg	2.46	0.116	21	0.37	0.70	1.74
Copper	mg	0.043		20	0.006	0.012	0.031
Manganese	mg						
Selenium	µg	9.5	1.878	5	1.4	2.7	6.7
Vitamins:							
Ascorbic acid	mg	2.1	0.100	24	0.3	0.6	1.5
Thiamin	mg	0.010	0.000	24	0.002	0.003	0.007
Riboflavin	mg	0.142	0.005	25	0.021	0.040	0.101
Niacin	mg	2.849	0.047	25	0.427	0.808	2.023
Pantothenic acid	mg	0.340		4	0.051	0.096	0.241
Vitamin B-6	mg	0.140	0.005	16	0.021	0.040	0.099
Folate	µg	6	0.300	9	1	2	4
Vitamin B-12	µg	1.42	0.580	2	0.21	0.40	1.01
Vitamin A	IU	68		0	10	19	48
Vitamin A, RE	µg	20		0	3	6	14
Vitamin E, α-TE	mg	0.400		0	0.060	0.113	0.284
Lipids:							
Saturated, total	g	2.580	1.250	2	0.387	0.731	1.832
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000	0.000	2	0.000	0.000	0.000
12:0	g	0.000	0.000	2	0.000	0.000	0.000
14:0	g	0.160	0.090	2	0.024	0.045	0.114
15.0	g						
16:0	g	1.330	0.650	2	0.200	0.377	0.944
17:0	g						
18:0	g	0.890	0.340	2	0.134	0.252	0.632
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.200	1.340	2	0.330	0.624	1.562
14:1	g						
16:1	g	0.200	0.150	2	0.030	0.057	0.142
18:1	g	1.910	1.070	2	0.286	0.541	1.356
20:1	g	0.050		1	0.008	0.014	0.036
22.1	g	0.000		0	0.000	0.000	0.000
Polyunsaturated, total	g	0.240	0.320	2	0.036	0.068	0.170
18:2	g	0.090	0.010	2	0.013	0.026	0.064
18:3	g	0.050	0.040	2	0.008	0.014	0.036
18:4	g	0.000		0	0.000	0.000	0.000
20:4	g	0.050	0.040	2	0.008	0.014	0.036
20:5	g	0.000		0	0.000	0.000	0.000
22:5	g	0.000		0	0.000	0.000	0.000
22:6	g	0.000		0	0.000	0.000	0.000
Cholesterol	mg	29		0	4	8	21
Phytosterols	mg						
Amino acids:							
Tryptophan	g	0.137		0	0.021	0.039	0.097
Threonine	g	0.597		0	0.090	0.169	0.424
Isoleucine	g	0.619		0	0.093	0.175	0.439
Leucine	g	1.091		0	0.164	0.309	0.775
Lysine	g	1.133		0	0.170	0.321	0.804
Methionine	g	0.418		0	0.063	0.119	0.297
Cystine	g	0.159		0	0.024	0.045	0.113
Phenylalanine	g	0.527		0	0.079	0.149	0.374
Tyrosine	g	0.453		0	0.068	0.128	0.322
Valine	g	0.688		0	0.103	0.195	0.488
Arginine	g	0.928		0	0.139	0.263	0.659
Histidine	g	0.462		0	0.069	0.131	0.328
Alanine	g	0.858		0	0.129	0.243	0.609
Aspartic acid	g	1.198		0	0.180	0.340	0.851
Glutamic acid	g	2.069		0	0.310	0.587	1.469
Glycine	g	0.869		0	0.130	0.246	0.617
Proline	g	0.682		0	0.102	0.193	0.484
Serine	g	0.499		0	0.075	0.141	0.354
Other:							
Caffeine	mg						
Theobromine	mg						
Alcohol	g						

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03003 Babyfood, meat, beef, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 71g
Proximates:							
Water	g	79.90	0.300	20	11.98	22.65	56.73
Energy	kcal	106		0	16	30	75
Energy	kj	444		0	67	126	315
Protein (N x 5.95)	g	14.50	0.300	20	2.17	4.11	10.29
Total lipid (fat)	g	4.90	0.300	21	0.74	1.39	3.48
Carbohydrate, by difference	g	0.00		0	0.00	0.00	0.00
Fiber, total dietary	g	0.0		0	0.0	0.0	0.0
Ash	g	0.80	0.000	19	0.12	0.23	0.57
Sugars, total	g						
Minerals:							
Calcium	mg	8	0.000	20	1	2	6
Iron	mg	1.65	0.070	22	0.25	0.47	1.17
Magnesium	mg	9		1	1	3	6
Phosphorus	mg	72		1	11	20	51
Potassium	mg	190		14	29	54	135
Sodium	mg	66		20	10	19	47
Zinc	mg	2.00		1	0.30	0.57	1.42
Copper	mg	0.092		1	0.014	0.026	0.065
Manganese	mg						
Selenium	µg	7.2	1.021	6	1.1	2.0	5.1
Vitamins:							
Ascorbic acid	mg	1.9	0.200	22	0.3	0.5	1.3
Thiamin	mg	0.010	0.000	26	0.002	0.003	0.007
Riboflavin	mg	0.159	0.008	22	0.024	0.045	0.113
Niacin	mg	3.283	0.065	22	0.492	0.931	2.331
Pantothenic acid	mg	0.353		0	0.053	0.100	0.251
Vitamin B-6	mg	0.120	0.008	6	0.018	0.034	0.085
Folate	µg	6		0	1	2	4
Vitamin B-12	µg	1.47		0	0.22	0.42	1.04
Vitamin A	IU	59		0	9	17	42
Vitamin A, RE	µg	31	2.000	19	5	9	22
Vitamin E, α-TE	mg	0.400		0	0.060	0.113	0.284
Lipids:							
Saturated, total	g	2.590		1	0.388	0.734	1.839
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		1	0.000	0.000	0.000
12:0	g	0.010		1	0.002	0.003	0.007
14:0	g	0.140		1	0.021	0.040	0.099
15.0	g						
16:0	g	1.240		1	0.186	0.352	0.880
17:0	g						
18:0	g	1.010		1	0.152	0.286	0.717
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.850	1	0.278	0.524	1.313
14:1	g					
16:1	g	0.130	1	0.020	0.037	0.092
18:1	g	1.660	1	0.249	0.471	1.179
20:1	g	0.000	1	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.160	1	0.024	0.045	0.114
18:2	g	0.110	1	0.017	0.031	0.078
18:3	g	0.030	1	0.004	0.009	0.021
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.020	1	0.003	0.006	0.014
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	28	0	4	8	20
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.146	0	0.022	0.041	0.104
Threonine	g	0.635	0	0.095	0.180	0.451
Isoleucine	g	0.659	0	0.099	0.187	0.468
Leucine	g	1.162	0	0.174	0.329	0.825
Lysine	g	1.206	0	0.181	0.342	0.856
Methionine	g	0.445	0	0.067	0.126	0.316
Cystine	g	0.169	0	0.025	0.048	0.120
Phenylalanine	g	0.561	0	0.084	0.159	0.398
Tyrosine	g	0.482	0	0.072	0.137	0.342
Valine	g	0.733	0	0.110	0.208	0.520
Arginine	g	0.988	0	0.148	0.280	0.701
Histidine	g	0.492	0	0.074	0.139	0.349
Alanine	g	0.914	0	0.137	0.259	0.649
Aspartic acid	g	1.275	0	0.191	0.361	0.905
Glutamic acid	g	2.203	0	0.330	0.625	1.564
Glycine	g	0.925	0	0.139	0.262	0.657
Proline	g	0.726	0	0.109	0.206	0.515
Serine	g	0.531	0	0.080	0.151	0.377
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03005 Babyfood, meat, veal, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 71g
Proximates:							
Water	g	80.90	0.200	26	12.13	22.94	57.44
Energy	kcal	101		0	15	29	72
Energy	kj	423		0	63	120	300
Protein (N x 5.95)	g	13.50	0.000	19	2.02	3.83	9.59
Total lipid (fat)	g	4.80	0.100	20	0.72	1.36	3.41
Carbohydrate, by difference	g	0.00		0	0.00	0.00	0.00
Fiber, total dietary	g	0.0		0	0.0	0.0	0.0
Ash	g	0.90	0.100	19	0.14	0.26	0.64
Sugars, total	g						
Minerals:							
Calcium	mg	7	1.000	19	1	2	5
Iron	mg	1.27	0.130	18	0.19	0.36	0.90
Magnesium	mg	12	0.000	2	2	3	9
Phosphorus	mg	98		1	15	28	70
Potassium	mg	216		14	32	61	153
Sodium	mg	64		26	10	18	45
Zinc	mg	2.00	0.099	2	0.30	0.57	1.42
Copper	mg	0.040		1	0.006	0.011	0.028
Manganese	mg						
Selenium	µg	6.1	0.776	6	0.9	1.7	4.3
Vitamins:							
Ascorbic acid	mg	2.3	0.200	16	0.3	0.7	1.6
Thiamin	mg	0.016	0.000	18	0.002	0.005	0.011
Riboflavin	mg	0.159	0.014	17	0.024	0.045	0.113
Niacin	mg	3.552	0.102	17	0.533	1.007	2.522
Pantothenic acid	mg	0.430		4	0.065	0.122	0.305
Vitamin B-6	mg	0.149	0.014	9	0.022	0.042	0.106
Folate	µg	6	0.500	6	1	2	4
Vitamin B-12	µg	1.30		0	0.20	0.37	0.92
Vitamin A	IU	46	11.000	14	7	13	33
Vitamin A, RE	µg	14	3.000	14	2	4	10
Vitamin E, α-TE	mg	0.400		0	0.060	0.113	0.284
Lipids:							
Saturated, total	g	2.290		1	0.344	0.649	1.626
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		1	0.000	0.000	0.000
12:0	g	0.020		1	0.003	0.006	0.014
14:0	g	0.240		1	0.036	0.068	0.170
15.0	g						
16:0	g	1.180		1	0.177	0.335	0.838
17:0	g						
18:0	g	0.670		1	0.101	0.190	0.476
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.050	1	0.307	0.581	1.455
14:1	g					
16:1	g	0.190	1	0.029	0.054	0.135
18:1	g	1.790	1	0.269	0.507	1.271
20:1	g	0.000	1	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.160	1	0.024	0.045	0.114
18:2	g	0.100	1	0.015	0.028	0.071
18:3	g	0.030	1	0.004	0.009	0.021
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.020	1	0.003	0.006	0.014
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	26	0	4	7	18
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.156	0	0.023	0.044	0.111
Threonine	g	0.564	0	0.085	0.160	0.400
Isoleucine	g	0.610	0	0.092	0.173	0.433
Leucine	g	1.044	0	0.157	0.296	0.741
Lysine	g	1.085	0	0.163	0.308	0.770
Methionine	g	0.298	0	0.045	0.084	0.212
Cystine	g	0.175	0	0.026	0.050	0.124
Phenylalanine	g	0.523	0	0.078	0.148	0.371
Tyrosine	g	0.432	0	0.065	0.122	0.307
Valine	g	0.657	0	0.099	0.186	0.466
Arginine	g	0.897	0	0.135	0.254	0.637
Histidine	g	0.415	0	0.062	0.118	0.295
Alanine	g	0.845	0	0.127	0.240	0.600
Aspartic acid	g	1.193	0	0.179	0.338	0.847
Glutamic acid	g	1.939	0	0.291	0.550	1.377
Glycine	g	0.927	0	0.139	0.263	0.658
Proline	g	0.746	0	0.112	0.211	0.530
Serine	g	0.480	0	0.072	0.136	0.341
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03006 Babyfood, meat, veal, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 71g	Measure 3*
Proximates:							
Water	g	79.80	0.400	13	22.62	56.66	
Energy	kcal	110		0	31	78	
Energy	kj	460		0	130	327	
Protein (N x 5.95)	g	15.30	0.300	7	4.34	10.86	
Total lipid (fat)	g	5.00	0.600	8	1.42	3.55	
Carbohydrate, by difference	g	0.00		0	0.00	0.00	
Fiber, total dietary	g	0.0		0	0.0	0.0	
Ash	g	0.90	0.000	6	0.26	0.64	
Sugars, total	g						
Minerals:							
Calcium	mg	6	1.000	7	2	4	
Iron	mg	1.25	0.010	7	0.35	0.89	
Magnesium	mg	11		1	3	8	
Phosphorus	mg	98		1	28	70	
Potassium	mg	236		1	67	168	
Sodium	mg	69		8	20	49	
Zinc	mg	2.52	0.142	4	0.71	1.79	
Copper	mg	0.075	0.005	3	0.021	0.053	
Manganese	mg						
Selenium	µg	5.2	0.358	5	1.5	3.7	
Vitamins:							
Ascorbic acid	mg	2.1		5	0.6	1.5	
Thiamin	mg	0.018	0.000	11	0.005	0.013	
Riboflavin	mg	0.183	0.012	7	0.052	0.130	
Niacin	mg	3.808	0.205	7	1.080	2.704	
Pantothenic acid	mg	0.454		0	0.129	0.322	
Vitamin B-6	mg	0.118	0.003	6	0.033	0.084	
Folate	µg	7	1.400	3	2	5	
Vitamin B-12	µg	1.30		0	0.37	0.92	
Vitamin A	IU	50	2.000	3	14	36	
Vitamin A, RE	µg	15	1.000	3	4	11	
Vitamin E, α-TE	mg	0.400		0	0.113	0.284	
Lipids:							
Saturated, total	g	2.390		1	0.678	1.697	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		1	0.000	0.000	
12:0	g	0.010		1	0.003	0.007	
14:0	g	0.180		1	0.051	0.128	
15.0	g						
16:0	g	1.220		1	0.346	0.866	
17:0	g						
18:0	g	0.820		1	0.232	0.582	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.120	1	0.601	1.505
14:1	g				
16:1	g	0.180	1	0.051	0.128
18:1	g	1.880	1	0.533	1.335
20:1	g	0.010	1	0.003	0.007
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.170	1	0.048	0.121
18:2	g	0.100	1	0.028	0.071
18:3	g	0.030	1	0.009	0.021
18:4	g	0.000	0	0.000	0.000
20:4	g	0.030	1	0.009	0.021
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	27	0	8	19
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.176	0	0.050	0.125
Threonine	g	0.638	0	0.181	0.453
Isoleucine	g	0.689	0	0.195	0.489
Leucine	g	1.180	0	0.335	0.838
Lysine	g	1.227	0	0.348	0.871
Methionine	g	0.337	0	0.096	0.239
Cystine	g	0.198	0	0.056	0.141
Phenylalanine	g	0.591	0	0.168	0.420
Tyrosine	g	0.489	0	0.139	0.347
Valine	g	0.743	0	0.211	0.528
Arginine	g	1.014	0	0.287	0.720
Histidine	g	0.469	0	0.133	0.333
Alanine	g	0.956	0	0.271	0.679
Aspartic acid	g	1.349	0	0.382	0.958
Glutamic acid	g	2.192	0	0.621	1.556
Glycine	g	1.048	0	0.297	0.744
Proline	g	0.843	0	0.239	0.599
Serine	g	0.543	0	0.154	0.386
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03007 Babyfood, meat, pork, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 71g	Measure 3*
Proximates:							
Water	g	78.40	0.300	18	22.23	55.66	
Energy	kcal	124		0	35	88	
Energy	kj	519		0	147	368	
Protein (N x 5.95)	g	14.00	0.100	12	3.97	9.94	
Total lipid (fat)	g	7.10	0.200	12	2.01	5.04	
Carbohydrate, by difference	g	0.00		0	0.00	0.00	
Fiber, total dietary	g	0.0		0	0.0	0.0	
Ash	g	1.10	0.000	16	0.31	0.78	
Sugars, total	g						
Minerals:							
Calcium	mg	5	0.000	16	1	4	
Iron	mg	1.00	0.050	17	0.28	0.71	
Magnesium	mg	10		1	3	7	
Phosphorus	mg	94		2	27	67	
Potassium	mg	223		1	63	158	
Sodium	mg	42	2.000	6	12	30	
Zinc	mg	2.27	0.102	4	0.64	1.61	
Copper	mg	0.072	0.005	3	0.020	0.051	
Manganese	mg						
Selenium	µg	12.9	1.160	3	3.7	9.2	
Vitamins:							
Ascorbic acid	mg	1.8	0.100	10	0.5	1.3	
Thiamin	mg	0.146	0.005	12	0.041	0.104	
Riboflavin	mg	0.203	0.008	12	0.058	0.144	
Niacin	mg	2.269	0.044	11	0.643	1.611	
Pantothenic acid	mg	0.272		0	0.077	0.193	
Vitamin B-6	mg	0.205		15	0.058	0.146	
Folate	µg	2	0.300	3	1	1	
Vitamin B-12	µg	0.99		1	0.28	0.70	
Vitamin A	IU	38	12.000	3	11	27	
Vitamin A, RE	µg	12	4.000	3	3	9	
Vitamin E, α-TE	mg	0.400		0	0.113	0.284	
Lipids:							
Saturated, total	g	2.400		1	0.680	1.704	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		1	0.000	0.000	
12:0	g	0.000		1	0.000	0.000	
14:0	g	0.080		1	0.023	0.057	
15.0	g						
16:0	g	1.530		1	0.434	1.086	
17:0	g						
18:0	g	0.720		1	0.204	0.511	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	3.580	1	1.015	2.542
14:1	g				
16:1	g	0.230	1	0.065	0.163
18:1	g	3.270	1	0.927	2.322
20:1	g	0.070	1	0.020	0.050
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.780	1	0.221	0.554
18:2	g	0.690	1	0.196	0.490
18:3	g	0.030	1	0.009	0.021
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	48	0	14	34
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.136	0	0.039	0.097
Threonine	g	0.617	0	0.175	0.438
Isoleucine	g	0.680	0	0.193	0.483
Leucine	g	1.127	0	0.320	0.800
Lysine	g	1.158	0	0.328	0.822
Methionine	g	0.398	0	0.113	0.283
Cystine	g	0.154	0	0.044	0.109
Phenylalanine	g	0.570	0	0.162	0.405
Tyrosine	g	0.510	0	0.145	0.362
Valine	g	0.702	0	0.199	0.498
Arginine	g	0.948	0	0.269	0.673
Histidine	g	0.447	0	0.127	0.317
Alanine	g	0.879	0	0.249	0.624
Aspartic acid	g	1.310	0	0.371	0.930
Glutamic acid	g	2.133	0	0.605	1.514
Glycine	g	0.760	0	0.215	0.540
Proline	g	0.747	0	0.212	0.530
Serine	g	0.541	0	0.153	0.384
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03008 Babyfood, meat, ham, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 71g
Proximates:							
Water	g	79.40	0.200	23	11.91	22.51	56.37
Energy	kcal	111		0	17	31	79
Energy	kj	464		0	70	132	329
Protein (N x 5.95)	g	13.90	0.100	20	2.08	3.94	9.87
Total lipid (fat)	g	5.80	0.200	21	0.87	1.64	4.12
Carbohydrate, by difference	g	0.00		0	0.00	0.00	0.00
Fiber, total dietary	g	0.0		0	0.0	0.0	0.0
Ash	g	1.00	0.000	19	0.15	0.28	0.71
Sugars, total	g						
Minerals:							
Calcium	mg	6	0.000	19	1	2	4
Iron	mg	1.03	0.080	19	0.15	0.29	0.73
Magnesium	mg	13	2.000	2	2	4	9
Phosphorus	mg	81		1	12	23	58
Potassium	mg	204		14	31	58	145
Sodium	mg	41	1.000	17	6	12	29
Zinc	mg	2.25	0.188	5	0.34	0.64	1.59
Copper	mg	0.065	0.004	4	0.010	0.018	0.046
Manganese	mg						
Selenium	µg	14.2	0.817	6	2.1	4.0	10.1
Vitamins:							
Ascorbic acid	mg	2.1	0.200	20	0.3	0.6	1.5
Thiamin	mg	0.139	0.009	19	0.021	0.039	0.099
Riboflavin	mg	0.154	0.006	19	0.023	0.044	0.109
Niacin	mg	2.633	0.045	18	0.395	0.746	1.869
Pantothenic acid	mg	0.510		4	0.077	0.145	0.362
Vitamin B-6	mg	0.252	0.023	5	0.038	0.071	0.179
Folate	µg	2		0	0	1	1
Vitamin B-12	µg	0.10		0	0.02	0.03	0.07
Vitamin A	IU	38	6.000	18	6	11	27
Vitamin A, RE	µg	11	2.000	18	2	3	8
Vitamin E, α-TE	mg	0.400		0	0.060	0.113	0.284
Lipids:							
Saturated, total	g	1.940		1	0.291	0.550	1.377
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		1	0.000	0.000	0.000
12:0	g	0.010		1	0.002	0.003	0.007
14:0	g	0.070		1	0.011	0.020	0.050
15.0	g						
16:0	g	1.220		1	0.183	0.346	0.866
17:0	g						
18:0	g	0.590		1	0.089	0.167	0.419
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.760	1	0.414	0.782	1.960
14:1	g					
16:1	g	0.160	1	0.024	0.045	0.114
18:1	g	2.520	1	0.378	0.714	1.789
20:1	g	0.060	1	0.009	0.017	0.043
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.780	1	0.117	0.221	0.554
18:2	g	0.710	1	0.106	0.201	0.504
18:3	g	0.030	1	0.004	0.009	0.021
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.040	1	0.006	0.011	0.028
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	24	0	4	7	17
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.138	0	0.021	0.039	0.098
Threonine	g	0.603	0	0.090	0.171	0.428
Isoleucine	g	0.661	0	0.099	0.187	0.469
Leucine	g	1.111	0	0.167	0.315	0.789
Lysine	g	1.180	0	0.177	0.335	0.838
Methionine	g	0.355	0	0.053	0.101	0.252
Cystine	g	0.171	0	0.026	0.048	0.121
Phenylalanine	g	0.530	0	0.080	0.150	0.376
Tyrosine	g	0.466	0	0.070	0.132	0.331
Valine	g	0.716	0	0.107	0.203	0.508
Arginine	g	0.940	0	0.141	0.266	0.667
Histidine	g	0.472	0	0.071	0.134	0.335
Alanine	g	0.838	0	0.126	0.238	0.595
Aspartic acid	g	1.326	0	0.199	0.376	0.941
Glutamic acid	g	2.089	0	0.313	0.592	1.483
Glycine	g	0.796	0	0.119	0.226	0.565
Proline	g	0.645	0	0.097	0.183	0.458
Serine	g	0.503	0	0.075	0.143	0.357
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03009 Babyfood, meat, ham, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 71g	Measure 3*
Proximates:							
Water	g	78.50	0.800	6	22.25	55.73	
Energy	kcal	125		0	35	89	
Energy	kj	523		0	148	371	
Protein (N x 5.95)	g	15.10	0.300	4	4.28	10.72	
Total lipid (fat)	g	6.70	0.200	4	1.90	4.76	
Carbohydrate, by difference	g	0.00		0	0.00	0.00	
Fiber, total dietary	g	0.0		0	0.0	0.0	
Ash	g	0.70		0	0.20	0.50	
Sugars, total	g						
Minerals:							
Calcium	mg	5	1.000	3	1	4	
Iron	mg	1.01	0.060	4	0.29	0.72	
Magnesium	mg	11		1	3	8	
Phosphorus	mg	89		1	25	63	
Potassium	mg	210		1	60	149	
Sodium	mg	67		6	19	48	
Zinc	mg	1.70		1	0.48	1.21	
Copper	mg	0.068		0	0.019	0.048	
Manganese	mg						
Selenium	µg	15.0	1.100	4	4.3	10.7	
Vitamins:							
Ascorbic acid	mg	2.1	0.200	4	0.6	1.5	
Thiamin	mg	0.142	0.009	4	0.040	0.101	
Riboflavin	mg	0.194	0.014	4	0.055	0.138	
Niacin	mg	2.840	0.113	3	0.805	2.016	
Pantothenic acid	mg	0.531		0	0.151	0.377	
Vitamin B-6	mg	0.200	0.013	5	0.057	0.142	
Folate	µg	2		3	1	1	
Vitamin B-12	µg	0.10		0	0.03	0.07	
Vitamin A	IU	32	14.000	3	9	23	
Vitamin A, RE	µg	10	4.000	3	3	7	
Vitamin E, α-TE	mg	0.400		0	0.113	0.284	
Lipids:							
Saturated, total	g	2.240		1	0.635	1.590	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		1	0.000	0.000	
12:0	g	0.010		1	0.003	0.007	
14:0	g	0.080		1	0.023	0.057	
15.0	g						
16:0	g	1.400		1	0.397	0.994	
17:0	g						
18:0	g	0.680		1	0.193	0.483	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	3.180	1	0.902	2.258
14:1	g				
16:1	g	0.180	1	0.051	0.128
18:1	g	2.910	1	0.825	2.066
20:1	g	0.070	1	0.020	0.050
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.910	1	0.258	0.646
18:2	g	0.820	1	0.232	0.582
18:3	g	0.030	1	0.009	0.021
18:4	g	0.000	0	0.000	0.000
20:4	g	0.050	1	0.014	0.036
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	29	0	8	21
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.149	0	0.042	0.106
Threonine	g	0.656	0	0.186	0.466
Isoleucine	g	0.718	0	0.204	0.510
Leucine	g	1.208	0	0.342	0.858
Lysine	g	1.283	0	0.364	0.911
Methionine	g	0.386	0	0.109	0.274
Cystine	g	0.186	0	0.053	0.132
Phenylalanine	g	0.576	0	0.163	0.409
Tyrosine	g	0.506	0	0.143	0.359
Valine	g	0.779	0	0.221	0.553
Arginine	g	1.022	0	0.290	0.726
Histidine	g	0.514	0	0.146	0.365
Alanine	g	0.911	0	0.258	0.647
Aspartic acid	g	1.442	0	0.409	1.024
Glutamic acid	g	2.271	0	0.644	1.612
Glycine	g	0.866	0	0.246	0.615
Proline	g	0.702	0	0.199	0.498
Serine	g	0.547	0	0.155	0.388
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03010 Babyfood, meat, lamb, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 71g
Proximates:							
Water	g	80.30	0.200	31	12.04	22.77	57.01
Energy	kcal	103		0	15	29	73
Energy	kj	431		0	65	122	306
Protein (N x 5.95)	g	14.10	0.100	25	2.12	4.00	10.01
Total lipid (fat)	g	4.70	0.100	26	0.71	1.33	3.34
Carbohydrate, by difference	g	0.10		0	0.02	0.03	0.07
Fiber, total dietary	g	0.0		0	0.0	0.0	0.0
Ash	g	0.80	0.000	24	0.12	0.23	0.57
Sugars, total	g						
Minerals:							
Calcium	mg	7	0.000	23	1	2	5
Iron	mg	1.49	0.090	23	0.22	0.42	1.06
Magnesium	mg	13		3	2	4	9
Phosphorus	mg	97		3	15	27	69
Potassium	mg	205		15	31	58	146
Sodium	mg	62		27	9	18	44
Zinc	mg	2.76	0.125	5	0.41	0.78	1.96
Copper	mg	0.055		4	0.008	0.016	0.039
Manganese	mg						
Selenium	µg	8.4	0.462	3	1.3	2.4	6.0
Vitamins:							
Ascorbic acid	mg	1.2	0.100	23	0.2	0.3	0.9
Thiamin	mg	0.019	0.000	24	0.003	0.005	0.013
Riboflavin	mg	0.200	0.010	23	0.030	0.057	0.142
Niacin	mg	2.925	0.112	23	0.439	0.829	2.077
Pantothenic acid	mg	0.410		4	0.061	0.116	0.291
Vitamin B-6	mg	0.152	0.006	10	0.023	0.043	0.108
Folate	µg	2	0.100	3	0	1	2
Vitamin B-12	µg	2.19	0.290	2	0.33	0.62	1.55
Vitamin A	IU	32		0	5	9	23
Vitamin A, RE	µg	10		0	2	3	7
Vitamin E, α-TE	mg	0.400		0	0.060	0.113	0.284
Lipids:							
Saturated, total	g	2.310		1	0.347	0.655	1.640
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		1	0.000	0.000	0.000
10:0	g	0.010		1	0.002	0.003	0.007
12:0	g	0.000		1	0.000	0.000	0.000
14:0	g	0.110		1	0.017	0.031	0.078
15.0	g						
16:0	g	1.030		1	0.155	0.292	0.731
17:0	g						
18:0	g	0.990		1	0.149	0.281	0.703
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.870	1	0.281	0.530	1.328
14:1	g					
16:1	g	0.060	1	0.009	0.017	0.043
18:1	g	1.780	1	0.267	0.505	1.264
20:1	g	0.000	1	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.200	1	0.030	0.057	0.142
18:2	g	0.130	1	0.020	0.037	0.092
18:3	g	0.050	1	0.008	0.014	0.036
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.010	1	0.002	0.003	0.007
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	38	0	6	11	27
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.140	0	0.021	0.040	0.099
Threonine	g	0.642	0	0.096	0.182	0.456
Isoleucine	g	0.662	0	0.099	0.188	0.470
Leucine	g	1.112	0	0.167	0.315	0.790
Lysine	g	1.249	0	0.187	0.354	0.887
Methionine	g	0.441	0	0.066	0.125	0.313
Cystine	g	0.194	0	0.029	0.055	0.138
Phenylalanine	g	0.554	0	0.083	0.157	0.393
Tyrosine	g	0.493	0	0.074	0.140	0.350
Valine	g	0.714	0	0.107	0.202	0.507
Arginine	g	0.923	0	0.138	0.262	0.655
Histidine	g	0.356	0	0.053	0.101	0.253
Alanine	g	0.882	0	0.132	0.250	0.626
Aspartic acid	g	1.324	0	0.199	0.375	0.940
Glutamic acid	g	2.156	0	0.323	0.611	1.531
Glycine	g	0.819	0	0.123	0.232	0.581
Proline	g	0.788	0	0.118	0.223	0.559
Serine	g	0.540	0	0.081	0.153	0.383
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03011 Babyfood, meat, lamb, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 71g	Measure 3*
Proximates:							
Water	g	79.60	0.500	21	22.57	56.52	
Energy	kcal	112		0	32	80	
Energy	kj	469		0	133	333	
Protein (N x 5.95)	g	15.20	0.100	19	4.31	10.79	
Total lipid (fat)	g	5.20	0.300	19	1.47	3.69	
Carbohydrate, by difference	g	0.00		0	0.00	0.00	
Fiber, total dietary	g	0.0		0	0.0	0.0	
Ash	g	0.90	0.000	18	0.26	0.64	
Sugars, total	g						
Minerals:							
Calcium	mg	7	0.000	19	2	5	
Iron	mg	1.66	0.020	21	0.47	1.18	
Magnesium	mg	10		1	3	7	
Phosphorus	mg	91		1	26	65	
Potassium	mg	211		14	60	150	
Sodium	mg	73		20	21	52	
Zinc	mg	2.60		1	0.74	1.85	
Copper	mg	0.057		0	0.016	0.040	
Manganese	mg						
Selenium	µg	7.0	0.693	3	2.0	5.0	
Vitamins:							
Ascorbic acid	mg	1.7	0.400	21	0.5	1.2	
Thiamin	mg	0.019	0.000	24	0.005	0.013	
Riboflavin	mg	0.191	0.010	21	0.054	0.136	
Niacin	mg	3.193	0.087	22	0.905	2.267	
Pantothenic acid	mg	0.424		0	0.120	0.301	
Vitamin B-6	mg	0.183	0.017	4	0.052	0.130	
Folate	µg	2	0.100	3	1	1	
Vitamin B-12	µg	2.27		0	0.64	1.61	
Vitamin A	IU	27	2.000	17	8	19	
Vitamin A, RE	µg	8	1.000	17	2	6	
Vitamin E, α-TE	mg	0.400		0	0.113	0.284	
Lipids:							
Saturated, total	g	2.560		1	0.726	1.818	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		1	0.000	0.000	
10:0	g	0.010		1	0.003	0.007	
12:0	g	0.000		1	0.000	0.000	
14:0	g	0.120		1	0.034	0.085	
15.0	g						
16:0	g	1.140		1	0.323	0.809	
17:0	g						
18:0	g	1.090		1	0.309	0.774	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.060	1	0.584	1.463
14:1	g				
16:1	g	0.070	1	0.020	0.050
18:1	g	1.960	1	0.556	1.392
20:1	g	0.000	1	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.220	1	0.062	0.156
18:2	g	0.150	1	0.043	0.107
18:3	g	0.060	1	0.017	0.043
18:4	g	0.000	0	0.000	0.000
20:4	g	0.010	1	0.003	0.007
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	38	0	11	27
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.151	0	0.043	0.107
Threonine	g	0.693	0	0.196	0.492
Isoleucine	g	0.714	0	0.202	0.507
Leucine	g	1.200	0	0.340	0.852
Lysine	g	1.349	0	0.382	0.958
Methionine	g	0.476	0	0.135	0.338
Cystine	g	0.209	0	0.059	0.148
Phenylalanine	g	0.598	0	0.170	0.425
Tyrosine	g	0.532	0	0.151	0.378
Valine	g	0.770	0	0.218	0.547
Arginine	g	0.996	0	0.282	0.707
Histidine	g	0.384	0	0.109	0.273
Alanine	g	0.953	0	0.270	0.677
Aspartic acid	g	1.429	0	0.405	1.015
Glutamic acid	g	2.328	0	0.660	1.653
Glycine	g	0.885	0	0.251	0.628
Proline	g	0.851	0	0.241	0.604
Serine	g	0.583	0	0.165	0.414
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03012 Babyfood, meat, chicken, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 71g
Proximates:							
Water	g	77.50	0.200	53	11.63	21.97	55.02
Energy	kcal	130		0	20	37	92
Energy	kj	544		0	82	154	386
Protein (N x 5.95)	g	13.70	0.100	29	2.06	3.88	9.73
Total lipid (fat)	g	7.90	0.200	30	1.19	2.24	5.61
Carbohydrate, by difference	g	0.10		0	0.02	0.03	0.07
Fiber, total dietary	g	0.0		0	0.0	0.0	0.0
Ash	g	0.80	0.000	28	0.12	0.23	0.57
Sugars, total	g						
Minerals:							
Calcium	mg	64	3.000	28	10	18	45
Iron	mg	1.40	0.050	29	0.21	0.40	0.99
Magnesium	mg	13	1.000	2	2	4	9
Phosphorus	mg	97		1	15	27	69
Potassium	mg	141		14	21	40	100
Sodium	mg	47		32	7	13	33
Zinc	mg	1.21	0.056	27	0.18	0.34	0.86
Copper	mg	0.045		25	0.007	0.013	0.032
Manganese	mg						
Selenium	µg	11.0	0.449	6	1.6	3.1	7.8
Vitamins:							
Ascorbic acid	mg	1.7	0.100	27	0.3	0.5	1.2
Thiamin	mg	0.014	0.000	28	0.002	0.004	0.010
Riboflavin	mg	0.152	0.003	28	0.023	0.043	0.108
Niacin	mg	3.255	0.049	30	0.488	0.923	2.311
Pantothenic acid	mg	0.680		4	0.102	0.193	0.483
Vitamin B-6	mg	0.200	0.009	14	0.030	0.057	0.142
Folate	µg	10	0.700	9	2	3	7
Vitamin B-12	µg	0.40		0	0.06	0.11	0.28
Vitamin A	IU	53		0	8	15	38
Vitamin A, RE	µg	16		0	2	5	11
Vitamin E, α-TE	mg	0.400		0	0.060	0.113	0.284
Lipids:							
Saturated, total	g	2.030		1	0.304	0.576	1.441
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		1	0.000	0.000	0.000
14:0	g	0.050		1	0.008	0.014	0.036
15.0	g						
16:0	g	1.480		1	0.222	0.420	1.051
17:0	g						
18:0	g	0.420		1	0.063	0.119	0.298
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	3.560	1	0.534	1.009	2.528
14:1	g					
16:1	g	0.290	1	0.044	0.082	0.206
18:1	g	3.250	1	0.488	0.921	2.308
20:1	g	0.020	1	0.003	0.006	0.014
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	1.920	1	0.288	0.544	1.363
18:2	g	1.850	1	0.278	0.524	1.313
18:3	g	0.040	1	0.006	0.011	0.028
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.030	1	0.004	0.009	0.021
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	61	0	9	17	44
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.156	0	0.023	0.044	0.111
Threonine	g	0.615	0	0.092	0.174	0.437
Isoleucine	g	0.645	0	0.097	0.183	0.458
Leucine	g	1.058	0	0.159	0.300	0.751
Lysine	g	1.144	0	0.172	0.324	0.812
Methionine	g	0.367	0	0.055	0.104	0.261
Cystine	g	0.180	0	0.027	0.051	0.128
Phenylalanine	g	0.558	0	0.084	0.158	0.396
Tyrosine	g	0.439	0	0.066	0.124	0.312
Valine	g	0.689	0	0.103	0.195	0.489
Arginine	g	0.957	0	0.144	0.271	0.679
Histidine	g	0.415	0	0.062	0.118	0.295
Alanine	g	0.871	0	0.131	0.247	0.618
Aspartic acid	g	1.269	0	0.190	0.360	0.901
Glutamic acid	g	1.982	0	0.297	0.562	1.407
Glycine	g	0.913	0	0.137	0.259	0.648
Proline	g	0.707	0	0.106	0.200	0.502
Serine	g	0.498	0	0.075	0.141	0.354
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03013 Babyfood, meat, chicken, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 71g
Proximates:							
Water	g	76.00	0.500	22	11.40	21.55	53.96
Energy	kcal	149		0	22	42	106
Energy	kj	623		0	93	177	442
Protein (N x 5.95)	g	14.70	0.400	20	2.21	4.17	10.44
Total lipid (fat)	g	9.60	0.400	19	1.44	2.72	6.82
Carbohydrate, by difference	g	0.00		0	0.00	0.00	0.00
Fiber, total dietary	g	0.0		0	0.0	0.0	0.0
Ash	g	0.70		0	0.11	0.20	0.50
Sugars, total	g						
Minerals:							
Calcium	mg	55	4.000	19	8	16	39
Iron	mg	0.99	0.040	20	0.15	0.28	0.70
Magnesium	mg	11		1	2	3	8
Phosphorus	mg	90		1	14	26	64
Potassium	mg	122		14	18	35	87
Sodium	mg	51		23	8	14	36
Zinc	mg	1.01	0.085	4	0.15	0.29	0.72
Copper	mg	0.045	0.006	3	0.007	0.013	0.032
Manganese	mg						
Selenium	µg	10.3	0.817	6	1.5	2.9	7.3
Vitamins:							
Ascorbic acid	mg	1.5	0.100	19	0.2	0.4	1.1
Thiamin	mg	0.014	0.000	22	0.002	0.004	0.010
Riboflavin	mg	0.163	0.000	19	0.024	0.046	0.116
Niacin	mg	3.420	0.070	19	0.513	0.970	2.428
Pantothenic acid	mg	0.726		0	0.109	0.206	0.515
Vitamin B-6	mg	0.188	0.024	4	0.028	0.053	0.133
Folate	µg	11		0	2	3	8
Vitamin B-12	µg	0.40		0	0.06	0.11	0.28
Vitamin A	IU	40		0	6	11	28
Vitamin A, RE	µg	12		0	2	3	9
Vitamin E, α-TE	mg	0.400		0	0.060	0.113	0.284
Lipids:							
Saturated, total	g	2.470		1	0.371	0.700	1.754
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		1	0.000	0.000	0.000
14:0	g	0.070		1	0.011	0.020	0.050
15.0	g						
16:0	g	1.800		1	0.270	0.510	1.278
17:0	g						
18:0	g	0.500		1	0.075	0.142	0.355
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	4.330	1	0.650	1.228	3.074
14:1	g					
16:1	g	0.350	1	0.053	0.099	0.248
18:1	g	3.950	1	0.593	1.120	2.805
20:1	g	0.020	1	0.003	0.006	0.014
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	2.330	1	0.350	0.661	1.654
18:2	g	2.250	1	0.338	0.638	1.597
18:3	g	0.050	1	0.008	0.014	0.036
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.040	1	0.006	0.011	0.028
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	59	0	9	17	42
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.167	0	0.025	0.047	0.119
Threonine	g	0.660	0	0.099	0.187	0.469
Isoleucine	g	0.693	0	0.104	0.196	0.492
Leucine	g	1.136	0	0.170	0.322	0.807
Lysine	g	1.228	0	0.184	0.348	0.872
Methionine	g	0.394	0	0.059	0.112	0.280
Cystine	g	0.193	0	0.029	0.055	0.137
Phenylalanine	g	0.599	0	0.090	0.170	0.425
Tyrosine	g	0.471	0	0.071	0.134	0.334
Valine	g	0.740	0	0.111	0.210	0.525
Arginine	g	1.028	0	0.154	0.291	0.730
Histidine	g	0.445	0	0.067	0.126	0.316
Alanine	g	0.936	0	0.140	0.265	0.665
Aspartic acid	g	1.362	0	0.204	0.386	0.967
Glutamic acid	g	2.128	0	0.319	0.603	1.511
Glycine	g	0.981	0	0.147	0.278	0.697
Proline	g	0.759	0	0.114	0.215	0.539
Serine	g	0.535	0	0.080	0.152	0.380
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03014 Babyfood, meat, chicken sticks, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 10g	Measure 2* 71g	Measure 3* 71g
Proximates:							
Water	g	68.30	0.900	6	6.83	48.49	48.49
Energy	kcal	188		0	19	133	133
Energy	kj	787		0	79	559	559
Protein (N x 5.95)	g	14.60	0.200	7	1.46	10.37	10.37
Total lipid (fat)	g	14.40	0.400	8	1.44	10.22	10.22
Carbohydrate, by difference	g	1.40		0	0.14	0.99	0.99
Fiber, total dietary	g	0.2		0	0.0	0.1	0.1
Ash	g	1.20	0.100	6	0.12	0.85	0.85
Sugars, total	g						
Minerals:							
Calcium	mg	73	6.000	7	7	52	52
Iron	mg	1.56	0.030	8	0.16	1.11	1.11
Magnesium	mg	14		0	1	10	10
Phosphorus	mg	121		1	12	86	86
Potassium	mg	106		1	11	75	75
Sodium	mg	479		1	48	340	340
Zinc	mg	1.01		0	0.10	0.72	0.72
Copper	mg	0.045		0	0.004	0.032	0.032
Manganese	mg						
Selenium	µg	10.3	0.346	3	1.0	7.3	7.3
Vitamins:							
Ascorbic acid	mg	1.7	0.000	6	0.2	1.2	1.2
Thiamin	mg	0.017	0.000	7	0.002	0.012	0.012
Riboflavin	mg	0.197	0.007	7	0.020	0.140	0.140
Niacin	mg	2.005	0.064	7	0.201	1.424	1.424
Pantothenic acid	mg	0.726		0	0.073	0.515	0.515
Vitamin B-6	mg	0.103	0.000	5	0.010	0.073	0.073
Folate	µg	11		0	1	8	8
Vitamin B-12	µg	0.40		0	0.04	0.28	0.28
Vitamin A	IU	11		0	1	8	8
Vitamin A, RE	µg	3		0	0	2	2
Vitamin E, α-TE	mg	0.400		0	0.040	0.284	0.284
Lipids:							
Saturated, total	g	4.094		0	0.409	2.907	2.907
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.037		0	0.004	0.026	0.026
14:0	g	0.133		0	0.013	0.094	0.094
15.0	g						
16:0	g	3.045		0	0.305	2.162	2.162
17:0	g						
18:0	g	0.813		0	0.081	0.577	0.577
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	6.267	0	0.627	4.450	4.450
14:1	g					
16:1	g	0.887	0	0.089	0.630	0.630
18:1	g	5.277	0	0.528	3.747	3.747
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	2.986	0	0.299	2.120	2.120
18:2	g	2.764	0	0.276	1.962	1.962
18:3	g	0.111	0	0.011	0.079	0.079
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	78	0	8	55	55
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.117	0	0.012	0.083	0.083
Threonine	g	0.572	0	0.057	0.406	0.406
Isoleucine	g	0.729	0	0.073	0.518	0.518
Leucine	g	1.142	0	0.114	0.811	0.811
Lysine	g	1.160	0	0.116	0.824	0.824
Methionine	g	0.323	0	0.032	0.229	0.229
Cystine	g	0.127	0	0.013	0.090	0.090
Phenylalanine	g	0.673	0	0.067	0.478	0.478
Tyrosine	g	0.497	0	0.050	0.353	0.353
Valine	g	0.764	0	0.076	0.542	0.542
Arginine	g	1.003	0	0.100	0.712	0.712
Histidine	g	0.462	0	0.046	0.328	0.328
Alanine	g	0.792	0	0.079	0.562	0.562
Aspartic acid	g	1.263	0	0.126	0.897	0.897
Glutamic acid	g	2.201	0	0.220	1.563	1.563
Glycine	g	0.811	0	0.081	0.576	0.576
Proline	g	0.902	0	0.090	0.640	0.640
Serine	g	0.534	0	0.053	0.379	0.379
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 stick
Measure 2: 1 jar
Measure 3: 1 Gerber Graduates jar (2.5 oz)

NDB No. 03015 Babyfood, meat, turkey, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 71g
Proximates:							
Water	g	78.90	0.400	23	11.84	22.37	56.02
Energy	kcal	114		0	17	32	81
Energy	kj	477		0	72	135	339
Protein (N x 5.95)	g	14.30	0.200	20	2.15	4.05	10.15
Total lipid (fat)	g	5.80	0.200	20	0.87	1.64	4.12
Carbohydrate, by difference	g	0.10		0	0.02	0.03	0.07
Fiber, total dietary	g	0.0		0	0.0	0.0	0.0
Ash	g	0.90	0.100	20	0.14	0.26	0.64
Sugars, total	g						
Minerals:							
Calcium	mg	23	3.000	20	3	7	16
Iron	mg	1.20	0.040	24	0.18	0.34	0.85
Magnesium	mg	14	0.000	2	2	4	10
Phosphorus	mg	126		2	19	36	89
Potassium	mg	231		14	35	65	164
Sodium	mg	55	0.000	15	8	16	39
Zinc	mg	1.83	0.029	2	0.27	0.52	1.30
Copper	mg	0.040		1	0.006	0.011	0.028
Manganese	mg						
Selenium	µg	16.5	0.817	6	2.5	4.7	11.7
Vitamins:							
Ascorbic acid	mg	2.2	0.200	19	0.3	0.6	1.6
Thiamin	mg	0.018	0.000	21	0.003	0.005	0.013
Riboflavin	mg	0.209	0.013	20	0.031	0.059	0.148
Niacin	mg	3.667	0.074	20	0.550	1.040	2.604
Pantothenic acid	mg	0.570		4	0.086	0.162	0.405
Vitamin B-6	mg	0.180		6	0.027	0.051	0.128
Folate	µg	11		0	2	3	8
Vitamin B-12	µg	1.00		1	0.15	0.28	0.71
Vitamin A	IU	47		0	7	13	33
Vitamin A, RE	µg	14		0	2	4	10
Vitamin E, α-TE	mg	0.400		0	0.060	0.113	0.284
Lipids:							
Saturated, total	g	1.910		1	0.286	0.541	1.356
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		1	0.000	0.000	0.000
12:0	g	0.030		1	0.004	0.009	0.021
14:0	g	0.090		1	0.013	0.026	0.064
15.0	g						
16:0	g	1.170		1	0.175	0.332	0.831
17:0	g						
18:0	g	0.550		1	0.083	0.156	0.391
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.180	1	0.327	0.618	1.548
14:1	g					
16:1	g	0.190	1	0.029	0.054	0.135
18:1	g	1.960	1	0.294	0.556	1.392
20:1	g	0.020	1	0.003	0.006	0.014
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	1.450	1	0.218	0.411	1.030
18:2	g	1.330	1	0.200	0.377	0.944
18:3	g	0.060	1	0.009	0.017	0.043
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.060	1	0.009	0.017	0.043
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	59	0	9	17	42
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.149	0	0.022	0.042	0.106
Threonine	g	0.633	0	0.095	0.179	0.449
Isoleucine	g	0.717	0	0.108	0.203	0.509
Leucine	g	1.138	0	0.171	0.323	0.808
Lysine	g	1.184	0	0.178	0.336	0.841
Methionine	g	0.443	0	0.066	0.126	0.315
Cystine	g	0.174	0	0.026	0.049	0.124
Phenylalanine	g	0.590	0	0.089	0.167	0.419
Tyrosine	g	0.503	0	0.075	0.143	0.357
Valine	g	0.727	0	0.109	0.206	0.516
Arginine	g	0.909	0	0.136	0.258	0.645
Histidine	g	0.366	0	0.055	0.104	0.260
Alanine	g	0.905	0	0.136	0.257	0.643
Aspartic acid	g	1.426	0	0.214	0.404	1.012
Glutamic acid	g	2.267	0	0.340	0.643	1.610
Glycine	g	0.941	0	0.141	0.267	0.668
Proline	g	0.704	0	0.106	0.200	0.500
Serine	g	0.562	0	0.084	0.159	0.399
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03016 Babyfood, meat, turkey, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 71g
Proximates:							
Water	g	77.50	0.600	7	11.63	21.97	55.02
Energy	kcal	129		0	19	37	92
Energy	kj	540		0	81	153	383
Protein (N x 5.95)	g	15.40	0.100	4	2.31	4.37	10.93
Total lipid (fat)	g	7.10	0.300	6	1.06	2.01	5.04
Carbohydrate, by difference	g	0.00		0	0.00	0.00	0.00
Fiber, total dietary	g	0.0		0	0.0	0.0	0.0
Ash	g	0.80	0.000	4	0.12	0.23	0.57
Sugars, total	g						
Minerals:							
Calcium	mg	28	3.000	5	4	8	20
Iron	mg	1.35	0.050	5	0.20	0.38	0.96
Magnesium	mg	12		1	2	3	9
Phosphorus	mg	95		1	14	27	67
Potassium	mg	180		1	27	51	128
Sodium	mg	72		6	11	20	51
Zinc	mg	1.80		1	0.27	0.51	1.28
Copper	mg	0.043		0	0.006	0.012	0.031
Manganese	mg						
Selenium	µg	17.0	1.029	5	2.5	4.8	12.1
Vitamins:							
Ascorbic acid	mg	2.4	0.100	4	0.4	0.7	1.7
Thiamin	mg	0.016	0.000	4	0.002	0.005	0.011
Riboflavin	mg	0.250	0.014	4	0.038	0.071	0.178
Niacin	mg	3.483	0.028	4	0.522	0.987	2.473
Pantothenic acid	mg	0.609		0	0.091	0.173	0.432
Vitamin B-6	mg	0.166	0.008	5	0.025	0.047	0.118
Folate	µg	12	1.100	3	2	3	9
Vitamin B-12	µg	1.07		0	0.16	0.30	0.76
Vitamin A	IU	33		0	5	9	23
Vitamin A, RE	µg	10		0	2	3	7
Vitamin E, α-TE	mg	0.400		0	0.060	0.113	0.284
Lipids:							
Saturated, total	g	2.310		1	0.347	0.655	1.640
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		1	0.000	0.000	0.000
12:0	g	0.040		1	0.006	0.011	0.028
14:0	g	0.100		1	0.015	0.028	0.071
15.0	g						
16:0	g	1.410		1	0.212	0.400	1.001
17:0	g						
18:0	g	0.660		1	0.099	0.187	0.469
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.640	1	0.396	0.748	1.874
14:1	g					
16:1	g	0.220	1	0.033	0.062	0.156
18:1	g	2.370	1	0.356	0.672	1.683
20:1	g	0.020	1	0.003	0.006	0.014
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	1.760	1	0.264	0.499	1.250
18:2	g	1.610	1	0.242	0.456	1.143
18:3	g	0.080	1	0.012	0.023	0.057
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.070	1	0.011	0.020	0.050
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	53	0	8	15	38
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.160	0	0.024	0.045	0.114
Threonine	g	0.681	0	0.102	0.193	0.484
Isoleucine	g	0.772	0	0.116	0.219	0.548
Leucine	g	1.225	0	0.184	0.347	0.870
Lysine	g	1.274	0	0.191	0.361	0.905
Methionine	g	0.477	0	0.072	0.135	0.339
Cystine	g	0.187	0	0.028	0.053	0.133
Phenylalanine	g	0.634	0	0.095	0.180	0.450
Tyrosine	g	0.541	0	0.081	0.153	0.384
Valine	g	0.782	0	0.117	0.222	0.555
Arginine	g	0.979	0	0.147	0.278	0.695
Histidine	g	0.393	0	0.059	0.111	0.279
Alanine	g	0.974	0	0.146	0.276	0.692
Aspartic acid	g	1.534	0	0.230	0.435	1.089
Glutamic acid	g	2.439	0	0.366	0.691	1.732
Glycine	g	1.013	0	0.152	0.287	0.719
Proline	g	0.757	0	0.114	0.215	0.537
Serine	g	0.605	0	0.091	0.172	0.430
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03017 Babyfood, meat, turkey sticks, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 10g	Measure 2* 71g	Measure 3* 71g
Proximates:							
Water	g	69.80	0.800	4	6.98	49.56	49.56
Energy	kcal	182		0	18	129	129
Energy	kj	761		0	76	540	540
Protein (N x 5.95)	g	13.70	0.300	5	1.37	9.73	9.73
Total lipid (fat)	g	14.20	0.500	5	1.42	10.08	10.08
Carbohydrate, by difference	g	1.40		0	0.14	0.99	0.99
Fiber, total dietary	g	0.5		0	0.1	0.4	0.4
Ash	g	0.90	0.300	4	0.09	0.64	0.64
Sugars, total	g						
Minerals:							
Calcium	mg	72	11.000	3	7	51	51
Iron	mg	1.24	0.130	4	0.12	0.88	0.88
Magnesium	mg	16		0	2	11	11
Phosphorus	mg	103		1	10	73	73
Potassium	mg	91		1	9	65	65
Sodium	mg	483		1	48	343	343
Zinc	mg	1.83		0	0.18	1.30	1.30
Copper	mg	0.040		0	0.004	0.028	0.028
Manganese	mg						
Selenium	µg	10.1	0.462	3	1.0	7.2	7.2
Vitamins:							
Ascorbic acid	mg	1.5	0.100	4	0.2	1.1	1.1
Thiamin	mg	0.010	0.000	6	0.001	0.007	0.007
Riboflavin	mg	0.155	0.005	4	0.016	0.110	0.110
Niacin	mg	1.752	0.028	4	0.175	1.244	1.244
Pantothenic acid	mg	0.570		0	0.057	0.405	0.405
Vitamin B-6	mg	0.076	0.004	6	0.008	0.054	0.054
Folate	µg	11		0	1	8	8
Vitamin B-12	µg	1.00		0	0.10	0.71	0.71
Vitamin A	IU	19		0	2	13	13
Vitamin A, RE	µg	6		0	1	4	4
Vitamin E, α-TE	mg	0.400		0	0.040	0.284	0.284
Lipids:							
Saturated, total	g	4.143		0	0.414	2.942	2.942
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.020		0	0.002	0.014	0.014
14:0	g	0.102		0	0.010	0.072	0.072
15.0	g						
16:0	g	2.539		0	0.254	1.803	1.803
17:0	g						
18:0	g	1.015		0	0.102	0.721	0.721
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	4.671	0	0.467	3.316	3.316
14:1	g					
16:1	g	0.772	0	0.077	0.548	0.548
18:1	g	3.798	0	0.380	2.697	2.697
20:1	g	0.020	0	0.002	0.014	0.014
22.1	g	0.020	0	0.002	0.014	0.014
Polyunsaturated, total	g	3.615	0	0.362	2.567	2.567
18:2	g	3.006	0	0.301	2.134	2.134
18:3	g	0.163	0	0.016	0.116	0.116
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.284	0	0.028	0.202	0.202
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.041	0	0.004	0.029	0.029
22:6	g	0.061	0	0.006	0.043	0.043
Cholesterol	mg	65	0	7	46	46
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.101	0	0.010	0.072	0.072
Threonine	g	0.546	0	0.055	0.388	0.388
Isoleucine	g	0.629	0	0.063	0.447	0.447
Leucine	g	1.071	0	0.107	0.760	0.760
Lysine	g	1.176	0	0.118	0.835	0.835
Methionine	g	0.304	0	0.030	0.216	0.216
Cystine	g	0.122	0	0.012	0.087	0.087
Phenylalanine	g	0.610	0	0.061	0.433	0.433
Tyrosine	g	0.483	0	0.048	0.343	0.343
Valine	g	0.651	0	0.065	0.462	0.462
Arginine	g	0.883	0	0.088	0.627	0.627
Histidine	g	0.367	0	0.037	0.261	0.261
Alanine	g	0.704	0	0.070	0.500	0.500
Aspartic acid	g	1.272	0	0.127	0.903	0.903
Glutamic acid	g	2.196	0	0.220	1.559	1.559
Glycine	g	0.682	0	0.068	0.484	0.484
Proline	g	0.651	0	0.065	0.462	0.462
Serine	g	0.505	0	0.051	0.359	0.359
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 stick
Measure 2: 1 jar
Measure 3: 1 Gerber Graduates jar (2.5 oz)

NDB No. 03021 Babyfood, meat, meat sticks, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 10g	Measure 2* 71g	Measure 3* 71g
Proximates:							
Water	g	69.50	0.200	6	6.95	49.34	49.34
Energy	kcal	184		0	18	131	131
Energy	kj	770		0	77	547	547
Protein (N x 5.95)	g	13.40	0.200	7	1.34	9.51	9.51
Total lipid (fat)	g	14.60	0.100	6	1.46	10.37	10.37
Carbohydrate, by difference	g	1.10		0	0.11	0.78	0.78
Fiber, total dietary	g	0.2		0	0.0	0.1	0.1
Ash	g	1.40	0.000	5	0.14	0.99	0.99
Sugars, total	g						
Minerals:							
Calcium	mg	34	1.000	13	3	24	24
Iron	mg	1.38	0.020	13	0.14	0.98	0.98
Magnesium	mg	11		0	1	8	8
Phosphorus	mg	103		1	10	73	73
Potassium	mg	114		1	11	81	81
Sodium	mg	547		1	55	388	388
Zinc	mg	1.90		0	0.19	1.35	1.35
Copper	mg	0.068		0	0.007	0.048	0.048
Manganese	mg						
Selenium	µg	13.3	0.577	3	1.3	9.4	9.4
Vitamins:							
Ascorbic acid	mg	2.4	0.100	12	0.2	1.7	1.7
Thiamin	mg	0.059	0.000	15	0.006	0.042	0.042
Riboflavin	mg	0.172	0.012	13	0.017	0.122	0.122
Niacin	mg	1.481	0.056	13	0.148	1.052	1.052
Pantothenic acid	mg	0.481		0	0.048	0.342	0.342
Vitamin B-6	mg	0.080	0.000	4	0.008	0.057	0.057
Folate	µg	9		0	1	6	6
Vitamin B-12	µg	0.29		0	0.03	0.21	0.21
Vitamin A	IU	69	7.000	9	7	49	49
Vitamin A, RE	µg	21	2.000	9	2	15	15
Vitamin E, α-TE	mg	0.400		0	0.040	0.284	0.284
Lipids:							
Saturated, total	g	5.820		1	0.582	4.132	4.132
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.010		1	0.001	0.007	0.007
12:0	g	0.020		1	0.002	0.014	0.014
14:0	g	0.250		1	0.025	0.178	0.178
15.0	g						
16:0	g	3.570		1	0.357	2.535	2.535
17:0	g						
18:0	g	1.780		1	0.178	1.264	1.264
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	6.480	1	0.648	4.601	4.601
14:1	g					
16:1	g	0.460	1	0.046	0.327	0.327
18:1	g	5.890	1	0.589	4.182	4.182
20:1	g	0.070	1	0.007	0.050	0.050
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	1.590	1	0.159	1.129	1.129
18:2	g	1.460	1	0.146	1.037	1.037
18:3	g	0.070	1	0.007	0.050	0.050
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.060	1	0.006	0.043	0.043
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	70	0	7	50	50
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.092	0	0.009	0.065	0.065
Threonine	g	0.581	0	0.058	0.413	0.413
Isoleucine	g	0.667	0	0.067	0.474	0.474
Leucine	g	1.042	0	0.104	0.740	0.740
Lysine	g	1.034	0	0.103	0.734	0.734
Methionine	g	0.309	0	0.031	0.219	0.219
Cystine	g	0.073	0	0.007	0.052	0.052
Phenylalanine	g	0.607	0	0.061	0.431	0.431
Tyrosine	g	0.521	0	0.052	0.370	0.370
Valine	g	0.691	0	0.069	0.491	0.491
Arginine	g	0.871	0	0.087	0.618	0.618
Histidine	g	0.461	0	0.046	0.327	0.327
Alanine	g	0.785	0	0.079	0.557	0.557
Aspartic acid	g	1.126	0	0.113	0.799	0.799
Glutamic acid	g	2.023	0	0.202	1.436	1.436
Glycine	g	0.682	0	0.068	0.484	0.484
Proline	g	0.759	0	0.076	0.539	0.539
Serine	g	0.495	0	0.050	0.351	0.351
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 stick
Measure 2: 1 jar
Measure 3: 1 Gerber Graduates jar (2.5 oz)

NDB No. 03041 Babyfood, dinner, vegetables and dumplings and beef, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	88.90	0.200	5	25.20	100.46	
Energy	kcal	48		0	14	54	
Energy	kj	201		0	57	227	
Protein (N x 5.95)	g	2.00	0.100	2	0.57	2.26	
Total lipid (fat)	g	0.90	0.200	2	0.26	1.02	
Carbohydrate, by difference	g	7.70		0	2.18	8.70	
Fiber, total dietary	g						
Ash	g	0.50	0.100	2	0.14	0.56	
Sugars, total	g						
Minerals:							
Calcium	mg	14	2.000	2	4	16	
Iron	mg	0.39	0.070	2	0.11	0.44	
Magnesium	mg	6		0	2	7	
Phosphorus	mg	28		0	8	32	
Potassium	mg	46		0	13	52	
Sodium	mg	49		1	14	55	
Zinc	mg	0.40		1	0.11	0.45	
Copper	mg	0.029		0	0.008	0.033	
Manganese	mg						
Selenium	µg	2.1		0	0.6	2.4	
Vitamins:							
Ascorbic acid	mg	0.8	0.100	2	0.2	0.9	
Thiamin	mg	0.049	0.000	2	0.014	0.055	
Riboflavin	mg	0.040	0.003	2	0.011	0.045	
Niacin	mg	0.574	0.005	2	0.163	0.649	
Pantothenic acid	mg	0.208		0	0.059	0.235	
Vitamin B-6	mg	0.047		0	0.013	0.053	
Folate	µg	7	1.400	3	2	8	
Vitamin B-12	µg	0.09		0	0.03	0.10	
Vitamin A	IU	416	84.000	2	118	470	
Vitamin A, RE	µg	56		0	16	63	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03042 Babyfood, dinner, vegetables and dumplings and beef, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	88.60	0.100	3	25.12	150.62	
Energy	kcal	48		0	14	82	
Energy	kj	201		0	57	342	
Protein (N x 5.95)	g	2.10	0.100	3	0.60	3.57	
Total lipid (fat)	g	0.80	0.100	3	0.23	1.36	
Carbohydrate, by difference	g	8.00		0	2.27	13.60	
Fiber, total dietary	g						
Ash	g	0.60	0.000	3	0.17	1.02	
Sugars, total	g						
Minerals:							
Calcium	mg	14	1.000	3	4	24	
Iron	mg	0.47	0.040	3	0.13	0.80	
Magnesium	mg	7	0.000	3	2	12	
Phosphorus	mg	29		0	8	49	
Potassium	mg	47		0	13	80	
Sodium	mg	52		1	15	88	
Zinc	mg	0.33	0.027	3	0.09	0.56	
Copper	mg	0.030		0	0.009	0.051	
Manganese	mg						
Selenium	µg	2.1		0	0.6	3.6	
Vitamins:							
Ascorbic acid	mg	0.8		0	0.2	1.4	
Thiamin	mg	0.039	0.000	3	0.011	0.066	
Riboflavin	mg	0.036		3	0.010	0.061	
Niacin	mg	0.490	0.009	3	0.139	0.833	
Pantothenic acid	mg	0.214		0	0.061	0.364	
Vitamin B-6	mg	0.048		0	0.014	0.082	
Folate	µg	7		0	2	13	
Vitamin B-12	µg	0.09		0	0.03	0.15	
Vitamin A	IU	660	49.000	3	187	1122	
Vitamin A, RE	µg	89		0	25	151	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03043 Babyfood, dinner, beef lasagna, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	82.30	0.300	3	23.33	139.91	
Energy	kcal	77		0	22	131	
Energy	kj	322		0	91	547	
Protein (N x 5.95)	g	4.20	0.300	3	1.19	7.14	
Total lipid (fat)	g	2.10	0.100	3	0.60	3.57	
Carbohydrate, by difference	g	10.00		0	2.84	17.00	
Fiber, total dietary	g						
Ash	g	1.40	0.000	3	0.40	2.38	
Sugars, total	g						
Minerals:							
Calcium	mg	18	0.000	3	5	31	
Iron	mg	0.87	0.020	3	0.25	1.48	
Magnesium	mg	11		1	3	19	
Phosphorus	mg	40		1	11	68	
Potassium	mg	122		1	35	207	
Sodium	mg	454		1	129	772	
Zinc	mg	0.70		1	0.20	1.19	
Copper	mg	0.097		0	0.027	0.165	
Manganese	mg						
Selenium	µg	8.4		0	2.4	14.3	
Vitamins:							
Ascorbic acid	mg	1.9	0.200	3	0.5	3.2	
Thiamin	mg	0.072	0.009	3	0.020	0.122	
Riboflavin	mg	0.089	0.007	3	0.025	0.151	
Niacin	mg	1.353	0.050	3	0.384	2.300	
Pantothenic acid	mg						
Vitamin B-6	mg	0.071	0.000	3	0.020	0.121	
Folate	µg	6		0	2	10	
Vitamin B-12	µg	0.51		0	0.14	0.87	
Vitamin A	IU	1163	227.000	3	330	1977	
Vitamin A, RE	µg	156		0	44	265	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g				
14:1	g				
16:1	g				
18:1	g				
20:1	g				
22.1	g				
Polyunsaturated, total	g				
18:2	g				
18:3	g				
18:4	g				
20:4	g				
20:5	g				
22:5	g				
22:6	g				
Cholesterol	mg				
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.047	0	0.013	0.080
Threonine	g	0.163	0	0.046	0.277
Isoleucine	g	0.206	0	0.058	0.350
Leucine	g	0.324	0	0.092	0.551
Lysine	g	0.297	0	0.084	0.505
Methionine	g	0.082	0	0.023	0.139
Cystine	g	0.048	0	0.014	0.082
Phenylalanine	g	0.182	0	0.052	0.309
Tyrosine	g	0.132	0	0.037	0.224
Valine	g	0.231	0	0.065	0.393
Arginine	g	0.253	0	0.072	0.430
Histidine	g	0.102	0	0.029	0.173
Alanine	g	0.265	0	0.075	0.451
Aspartic acid	g	0.353	0	0.100	0.600
Glutamic acid	g	0.889	0	0.252	1.511
Glycine	g	0.279	0	0.079	0.474
Proline	g	0.326	0	0.092	0.554
Serine	g	0.120	0	0.034	0.204
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03044 Babyfood, dinner, macaroni and tomato and beef, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	86.34		0	13.81	24.48	97.56
Energy	kcal	61		0	10	17	69
Energy	kj	255		0	41	72	288
Protein (N x 5.95)	g	2.36		0	0.38	0.67	2.67
Total lipid (fat)	g	1.47		0	0.24	0.42	1.66
Carbohydrate, by difference	g	9.45		0	1.51	2.68	10.68
Fiber, total dietary	g	1.2		0	0.2	0.3	1.4
Ash	g	0.37		0	0.06	0.10	0.42
Sugars, total	g	2.09		0	0.33	0.59	2.36
Minerals:							
Calcium	mg	17		0	3	5	19
Iron	mg	0.46		0	0.07	0.13	0.52
Magnesium	mg	12		0	2	3	14
Phosphorus	mg	39		0	6	11	44
Potassium	mg	112		0	18	32	127
Sodium	mg	38		0	6	11	43
Zinc	mg	0.54		0	0.09	0.15	0.61
Copper	mg	0.050		0	0.008	0.014	0.057
Manganese	mg	0.130		0	0.021	0.037	0.147
Selenium	µg	8.4		0	1.3	2.4	9.5
Vitamins:							
Ascorbic acid	mg	0.3		0	0.0	0.1	0.3
Thiamin	mg	0.038		0	0.006	0.011	0.043
Riboflavin	mg	0.043		0	0.007	0.012	0.049
Niacin	mg	0.715		0	0.114	0.203	0.808
Pantothenic acid	mg	0.140		0	0.022	0.040	0.158
Vitamin B-6	mg	0.056		0	0.009	0.016	0.063
Folate	µg	9		0	1	3	10
Vitamin B-12	µg	0.15		0	0.02	0.04	0.17
Vitamin A **(1)**	IU	878		0	140	249	992
Vitamin A, RE **(1)**	µg	88		0	14	25	99
Vitamin E, α-TE	mg	0.294		0	0.047	0.083	0.332
Lipids:							
Saturated, total	g	0.486		0	0.078	0.138	0.549
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.000	0.000	0.001
12:0	g	0.001		0	0.000	0.000	0.001
14:0	g	0.031		0	0.005	0.009	0.035
15.0	g						
16:0	g	0.292		0	0.047	0.083	0.330
17:0	g						
18:0	g	0.140		0	0.022	0.040	0.158
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.594	0	0.095	0.168	0.671
14:1	g					
16:1	g	0.041	0	0.007	0.012	0.046
18:1	g	0.533	0	0.085	0.151	0.602
20:1	g	0.001	0	0.000	0.000	0.001
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.193	0	0.031	0.055	0.218
18:2	g	0.170	0	0.027	0.048	0.192
18:3	g	0.017	0	0.003	0.005	0.019
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.004	0	0.001	0.001	0.005
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	7	0	1	2	8
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

Footnotes:

1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

NDB No. 03045 Babyfood, dinner, macaroni and tomato and beef, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	86.70	0.100	20	13.87	24.58	147.39
Energy	kcal	59		0	9	17	100
Energy	kj	247		0	40	70	420
Protein (N x 5.95)	g	2.50	0.200	28	0.40	0.71	4.25
Total lipid (fat)	g	1.10	0.000	22	0.18	0.31	1.87
Carbohydrate, by difference	g	9.40		0	1.50	2.66	15.98
Fiber, total dietary	g	1.1		0	0.2	0.3	1.9
Ash	g	0.30	0.000	17	0.05	0.09	0.51
Sugars, total	g						
Minerals:							
Calcium	mg	14	1.000	19	2	4	24
Iron	mg	0.36	0.020	19	0.06	0.10	0.61
Magnesium	mg	7	1.000	3	1	2	12
Phosphorus	mg	44		0	7	12	75
Potassium	mg	72	2.000	13	12	20	122
Sodium	mg	17		15	3	5	29
Zinc	mg	0.36	0.010	7	0.06	0.10	0.62
Copper	mg	0.039	0.003	3	0.006	0.011	0.066
Manganese	mg						
Selenium	µg	8.4		0	1.3	2.4	14.3
Vitamins:							
Ascorbic acid	mg	1.5		16	0.2	0.4	2.5
Thiamin	mg	0.048	0.000	20	0.008	0.014	0.082
Riboflavin	mg	0.055	0.000	19	0.009	0.016	0.094
Niacin	mg	0.751	0.019	19	0.120	0.213	1.277
Pantothenic acid	mg						
Vitamin B-6	mg	0.047		5	0.008	0.013	0.080
Folate	µg	9		0	1	3	15
Vitamin B-12	µg	0.24		0	0.04	0.07	0.41
Vitamin A	IU	691	24.000	19	111	196	1175
Vitamin A, RE	µg	109		0	17	31	185
Vitamin E, α-TE	mg	0.240		0	0.038	0.068	0.408
Lipids:							
Saturated, total	g	0.411		0	0.066	0.117	0.699
4:0	g	0.001		0	0.000	0.000	0.002
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.000	0.000	0.002
12:0	g	0.001		0	0.000	0.000	0.002
14:0	g	0.029		0	0.005	0.008	0.049
15.0	g						
16:0	g	0.241		0	0.039	0.068	0.410
17:0	g						
18:0	g	0.119		0	0.019	0.034	0.202
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.447	0	0.072	0.127	0.760
14:1	g					
16:1	g	0.038	0	0.006	0.011	0.065
18:1	g	0.392	0	0.063	0.111	0.666
20:1	g	0.001	0	0.000	0.000	0.002
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.079	0	0.013	0.022	0.134
18:2	g	0.066	0	0.011	0.019	0.112
18:3	g	0.007	0	0.001	0.002	0.012
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.004	0	0.001	0.001	0.007
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	4	0	1	1	7
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.028	0	0.004	0.008	0.048
Threonine	g	0.090	0	0.014	0.026	0.153
Isoleucine	g	0.118	0	0.019	0.033	0.201
Leucine	g	0.198	0	0.032	0.056	0.337
Lysine	g	0.149	0	0.024	0.042	0.253
Methionine	g	0.039	0	0.006	0.011	0.066
Cystine	g	0.034	0	0.005	0.010	0.058
Phenylalanine	g	0.112	0	0.018	0.032	0.190
Tyrosine	g	0.082	0	0.013	0.023	0.139
Valine	g	0.127	0	0.020	0.036	0.216
Arginine	g	0.133	0	0.021	0.038	0.226
Histidine	g	0.064	0	0.010	0.018	0.109
Alanine	g	0.128	0	0.020	0.036	0.218
Aspartic acid	g	0.198	0	0.032	0.056	0.337
Glutamic acid	g	0.619	0	0.099	0.175	1.052
Glycine	g	0.126	0	0.020	0.036	0.214
Proline	g	0.201	0	0.032	0.057	0.342
Serine	g	0.104	0	0.017	0.029	0.177
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03047 Babyfood, dinner, beef noodle, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	86.84		0	13.89	24.62	98.13
Energy	kcal	63		0	10	18	71
Energy	kj	264		0	42	75	298
Protein (N x 5.95)	g	2.44		0	0.39	0.69	2.76
Total lipid (fat)	g	2.26		0	0.36	0.64	2.55
Carbohydrate, by difference	g	8.18		0	1.31	2.32	9.24
Fiber, total dietary	g	1.3		0	0.2	0.4	1.5
Ash	g	0.28		0	0.04	0.08	0.32
Sugars, total	g	1.42		0	0.23	0.40	1.60
Minerals:							
Calcium	mg	10		0	2	3	11
Iron	mg	0.41		0	0.07	0.12	0.46
Magnesium	mg	10		0	2	3	11
Phosphorus	mg	38		0	6	11	43
Potassium	mg	87		0	14	25	98
Sodium	mg	15		0	2	4	17
Zinc	mg	0.60		0	0.10	0.17	0.68
Copper	mg	0.050		0	0.008	0.014	0.057
Manganese	mg	0.120		0	0.019	0.034	0.136
Selenium	µg	3.6		0	0.6	1.0	4.1
Vitamins:							
Ascorbic acid	mg	0.1		0	0.0	0.0	0.1
Thiamin	mg	0.035		0	0.006	0.010	0.040
Riboflavin	mg	0.035		0	0.006	0.010	0.040
Niacin	mg	0.616		0	0.099	0.175	0.696
Pantothenic acid	mg	0.101		0	0.016	0.029	0.114
Vitamin B-6	mg	0.036		0	0.006	0.010	0.041
Folate	µg	8		0	1	2	9
Vitamin B-12	µg	0.19		0	0.03	0.05	0.21
Vitamin A	IU	716		0	115	203	809
Vitamin A, RE	µg	72		0	12	20	81
Vitamin E, α-TE	mg	0.112		0	0.018	0.032	0.127
Lipids:							
Saturated, total	g	0.937		0	0.150	0.266	1.059
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.000	0.000	0.001
12:0	g	0.008		0	0.001	0.002	0.009
14:0	g	0.066		0	0.011	0.019	0.075
15.0	g						
16:0	g	0.522		0	0.084	0.148	0.590
17:0	g						
18:0	g	0.303		0	0.048	0.086	0.342
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.941	0	0.151	0.267	1.063
14:1	g					
16:1	g	0.083	0	0.013	0.024	0.094
18:1	g	0.822	0	0.132	0.233	0.929
20:1	g	0.004	0	0.001	0.001	0.005
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.141	0	0.023	0.040	0.159
18:2	g	0.112	0	0.018	0.032	0.127
18:3	g	0.017	0	0.003	0.005	0.019
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.005	0	0.001	0.001	0.006
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	8	0	1	2	9
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03049 Babyfood, dinner, beef and rice, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	81.90	1.000	7	23.22	139.23	
Energy	kcal	82		0	23	139	
Energy	kj	343		0	97	583	
Protein (N x 5.95)	g	5.00	0.200	3	1.42	8.50	
Total lipid (fat)	g	2.90	0.200	4	0.82	4.93	
Carbohydrate, by difference	g	8.80		0	2.49	14.96	
Fiber, total dietary	g						
Ash	g	1.40	0.000	3	0.40	2.38	
Sugars, total	g						
Minerals:							
Calcium	mg	11	1.000	3	3	19	
Iron	mg	0.69	0.010	3	0.20	1.17	
Magnesium	mg	8		1	2	14	
Phosphorus	mg	35		1	10	60	
Potassium	mg	120		1	34	204	
Sodium	mg	357		1	101	607	
Zinc	mg	0.92	0.013	3	0.26	1.56	
Copper	mg	0.054	0.004	3	0.015	0.092	
Manganese	mg						
Selenium	µg	8.4		0	2.4	14.3	
Vitamins:							
Ascorbic acid	mg	3.9	0.500	9	1.1	6.6	
Thiamin	mg	0.016	0.000	6	0.005	0.027	
Riboflavin	mg	0.069	0.000	3	0.020	0.117	
Niacin	mg	1.343	0.017	3	0.381	2.283	
Pantothenic acid	mg						
Vitamin B-6	mg	0.139	0.021	3	0.039	0.236	
Folate	µg	6		0	2	10	
Vitamin B-12	µg	0.51		0	0.14	0.87	
Vitamin A	IU	502	100.000	3	142	853	
Vitamin A, RE	µg	79		0	22	134	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g				
14:1	g				
16:1	g				
18:1	g				
20:1	g				
22.1	g				
Polyunsaturated, total	g				
18:2	g				
18:3	g				
18:4	g				
20:4	g				
20:5	g				
22:5	g				
22:6	g				
Cholesterol	mg				
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.046	0	0.013	0.078
Threonine	g	0.200	0	0.057	0.340
Isoleucine	g	0.245	0	0.069	0.417
Leucine	g	0.392	0	0.111	0.666
Lysine	g	0.376	0	0.107	0.639
Methionine	g	0.123	0	0.035	0.209
Cystine	g	0.054	0	0.015	0.092
Phenylalanine	g	0.197	0	0.056	0.335
Tyrosine	g	0.161	0	0.046	0.274
Valine	g	0.275	0	0.078	0.468
Arginine	g	0.338	0	0.096	0.575
Histidine	g	0.128	0	0.036	0.218
Alanine	g	0.339	0	0.096	0.576
Aspartic acid	g	0.464	0	0.132	0.789
Glutamic acid	g	0.870	0	0.247	1.479
Glycine	g	0.364	0	0.103	0.619
Proline	g	0.306	0	0.087	0.520
Serine	g	0.179	0	0.051	0.304
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03050 Babyfood, dinner, spaghetti and tomato and meat, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	84.17		0	13.47	23.86	143.09
Energy	kcal	68		0	11	19	116
Energy	kj	285		0	46	81	485
Protein (N x 5.95)	g	2.57		0	0.41	0.73	4.37
Total lipid (fat)	g	1.37		0	0.22	0.39	2.33
Carbohydrate, by difference	g	11.42		0	1.83	3.24	19.41
Fiber, total dietary	g	1.1		0	0.2	0.3	1.9
Ash	g	0.47		0	0.08	0.13	0.80
Sugars, total	g	2.72		0	0.44	0.77	4.62
Minerals:							
Calcium	mg	15		0	2	4	26
Iron	mg	0.53		0	0.08	0.15	0.90
Magnesium	mg	11		0	2	3	19
Phosphorus	mg	35		0	6	10	60
Potassium	mg	122		0	20	35	207
Sodium	mg	75		0	12	21	128
Zinc	mg	0.53		0	0.08	0.15	0.90
Copper	mg	0.030		0	0.005	0.009	0.051
Manganese	mg	0.120		0	0.019	0.034	0.204
Selenium	µg	8.4		0	1.3	2.4	14.3
Vitamins:							
Ascorbic acid	mg	0.2		0	0.0	0.1	0.3
Thiamin	mg	0.048		0	0.008	0.014	0.082
Riboflavin	mg	0.068		0	0.011	0.019	0.116
Niacin	mg	0.967		0	0.155	0.274	1.644
Pantothenic acid	mg	0.086		0	0.014	0.024	0.146
Vitamin B-6	mg	0.064		0	0.010	0.018	0.109
Folate	µg	27		0	4	8	46
Vitamin B-12	µg	0.03		0	0.00	0.01	0.05
Vitamin A **(1)**	IU	1255		0	201	356	2134
Vitamin A, RE **(1)**	µg	126		0	20	36	214
Vitamin E, α-TE	mg	0.073		0	0.012	0.021	0.124
Lipids:							
Saturated, total	g	0.543		0	0.087	0.154	0.923
4:0	g	0.013		0	0.002	0.004	0.022
6.0	g	0.005		0	0.001	0.001	0.009
8:0	g	0.003		0	0.000	0.001	0.005
10:0	g	0.007		0	0.001	0.002	0.012
12:0	g	0.010		0	0.002	0.003	0.017
14:0	g	0.044		0	0.007	0.012	0.075
15.0	g						
16:0	g	0.306		0	0.049	0.087	0.520
17:0	g						
18:0	g	0.142		0	0.023	0.040	0.241
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.497	0	0.080	0.141	0.845
14:1	g					
16:1	g	0.030	0	0.005	0.009	0.051
18:1	g	0.451	0	0.072	0.128	0.767
20:1	g	0.007	0	0.001	0.002	0.012
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.185	0	0.030	0.052	0.315
18:2	g	0.165	0	0.026	0.047	0.281
18:3	g	0.019	0	0.003	0.005	0.032
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.001	0	0.000	0.000	0.002
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	5	0	1	1	9
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

Footnotes:

1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

NDB No. 03051 Babyfood, dinner, spaghetti and tomato and meat, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	81.60		1	23.13	138.72	
Energy	kcal	75		0	21	128	
Energy	kj	314		0	89	534	
Protein (N x 5.95)	g	5.30		6	1.50	9.01	
Total lipid (fat)	g	1.00		6	0.28	1.70	
Carbohydrate, by difference	g	10.80		0	3.06	18.36	
Fiber, total dietary	g						
Ash	g	1.30		1	0.37	2.21	
Sugars, total	g						
Minerals:							
Calcium	mg	22		6	6	37	
Iron	mg	0.90		6	0.26	1.53	
Magnesium	mg	15		1	4	26	
Phosphorus	mg	45		1	13	77	
Potassium	mg	163		1	46	277	
Sodium	mg	358		1	101	609	
Zinc	mg	0.48		1	0.14	0.82	
Copper	mg	0.020		1	0.006	0.034	
Manganese	mg						
Selenium	µg	8.4		0	2.4	14.3	
Vitamins:							
Ascorbic acid	mg	4.1		6	1.2	7.0	
Thiamin	mg	0.062		6	0.018	0.105	
Riboflavin	mg	0.101		6	0.029	0.172	
Niacin	mg	1.558		6	0.442	2.649	
Pantothenic acid	mg						
Vitamin B-6	mg	0.083		6	0.024	0.141	
Folate	µg	32		0	9	54	
Vitamin B-12	µg	0.23		0	0.07	0.39	
Vitamin A	IU	443	116.000	6	126	753	
Vitamin A, RE	µg	85		0	24	145	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g				
14:1	g				
16:1	g				
18:1	g				
20:1	g				
22.1	g				
Polyunsaturated, total	g				
18:2	g				
18:3	g				
18:4	g				
20:4	g				
20:5	g				
22:5	g				
22:6	g				
Cholesterol	mg				
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.065	0	0.018	0.111
Threonine	g	0.197	0	0.056	0.335
Isoleucine	g	0.268	0	0.076	0.456
Leucine	g	0.413	0	0.117	0.702
Lysine	g	0.313	0	0.089	0.532
Methionine	g	0.104	0	0.029	0.177
Cystine	g	0.066	0	0.019	0.112
Phenylalanine	g	0.241	0	0.068	0.410
Tyrosine	g	0.184	0	0.052	0.313
Valine	g	0.286	0	0.081	0.486
Arginine	g	0.284	0	0.081	0.483
Histidine	g	0.141	0	0.040	0.240
Alanine	g	0.269	0	0.076	0.457
Aspartic acid	g	0.470	0	0.133	0.799
Glutamic acid	g	1.297	0	0.368	2.205
Glycine	g	0.254	0	0.072	0.432
Proline	g	0.442	0	0.125	0.751
Serine	g	0.202	0	0.057	0.343
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03052 Babyfood, dinner, beef stew, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3* 170g
Proximates:							
Water	g	86.90	0.600	7	24.64	147.73	147.73
Energy	kcal	51		0	14	87	87
Energy	kj	213		0	60	362	362
Protein (N x 5.95)	g	5.10	0.500	3	1.45	8.67	8.67
Total lipid (fat)	g	1.20	0.100	7	0.34	2.04	2.04
Carbohydrate, by difference	g	5.50		0	1.56	9.35	9.35
Fiber, total dietary	g	1.1		0	0.3	1.9	1.9
Ash	g	1.40	0.000	3	0.40	2.38	2.38
Sugars, total	g						
Minerals:							
Calcium	mg	9	0.000	3	3	15	15
Iron	mg	0.72	0.030	3	0.20	1.22	1.22
Magnesium	mg	11		1	3	19	19
Phosphorus	mg	44		1	12	75	75
Potassium	mg	142		1	40	241	241
Sodium	mg	345		1	98	587	587
Zinc	mg	0.87		1	0.25	1.48	1.48
Copper	mg	0.072		0	0.020	0.122	0.122
Manganese	mg						
Selenium	µg	4.5		0	1.3	7.7	7.7
Vitamins:							
Ascorbic acid	mg	3.0	0.200	3	0.9	5.1	5.1
Thiamin	mg	0.014	0.000	3	0.004	0.024	0.024
Riboflavin	mg	0.065	0.000	3	0.018	0.111	0.111
Niacin	mg	1.313	0.014	3	0.372	2.232	2.232
Pantothenic acid	mg						
Vitamin B-6	mg	0.074	0.000	3	0.021	0.126	0.126
Folate	µg	6		0	2	10	10
Vitamin B-12	µg	0.51		0	0.14	0.87	0.87
Vitamin A	IU	1649	210.000	3	467	2803	2803
Vitamin A, RE	µg	250		0	71	425	425
Vitamin E, α-TE	mg	0.240		0	0.068	0.408	0.408
Lipids:							
Saturated, total	g	0.580	0.050	4	0.164	0.986	0.986
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		3	0.000	0.000	0.000
12:0	g	0.000		4	0.000	0.000	0.000
14:0	g	0.030	0.000	4	0.009	0.051	0.051
15.0	g						
16:0	g	0.280	0.020	4	0.079	0.476	0.476
17:0	g						
18:0	g	0.220	0.020	4	0.062	0.374	0.374
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.440	0.050	4	0.125	0.748	0.748
14:1	g						
16:1	g	0.030	0.000	4	0.009	0.051	0.051
18:1	g	0.400	0.020	4	0.113	0.680	0.680
20:1	g	0.000		4	0.000	0.000	0.000
22.1	g	0.000		0	0.000	0.000	0.000
Polyunsaturated, total	g	0.100		4	0.028	0.170	0.170
18:2	g	0.090	0.000	4	0.026	0.153	0.153
18:3	g	0.010	0.000	4	0.003	0.017	0.017
18:4	g	0.000		0	0.000	0.000	0.000
20:4	g	0.010		4	0.003	0.017	0.017
20:5	g	0.000		0	0.000	0.000	0.000
22:5	g	0.000		0	0.000	0.000	0.000
22:6	g	0.000		0	0.000	0.000	0.000
Cholesterol	mg	13	0.840	3	4	21	21
Phytosterols	mg						
Amino acids:							
Tryptophan	g	0.053		0	0.015	0.090	0.090
Threonine	g	0.210		0	0.060	0.357	0.357
Isoleucine	g	0.246		0	0.070	0.418	0.418
Leucine	g	0.388		0	0.110	0.660	0.660
Lysine	g	0.394		0	0.112	0.670	0.670
Methionine	g	0.142		0	0.040	0.241	0.241
Cystine	g	0.053		0	0.015	0.090	0.090
Phenylalanine	g	0.201		0	0.057	0.342	0.342
Tyrosine	g	0.159		0	0.045	0.270	0.270
Valine	g	0.272		0	0.077	0.462	0.462
Arginine	g	0.353		0	0.100	0.600	0.600
Histidine	g	0.128		0	0.036	0.218	0.218
Alanine	g	0.332		0	0.094	0.564	0.564
Aspartic acid	g	0.485		0	0.137	0.825	0.825
Glutamic acid	g	0.823		0	0.233	1.399	1.399
Glycine	g	0.351		0	0.100	0.597	0.597
Proline	g	0.321		0	0.091	0.546	0.546
Serine	g	0.192		0	0.054	0.326	0.326
Other:							
Caffeine	mg						
Theobromine	mg						
Alcohol	g						

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar
Measure 3: 1 Beech-Nut Table Time container (6 oz)

NDB No. 03053 Babyfood, dinner, vegetables and beef, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	87.04		0	222.82	13.93	24.68
Energy	kcal	63		0	161	10	18
Energy	kj	264		0	676	42	75
Protein (N x 5.95)	g	2.59		0	6.63	0.41	0.73
Total lipid (fat)	g	2.43		0	6.22	0.39	0.69
Carbohydrate, by difference	g	7.70		0	19.71	1.23	2.18
Fiber, total dietary	g	2.2		0	5.6	0.4	0.6
Ash	g	0.24		0	0.61	0.04	0.07
Sugars, total	g	1.84		0	4.71	0.29	0.52
Minerals:							
Calcium	mg	17		0	44	3	5
Iron	mg	0.58		0	1.48	0.09	0.16
Magnesium	mg	15		0	38	2	4
Phosphorus	mg	45		0	115	7	13
Potassium	mg	158		0	404	25	45
Sodium	mg	19		0	49	3	5
Zinc	mg	0.56		0	1.43	0.09	0.16
Copper	mg	0.080		0	0.205	0.013	0.023
Manganese	mg	0.180		0	0.461	0.029	0.051
Selenium	µg	2.1		0	5.4	0.3	0.6
Vitamins:							
Ascorbic acid	mg	0.2		0	0.5	0.0	0.1
Thiamin	mg	0.034		0	0.087	0.005	0.010
Riboflavin	mg	0.048		0	0.123	0.008	0.014
Niacin	mg	0.827		0	2.117	0.132	0.234
Pantothenic acid	mg	0.152		0	0.389	0.024	0.043
Vitamin B-6	mg	0.072		0	0.184	0.012	0.020
Folate	µg	8		0	20	1	2
Vitamin B-12	µg	0.18		0	0.46	0.03	0.05
Vitamin A **(1)**	IU	2921		0	7478	467	828
Vitamin A, RE **(1)**	µg	292		0	748	47	83
Vitamin E, α-TE	mg	0.319		0	0.817	0.051	0.090
Lipids:							
Saturated, total	g	1.029		0	2.634	0.165	0.292
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.003	0.000	0.000
12:0	g	0.010		0	0.026	0.002	0.003
14:0	g	0.074		0	0.189	0.012	0.021
15.0	g						
16:0	g	0.562		0	1.439	0.090	0.159
17:0	g						
18:0	g	0.342		0	0.876	0.055	0.097
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.010	0	2.586	0.162	0.286
14:1	g					
16:1	g	0.090	0	0.230	0.014	0.026
18:1	g	0.879	0	2.250	0.141	0.249
20:1	g	0.004	0	0.010	0.001	0.001
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.144	0	0.369	0.023	0.041
18:2	g	0.112	0	0.287	0.018	0.032
18:3	g	0.018	0	0.046	0.003	0.005
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.005	0	0.013	0.001	0.001
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	6	0	15	1	2
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

Footnotes:

1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

NDB No. 03054 Babyfood, dinner, vegetables and beef, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	86.44		0	221.29	13.83	24.51
Energy	kcal	62		0	159	10	18
Energy	kj	259		0	663	41	73
Protein (N x 5.95)	g	2.30		0	5.89	0.37	0.65
Total lipid (fat)	g	1.85		0	4.74	0.30	0.52
Carbohydrate, by difference	g	9.00		0	23.04	1.44	2.55
Fiber, total dietary	g	1.4		0	3.6	0.2	0.4
Ash	g	0.42		0	1.08	0.07	0.12
Sugars, total	g	1.35		0	3.46	0.22	0.38
Minerals:							
Calcium	mg	12		0	31	2	3
Iron	mg	0.39		0	1.00	0.06	0.11
Magnesium	mg	11		0	28	2	3
Phosphorus	mg	35		0	90	6	10
Potassium	mg	122		0	312	20	35
Sodium	mg	75		0	192	12	21
Zinc	mg	0.50		0	1.28	0.08	0.14
Copper	mg	0.040		0	0.102	0.006	0.011
Manganese	mg	0.140		0	0.358	0.022	0.040
Selenium	µg	2.1		0	5.4	0.3	0.6
Vitamins:							
Ascorbic acid	mg	0.3		0	0.8	0.0	0.1
Thiamin	mg	0.028		0	0.072	0.004	0.008
Riboflavin	mg	0.041		0	0.105	0.007	0.012
Niacin	mg	0.612		0	1.567	0.098	0.174
Pantothenic acid	mg	0.155		0	0.397	0.025	0.044
Vitamin B-6	mg	0.072		0	0.184	0.012	0.020
Folate	µg	4		0	10	1	1
Vitamin B-12	µg	0.17		0	0.44	0.03	0.05
Vitamin A **(1)**	IU	2544		0	6513	407	721
Vitamin A, RE **(1)**	µg	254		0	650	41	72
Vitamin E, α-TE	mg	0.169		0	0.433	0.027	0.048
Lipids:							
Saturated, total	g	0.683		0	1.748	0.109	0.194
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.002		0	0.005	0.000	0.001
12:0	g	0.002		0	0.005	0.000	0.001
14:0	g	0.041		0	0.105	0.007	0.012
15.0	g						
16:0	g	0.408		0	1.044	0.065	0.116
17:0	g						
18:0	g	0.205		0	0.525	0.033	0.058
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.761	0	1.948	0.122	0.216
14:1	g					
16:1	g	0.058	0	0.148	0.009	0.016
18:1	g	0.676	0	1.731	0.108	0.192
20:1	g	0.005	0	0.013	0.001	0.001
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.143	0	0.366	0.023	0.041
18:2	g	0.120	0	0.307	0.019	0.034
18:3	g	0.016	0	0.041	0.003	0.005
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.005	0	0.013	0.001	0.001
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	8	0	20	1	2
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

Footnotes:

1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

NDB No. 03059 Babyfood, dinner, vegetables and bacon, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	85.75		0	219.52	13.72	24.31
Energy	kcal	71		0	182	11	20
Energy	kj	297		0	760	48	84
Protein (N x 5.95)	g	1.92		0	4.92	0.31	0.54
Total lipid (fat)	g	2.95		0	7.55	0.47	0.84
Carbohydrate, by difference	g	8.81		0	22.55	1.41	2.50
Fiber, total dietary	g	1.7		0	4.4	0.3	0.5
Ash	g	0.40		0	1.02	0.06	0.11
Sugars, total	g	1.77		0	4.53	0.28	0.50
Minerals:							
Calcium	mg	14		0	36	2	4
Iron	mg	0.30		0	0.77	0.05	0.09
Magnesium	mg	10		0	26	2	3
Phosphorus	mg	28		0	72	4	8
Potassium	mg	116		0	297	19	33
Sodium	mg	49		0	125	8	14
Zinc	mg	0.30		0	0.77	0.05	0.09
Copper	mg	0.040		0	0.102	0.006	0.011
Manganese	mg	0.140		0	0.358	0.022	0.040
Selenium	µg	1.7		0	4.4	0.3	0.5
Vitamins:							
Ascorbic acid	mg	0.3		0	0.8	0.0	0.1
Thiamin	mg	0.032		0	0.082	0.005	0.009
Riboflavin	mg	0.039		0	0.100	0.006	0.011
Niacin	mg	0.474		0	1.213	0.076	0.134
Pantothenic acid	mg	0.160		0	0.410	0.026	0.045
Vitamin B-6	mg	0.058		0	0.148	0.009	0.016
Folate	µg	3		0	8	0	1
Vitamin B-12	µg	0.06		0	0.15	0.01	0.02
Vitamin A	IU	2284		0	5847	365	648
Vitamin A, RE	µg	228		0	584	36	65
Vitamin E, α-TE	mg	0.238		0	0.609	0.038	0.067
Lipids:							
Saturated, total	g	1.063		0	2.721	0.170	0.301
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.004		0	0.010	0.001	0.001
12:0	g	0.005		0	0.013	0.001	0.001
14:0	g	0.036		0	0.092	0.006	0.010
15.0	g						
16:0	g	0.670		0	1.715	0.107	0.190
17:0	g						
18:0	g	0.345		0	0.883	0.055	0.098
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.347	0	3.448	0.216	0.382
14:1	g					
16:1	g	0.090	0	0.230	0.014	0.026
18:1	g	1.244	0	3.185	0.199	0.353
20:1	g	0.011	0	0.028	0.002	0.003
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.377	0	0.965	0.060	0.107
18:2	g	0.327	0	0.837	0.052	0.093
18:3	g	0.045	0	0.115	0.007	0.013
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.005	0	0.013	0.001	0.001
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	4	0	10	1	1
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03060 Babyfood, dinner, vegetables and bacon, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	86.20	0.500	21	220.67	13.79	24.44
Energy	kcal	71		0	182	11	20
Energy	kj	297		0	760	48	84
Protein (N x 5.95)	g	1.80	0.000	22	4.61	0.29	0.51
Total lipid (fat)	g	3.90	0.400	22	9.98	0.62	1.11
Carbohydrate, by difference	g	7.60		0	19.46	1.22	2.15
Fiber, total dietary	g	1.1		0	2.8	0.2	0.3
Ash	g	0.60	0.000	21	1.54	0.10	0.17
Sugars, total	g						
Minerals:							
Calcium	mg	11	0.000	21	28	2	3
Iron	mg	0.41	0.050	21	1.05	0.07	0.12
Magnesium	mg	8		0	20	1	2
Phosphorus	mg	38		1	97	6	11
Potassium	mg	86	3.000	13	220	14	24
Sodium	mg	45	3.000	13	115	7	13
Zinc	mg	0.27		0	0.68	0.04	0.08
Copper	mg	0.037		0	0.095	0.006	0.010
Manganese	mg						
Selenium	µg	1.7		0	4.4	0.3	0.5
Vitamins:							
Ascorbic acid	mg	1.1	0.000	21	2.8	0.2	0.3
Thiamin	mg	0.051	0.000	21	0.131	0.008	0.014
Riboflavin	mg	0.030	0.000	21	0.077	0.005	0.009
Niacin	mg	0.546	0.017	21	1.398	0.087	0.155
Pantothenic acid	mg						
Vitamin B-6	mg	0.064	0.003	8	0.164	0.010	0.018
Folate	µg	9		0	23	1	3
Vitamin B-12	µg	0.10		0	0.26	0.02	0.03
Vitamin A	IU	1576	118.000	23	4035	252	447
Vitamin A, RE	µg	218		0	558	35	62
Vitamin E, α-TE	mg	0.240		0	0.614	0.038	0.068
Lipids:							
Saturated, total	g	1.400	0.020	9	3.584	0.224	0.397
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		9	0.000	0.000	0.000
12:0	g	0.000		9	0.000	0.000	0.000
14:0	g	0.050	0.000	9	0.128	0.008	0.014
15.0	g						
16:0	g	0.890	0.010	9	2.278	0.142	0.252
17:0	g						
18:0	g	0.420	0.010	9	1.075	0.067	0.119
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.860	0.030	9	4.762	0.298	0.527
14:1	g						
16:1	g	0.100	0.000	9	0.256	0.016	0.028
18:1	g	1.720	0.030	9	4.403	0.275	0.488
20:1	g	0.030	0.000	9	0.077	0.005	0.009
22.1	g	0.000		0	0.000	0.000	0.000
Polyunsaturated, total	g	0.420	0.010	9	1.075	0.067	0.119
18:2	g	0.390	0.010	9	0.998	0.062	0.111
18:3	g	0.020		9	0.051	0.003	0.006
18:4	g	0.000		0	0.000	0.000	0.000
20:4	g	0.010		9	0.026	0.002	0.003
20:5	g	0.000		0	0.000	0.000	0.000
22:5	g	0.000		0	0.000	0.000	0.000
22:6	g	0.000		0	0.000	0.000	0.000
Cholesterol	mg	3		0	8	0	1
Phytosterols	mg						
Amino acids:							
Tryptophan	g	0.017		0	0.044	0.003	0.005
Threonine	g	0.061		0	0.156	0.010	0.017
Isoleucine	g	0.082		0	0.210	0.013	0.023
Leucine	g	0.128		0	0.328	0.020	0.036
Lysine	g	0.109		0	0.279	0.017	0.031
Methionine	g	0.037		0	0.095	0.006	0.010
Cystine	g	0.026		0	0.067	0.004	0.007
Phenylalanine	g	0.077		0	0.197	0.012	0.022
Tyrosine	g	0.057		0	0.146	0.009	0.016
Valine	g	0.097		0	0.248	0.016	0.027
Arginine	g	0.121		0	0.310	0.019	0.034
Histidine	g	0.040		0	0.102	0.006	0.011
Alanine	g	0.087		0	0.223	0.014	0.025
Aspartic acid	g	0.203		0	0.520	0.032	0.058
Glutamic acid	g	0.358		0	0.916	0.057	0.101
Glycine	g	0.081		0	0.207	0.013	0.023
Proline	g	0.085		0	0.218	0.014	0.024
Serine	g	0.069		0	0.177	0.011	0.020
Other:							
Caffeine	mg						
Theobromine	mg						
Alcohol	g						

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03061 Babyfood, dinner, vegetables and ham, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	87.47		0	223.92	14.00	24.80
Energy	kcal	59		0	151	9	17
Energy	kj	247		0	632	40	70
Protein (N x 5.95)	g	2.19		0	5.61	0.35	0.62
Total lipid (fat)	g	2.14		0	5.48	0.34	0.61
Carbohydrate, by difference	g	7.80		0	19.97	1.25	2.21
Fiber, total dietary	g	1.6		0	4.1	0.3	0.5
Ash	g	0.41		0	1.05	0.07	0.12
Sugars, total	g	1.37		0	3.51	0.22	0.39
Minerals:							
Calcium	mg	16		0	41	3	5
Iron	mg	0.41		0	1.05	0.07	0.12
Magnesium	mg	12		0	31	2	3
Phosphorus	mg	33		0	84	5	9
Potassium	mg	141		0	361	23	40
Sodium	mg	16		0	41	3	5
Zinc	mg	0.32		0	0.82	0.05	0.09
Copper	mg	0.070		0	0.179	0.011	0.020
Manganese	mg	0.140		0	0.358	0.022	0.040
Selenium	µg	2.4		0	6.1	0.4	0.7
Vitamins:							
Ascorbic acid	mg	1.6		0	4.1	0.3	0.5
Thiamin	mg	0.035		0	0.090	0.006	0.010
Riboflavin	mg	0.054		0	0.138	0.009	0.015
Niacin	mg	0.676		0	1.731	0.108	0.192
Pantothenic acid	mg	0.151		0	0.387	0.024	0.043
Vitamin B-6	mg	0.072		0	0.184	0.012	0.020
Folate	µg	3		0	8	0	1
Vitamin B-12	µg	0.06		0	0.15	0.01	0.02
Vitamin A	IU	2872		0	7352	460	814
Vitamin A, RE	µg	287		0	735	46	81
Vitamin E, α-TE	mg	0.179		0	0.458	0.029	0.051
Lipids:							
Saturated, total	g	0.764		0	1.956	0.122	0.217
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.002		0	0.005	0.000	0.001
12:0	g	0.004		0	0.010	0.001	0.001
14:0	g	0.027		0	0.069	0.004	0.008
15.0	g						
16:0	g	0.482		0	1.234	0.077	0.137
17:0	g						
18:0	g	0.245		0	0.627	0.039	0.069
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.963	0	2.465	0.154	0.273
14:1	g					
16:1	g	0.061	0	0.156	0.010	0.017
18:1	g	0.895	0	2.291	0.143	0.254
20:1	g	0.005	0	0.013	0.001	0.001
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.234	0	0.599	0.037	0.066
18:2	g	0.198	0	0.507	0.032	0.056
18:3	g	0.026	0	0.067	0.004	0.007
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.007	0	0.018	0.001	0.002
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	5	0	13	1	1
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03062 Babyfood, dinner, vegetables and ham, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	87.00		0	222.72	13.92	24.66
Energy	kcal	60		0	154	10	17
Energy	kj	251		0	643	40	71
Protein (N x 5.95)	g	2.02		0	5.17	0.32	0.57
Total lipid (fat)	g	1.89		0	4.84	0.30	0.54
Carbohydrate, by difference	g	8.65		0	22.14	1.38	2.45
Fiber, total dietary	g	1.0		0	2.6	0.2	0.3
Ash	g	0.45		0	1.15	0.07	0.13
Sugars, total	g	0.99		0	2.53	0.16	0.28
Minerals:							
Calcium	mg	14		0	36	2	4
Iron	mg	0.24		0	0.61	0.04	0.07
Magnesium	mg	8		0	20	1	2
Phosphorus	mg	33		0	84	5	9
Potassium	mg	97		0	248	16	27
Sodium	mg	87		0	223	14	25
Zinc	mg	0.30		0	0.77	0.05	0.09
Copper	mg	0.030		0	0.077	0.005	0.009
Manganese	mg	0.070		0	0.179	0.011	0.020
Selenium	µg	2.4		0	6.1	0.4	0.7
Vitamins:							
Ascorbic acid	mg	1.1		0	2.8	0.2	0.3
Thiamin	mg	0.032		0	0.082	0.005	0.009
Riboflavin	mg	0.040		0	0.102	0.006	0.011
Niacin	mg	0.512		0	1.311	0.082	0.145
Pantothenic acid	mg						
Vitamin B-6	mg	0.046		0	0.118	0.007	0.013
Folate	µg	8		0	20	1	2
Vitamin B-12	µg	0.03		0	0.08	0.00	0.01
Vitamin A	IU	1417		0	3628	227	402
Vitamin A, RE	µg	143		0	366	23	41
Vitamin E, α-TE	mg	0.348		0	0.891	0.056	0.099
Lipids:							
Saturated, total	g	0.483		0	1.236	0.077	0.137
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.003	0.000	0.000
12:0	g	0.003		0	0.008	0.000	0.001
14:0	g	0.013		0	0.033	0.002	0.004
15.0	g						
16:0	g	0.314		0	0.804	0.050	0.089
17:0	g						
18:0	g	0.151		0	0.387	0.024	0.043
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.811	0	2.076	0.130	0.230
14:1	g					
16:1	g	0.033	0	0.084	0.005	0.009
18:1	g	0.777	0	1.989	0.124	0.220
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.448	0	1.147	0.072	0.127
18:2	g	0.403	0	1.032	0.064	0.114
18:3	g	0.039	0	0.100	0.006	0.011
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.004	0	0.010	0.001	0.001
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	3	0	8	0	1
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03066 Babyfood, dinner, vegetables and lamb, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	88.60	0.200	30	226.82	14.18	25.12
Energy	kcal	52		0	133	8	15
Energy	kj	218		0	558	35	62
Protein (N x 5.95)	g	2.00	0.000	27	5.12	0.32	0.57
Total lipid (fat)	g	2.00	0.100	21	5.12	0.32	0.57
Carbohydrate, by difference	g	6.90		0	17.66	1.10	1.96
Fiber, total dietary	g	1.1		0	2.8	0.2	0.3
Ash	g	0.50	0.000	21	1.28	0.08	0.14
Sugars, total	g						
Minerals:							
Calcium	mg	12	1.000	25	31	2	3
Iron	mg	0.35	0.030	26	0.90	0.06	0.10
Magnesium	mg	7		0	18	1	2
Phosphorus	mg	49		0	125	8	14
Potassium	mg	94	2.000	13	241	15	27
Sodium	mg	20		16	51	3	6
Zinc	mg	0.22		0	0.55	0.03	0.06
Copper	mg	0.029		0	0.074	0.005	0.008
Manganese	mg						
Selenium	µg	2.4		0	6.1	0.4	0.7
Vitamins:							
Ascorbic acid	mg	1.2	0.100	21	3.1	0.2	0.3
Thiamin	mg	0.018	0.000	26	0.046	0.003	0.005
Riboflavin	mg	0.034	0.003	26	0.087	0.005	0.010
Niacin	mg	0.529	0.017	25	1.354	0.085	0.150
Pantothenic acid	mg	0.160		4	0.410	0.026	0.045
Vitamin B-6	mg	0.046	0.000	11	0.118	0.007	0.013
Folate	µg	4	0.500	9	9	1	1
Vitamin B-12	µg	0.16		0	0.41	0.03	0.05
Vitamin A	IU	1995	130.000	25	5107	319	566
Vitamin A, RE	µg	283		0	724	45	80
Vitamin E, α-TE	mg	0.240		0	0.614	0.038	0.068
Lipids:							
Saturated, total	g	0.828		0	2.120	0.132	0.235
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.005		0	0.013	0.001	0.001
12:0	g	0.009		0	0.023	0.001	0.003
14:0	g	0.076		0	0.195	0.012	0.022
15.0	g						
16:0	g	0.423		0	1.083	0.068	0.120
17:0	g						
18:0	g	0.264		0	0.676	0.042	0.075
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.822	0	2.104	0.132	0.233
14:1	g					
16:1	g	0.057	0	0.146	0.009	0.016
18:1	g	0.746	0	1.910	0.119	0.211
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.167	0	0.428	0.027	0.047
18:2	g	0.130	0	0.333	0.021	0.037
18:3	g	0.031	0	0.079	0.005	0.009
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.006	0	0.015	0.001	0.002
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	6	0	15	1	2
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.023	0	0.059	0.004	0.007
Threonine	g	0.073	0	0.187	0.012	0.021
Isoleucine	g	0.090	0	0.230	0.014	0.026
Leucine	g	0.147	0	0.376	0.024	0.042
Lysine	g	0.146	0	0.374	0.023	0.041
Methionine	g	0.030	0	0.077	0.005	0.009
Cystine	g	0.017	0	0.044	0.003	0.005
Phenylalanine	g	0.079	0	0.202	0.013	0.022
Tyrosine	g	0.062	0	0.159	0.010	0.018
Valine	g	0.097	0	0.248	0.016	0.027
Arginine	g	0.133	0	0.340	0.021	0.038
Histidine	g	0.046	0	0.118	0.007	0.013
Alanine	g	0.113	0	0.289	0.018	0.032
Aspartic acid	g	0.198	0	0.507	0.032	0.056
Glutamic acid	g	0.397	0	1.016	0.064	0.113
Glycine	g	0.100	0	0.256	0.016	0.028
Proline	g	0.109	0	0.279	0.017	0.031
Serine	g	0.073	0	0.187	0.012	0.021
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03067 Babyfood, dinner, vegetables and lamb, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	88.60	0.200	25	25.12	150.62	
Energy	kcal	51		0	14	87	
Energy	kj	213		0	60	362	
Protein (N x 5.95)	g	2.10	0.100	23	0.60	3.57	
Total lipid (fat)	g	1.70	0.100	23	0.48	2.89	
Carbohydrate, by difference	g	7.10		0	2.01	12.07	
Fiber, total dietary	g	1.1		0	0.3	1.9	
Ash	g	0.50	0.000	22	0.14	0.85	
Sugars, total	g						
Minerals:							
Calcium	mg	13	0.000	21	4	22	
Iron	mg	0.34	0.010	21	0.10	0.58	
Magnesium	mg	7	0.000	3	2	12	
Phosphorus	mg	49		1	14	83	
Potassium	mg	95		14	27	162	
Sodium	mg	13	1.000	15	4	22	
Zinc	mg	0.22		7	0.06	0.38	
Copper	mg	0.029	0.003	3	0.008	0.049	
Manganese	mg						
Selenium	µg	2.4		0	0.7	4.1	
Vitamins:							
Ascorbic acid	mg	1.7	0.100	22	0.5	2.9	
Thiamin	mg	0.021	0.000	20	0.006	0.036	
Riboflavin	mg	0.032	0.000	22	0.009	0.054	
Niacin	mg	0.554	0.015	21	0.157	0.942	
Pantothenic acid	mg	0.159		0	0.045	0.270	
Vitamin B-6	mg	0.044		7	0.012	0.075	
Folate	µg	4		0	1	6	
Vitamin B-12	µg	0.16		1	0.05	0.27	
Vitamin A	IU	1483	129.000	23	420	2521	
Vitamin A, RE	µg	199		0	56	338	
Vitamin E, α-TE	mg	0.240		0	0.068	0.408	
Lipids:							
Saturated, total	g	0.696		0	0.197	1.183	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.004		0	0.001	0.007	
12:0	g	0.007		0	0.002	0.012	
14:0	g	0.064		0	0.018	0.109	
15.0	g						
16:0	g	0.358		0	0.101	0.609	
17:0	g						
18:0	g	0.221		0	0.063	0.376	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.690	0	0.196	1.173
14:1	g				
16:1	g	0.047	0	0.013	0.080
18:1	g	0.626	0	0.177	1.064
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.154	0	0.044	0.262
18:2	g	0.122	0	0.035	0.207
18:3	g	0.026	0	0.007	0.044
18:4	g	0.000	0	0.000	0.000
20:4	g	0.005	0	0.001	0.009
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	5	0	1	9
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.024	0	0.007	0.041
Threonine	g	0.077	0	0.022	0.131
Isoleucine	g	0.095	0	0.027	0.161
Leucine	g	0.155	0	0.044	0.264
Lysine	g	0.154	0	0.044	0.262
Methionine	g	0.031	0	0.009	0.053
Cystine	g	0.018	0	0.005	0.031
Phenylalanine	g	0.083	0	0.024	0.141
Tyrosine	g	0.066	0	0.019	0.112
Valine	g	0.102	0	0.029	0.173
Arginine	g	0.141	0	0.040	0.240
Histidine	g	0.048	0	0.014	0.082
Alanine	g	0.120	0	0.034	0.204
Aspartic acid	g	0.209	0	0.059	0.355
Glutamic acid	g	0.418	0	0.119	0.711
Glycine	g	0.105	0	0.030	0.179
Proline	g	0.115	0	0.033	0.196
Serine	g	0.077	0	0.022	0.131
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03068 Babyfood, dinner, chicken noodle, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	85.64		0	13.70	24.28	96.77
Energy	kcal	66		0	11	19	75
Energy	kj	276		0	44	78	312
Protein (N x 5.95)	g	2.69		0	0.43	0.76	3.04
Total lipid (fat)	g	2.06		0	0.33	0.58	2.33
Carbohydrate, by difference	g	9.08		0	1.45	2.57	10.26
Fiber, total dietary	g	2.1		0	0.3	0.6	2.4
Ash	g	0.53		0	0.08	0.15	0.60
Sugars, total	g	2.50		0	0.40	0.71	2.83
Minerals:							
Calcium	mg	27		0	4	8	31
Iron	mg	0.64		0	0.10	0.18	0.72
Magnesium	mg	14		0	2	4	16
Phosphorus	mg	46		0	7	13	52
Potassium	mg	139		0	22	39	157
Sodium	mg	23		0	4	7	26
Zinc	mg	0.55		0	0.09	0.16	0.62
Copper	mg	0.070		0	0.011	0.020	0.079
Manganese	mg	0.160		0	0.026	0.045	0.181
Selenium	µg	3.7		0	0.6	1.0	4.2
Vitamins:							
Ascorbic acid	mg	0.1		0	0.0	0.0	0.1
Thiamin	mg	0.044		0	0.007	0.012	0.050
Riboflavin	mg	0.061		0	0.010	0.017	0.069
Niacin	mg	0.723		0	0.116	0.205	0.817
Pantothenic acid	mg	0.198		0	0.032	0.056	0.224
Vitamin B-6	mg	0.064		0	0.010	0.018	0.072
Folate	µg	11		0	2	3	12
Vitamin B-12	µg	0.02		0	0.00	0.01	0.02
Vitamin A	IU	2182		0	349	619	2466
Vitamin A, RE	µg	218		0	35	62	246
Vitamin E, α-TE	mg	0.222		0	0.036	0.063	0.251
Lipids:							
Saturated, total	g	0.595		0	0.095	0.169	0.672
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.003		0	0.000	0.001	0.003
14:0	g	0.017		0	0.003	0.005	0.019
15.0	g						
16:0	g	0.434		0	0.069	0.123	0.490
17:0	g						
18:0	g	0.118		0	0.019	0.033	0.133
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.854	0	0.137	0.242	0.965
14:1	g					
16:1	g	0.105	0	0.017	0.030	0.119
18:1	g	0.718	0	0.115	0.204	0.811
20:1	g	0.020	0	0.003	0.006	0.023
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.461	0	0.074	0.131	0.521
18:2	g	0.418	0	0.067	0.119	0.472
18:3	g	0.027	0	0.004	0.008	0.031
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.005	0	0.001	0.001	0.006
20:5	g	0.001	0	0.000	0.000	0.001
22:5	g	0.001	0	0.000	0.000	0.001
22:6	g	0.002	0	0.000	0.001	0.002
Cholesterol	mg	16	0	3	5	18
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03069 Babyfood, dinner, chicken noodle, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	87.25		0	13.96	24.74	148.32
Energy	kcal	55		0	9	16	94
Energy	kj	230		0	37	65	391
Protein (N x 5.95)	g	2.37		0	0.38	0.67	4.03
Total lipid (fat)	g	1.18		0	0.19	0.33	2.01
Carbohydrate, by difference	g	8.79		0	1.41	2.49	14.94
Fiber, total dietary	g	0.9		0	0.1	0.3	1.5
Ash	g	0.41		0	0.07	0.12	0.70
Sugars, total	g	1.07		0	0.17	0.30	1.82
Minerals:							
Calcium	mg	21		0	3	6	36
Iron	mg	0.38		0	0.06	0.11	0.65
Magnesium	mg	7		0	1	2	12
Phosphorus	mg	79		0	13	22	134
Potassium	mg	39		0	6	11	66
Sodium	mg	78		0	12	22	133
Zinc	mg	0.40		0	0.06	0.11	0.68
Copper	mg	0.030		0	0.005	0.009	0.051
Manganese	mg	0.100		0	0.016	0.028	0.170
Selenium	µg	3.7		0	0.6	1.0	6.3
Vitamins:							
Ascorbic acid	mg	0.1		0	0.0	0.0	0.2
Thiamin	mg	0.032		0	0.005	0.009	0.054
Riboflavin	mg	0.040		0	0.006	0.011	0.068
Niacin	mg	0.703		0	0.112	0.199	1.195
Pantothenic acid	mg	0.178		0	0.028	0.050	0.303
Vitamin B-6	mg	0.052		0	0.008	0.015	0.088
Folate	µg	7		0	1	2	12
Vitamin B-12	µg	0.01		0	0.00	0.00	0.02
Vitamin A **(1)**	IU	1729		0	277	490	2939
Vitamin A, RE **(1)**	µg	730		0	117	207	1241
Vitamin E, α-TE	mg	0.176		0	0.028	0.050	0.299
Lipids:							
Saturated, total	g	0.338		0	0.054	0.096	0.575
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.002		0	0.000	0.001	0.003
14:0	g	0.010		0	0.002	0.003	0.017
15.0	g						
16:0	g	0.247		0	0.040	0.070	0.420
17:0	g						
18:0	g	0.066		0	0.011	0.019	0.112
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.467	0	0.075	0.132	0.794
14:1	g					
16:1	g	0.056	0	0.009	0.016	0.095
18:1	g	0.394	0	0.063	0.112	0.670
20:1	g	0.011	0	0.002	0.003	0.019
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.272	0	0.044	0.077	0.462
18:2	g	0.241	0	0.039	0.068	0.410
18:3	g	0.017	0	0.003	0.005	0.029
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.005	0	0.001	0.001	0.009
20:5	g	0.001	0	0.000	0.000	0.002
22:5	g	0.001	0	0.000	0.000	0.002
22:6	g	0.002	0	0.000	0.001	0.003
Cholesterol	mg	9	0	1	3	15
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

Footnotes:

1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

NDB No. 03070 Babyfood, dinner, chicken soup, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 229g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	89.10	0.100	6	204.04	14.26	25.26
Energy	kcal	50		0	115	8	14
Energy	kj	209		0	479	33	59
Protein (N x 5.95)	g	1.60	0.000	3	3.66	0.26	0.45
Total lipid (fat)	g	1.70	0.200	3	3.89	0.27	0.48
Carbohydrate, by difference	g	7.20		0	16.49	1.15	2.04
Fiber, total dietary	g	1.1		0	2.5	0.2	0.3
Ash	g	0.40	0.100	3	0.92	0.06	0.11
Sugars, total	g						
Minerals:							
Calcium	mg	37	1.000	3	85	6	10
Iron	mg	0.27	0.010	3	0.62	0.04	0.08
Magnesium	mg	5		0	11	1	1
Phosphorus	mg	24		0	55	4	7
Potassium	mg	66		0	151	11	19
Sodium	mg	16		1	37	3	5
Zinc	mg	0.22		0	0.50	0.04	0.06
Copper	mg	0.279		0	0.639	0.045	0.079
Manganese	mg						
Selenium	µg	1.4		0	3.2	0.2	0.4
Vitamins:							
Ascorbic acid	mg	1.0	0.000	3	2.3	0.2	0.3
Thiamin	mg	0.017	0.000	3	0.039	0.003	0.005
Riboflavin	mg	0.032	0.003	3	0.073	0.005	0.009
Niacin	mg	0.293	0.020	3	0.671	0.047	0.083
Pantothenic acid	mg						
Vitamin B-6	mg	0.037		0	0.085	0.006	0.010
Folate	µg	5	0.600	3	12	1	1
Vitamin B-12	µg	0.12		0	0.27	0.02	0.03
Vitamin A	IU	1384	119.000	3	3169	221	392
Vitamin A, RE	µg	172		0	394	28	49
Vitamin E, α-TE	mg	0.240		0	0.550	0.038	0.068
Lipids:							
Saturated, total	g	0.278		0	0.637	0.044	0.079
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.002	0.000	0.000
14:0	g	0.004		0	0.009	0.001	0.001
15.0	g						
16:0	g	0.200		0	0.458	0.032	0.057
17:0	g						
18:0	g	0.068		0	0.156	0.011	0.019
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.425	0	0.973	0.068	0.120
14:1	g					
16:1	g	0.014	0	0.032	0.002	0.004
18:1	g	0.404	0	0.925	0.065	0.115
20:1	g	0.005	0	0.011	0.001	0.001
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.900	0	2.061	0.144	0.255
18:2	g	0.792	0	1.814	0.127	0.225
18:3	g	0.103	0	0.236	0.016	0.029
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.002	0	0.005	0.000	0.001
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.001	0	0.002	0.000	0.000
Cholesterol	mg	4	0	9	1	1
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03072 Babyfood, dinner, chicken stew, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 177g
Proximates:							
Water	g	83.30	0.500	14	13.33	23.62	147.44
Energy	kcal	78		0	12	22	138
Energy	kj	326		0	52	92	577
Protein (N x 5.95)	g	5.20	0.200	3	0.83	1.47	9.20
Total lipid (fat)	g	3.70	0.200	17	0.59	1.05	6.55
Carbohydrate, by difference	g	6.40		0	1.02	1.81	11.33
Fiber, total dietary	g	0.6		0	0.1	0.2	1.1
Ash	g	1.40	0.000	3	0.22	0.40	2.48
Sugars, total	g						
Minerals:							
Calcium	mg	36	0.000	3	6	10	64
Iron	mg	0.66	0.020	3	0.11	0.19	1.17
Magnesium	mg	10		1	2	3	18
Phosphorus	mg	51		1	8	14	90
Potassium	mg	92		1	15	26	163
Sodium	mg	200		0	32	57	354
Zinc	mg	0.41		1	0.07	0.12	0.73
Copper	mg	0.020		1	0.003	0.006	0.035
Manganese	mg						
Selenium	µg	5.5		0	0.9	1.6	9.7
Vitamins:							
Ascorbic acid	mg	1.9	0.100	6	0.3	0.5	3.4
Thiamin	mg	0.031	0.000	3	0.005	0.009	0.055
Riboflavin	mg	0.074	0.000	3	0.012	0.021	0.131
Niacin	mg	1.153	0.008	3	0.184	0.327	2.041
Pantothenic acid	mg						
Vitamin B-6	mg	0.046	0.000	3	0.007	0.013	0.081
Folate	µg	16		0	3	5	28
Vitamin B-12	µg	0.14		0	0.02	0.04	0.25
Vitamin A	IU	1010	105.000	3	162	286	1788
Vitamin A, RE	µg	121		0	19	34	214
Vitamin E, α-TE	mg	0.240		0	0.038	0.068	0.425
Lipids:							
Saturated, total	g	1.100	0.090	11	0.176	0.312	1.947
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		11	0.000	0.000	0.000
10:0	g	0.010		11	0.002	0.003	0.018
12:0	g	0.010		11	0.002	0.003	0.018
14:0	g	0.050	0.000	11	0.008	0.014	0.089
15.0	g						
16:0	g	0.740	0.060	11	0.118	0.210	1.310
17:0	g						
18:0	g	0.220	0.020	11	0.035	0.062	0.389
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.700	0.160	11	0.272	0.482	3.009
14:1	g						
16:1	g	0.140	0.020	11	0.022	0.040	0.248
18:1	g	1.540	0.140	11	0.246	0.437	2.726
20:1	g	0.010	0.000	11	0.002	0.003	0.018
22.1	g	0.000		0	0.000	0.000	0.000
Polyunsaturated, total	g	0.770	0.070	11	0.123	0.218	1.363
18:2	g	0.730	0.070	11	0.117	0.207	1.292
18:3	g	0.030	0.000	11	0.005	0.009	0.053
18:4	g	0.000		0	0.000	0.000	0.000
20:4	g	0.020	0.000	11	0.003	0.006	0.035
20:5	g	0.000		0	0.000	0.000	0.000
22:5	g	0.000		0	0.000	0.000	0.000
22:6	g	0.000		0	0.000	0.000	0.000
Cholesterol	mg	29	1.500	11	5	8	51
Phytosterols	mg						
Amino acids:							
Tryptophan	g	0.057		0	0.009	0.016	0.101
Threonine	g	0.221		0	0.035	0.063	0.391
Isoleucine	g	0.257		0	0.041	0.073	0.455
Leucine	g	0.405		0	0.065	0.115	0.717
Lysine	g	0.410		0	0.066	0.116	0.726
Methionine	g	0.112		0	0.018	0.032	0.198
Cystine	g	0.052		0	0.008	0.015	0.092
Phenylalanine	g	0.213		0	0.034	0.060	0.377
Tyrosine	g	0.172		0	0.028	0.049	0.304
Valine	g	0.292		0	0.047	0.083	0.517
Arginine	g	0.331		0	0.053	0.094	0.586
Histidine	g	0.128		0	0.020	0.036	0.227
Alanine	g	0.298		0	0.048	0.084	0.527
Aspartic acid	g	0.471		0	0.075	0.134	0.834
Glutamic acid	g	0.898		0	0.144	0.255	1.589
Glycine	g	0.295		0	0.047	0.084	0.522
Proline	g	0.354		0	0.057	0.100	0.627
Serine	g	0.209		0	0.033	0.059	0.370
Other:							
Caffeine	mg						
Theobromine	mg						
Alcohol	g						

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar (6.25 oz)

NDB No. 03073 Babyfood, dinner, vegetables chicken, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	86.90		0	222.46	13.90	24.64
Energy	kcal	59		0	151	9	17
Energy	kj	247		0	632	40	70
Protein (N x 5.95)	g	2.47		0	6.32	0.40	0.70
Total lipid (fat)	g	1.73		0	4.43	0.28	0.49
Carbohydrate, by difference	g	8.42		0	21.56	1.35	2.39
Fiber, total dietary	g	2.1		0	5.4	0.3	0.6
Ash	g	0.49		0	1.25	0.08	0.14
Sugars, total	g	1.58		0	4.04	0.25	0.45
Minerals:							
Calcium	mg	27		0	69	4	8
Iron	mg	0.53		0	1.36	0.08	0.15
Magnesium	mg	14		0	36	2	4
Phosphorus	mg	47		0	120	8	13
Potassium	mg	158		0	404	25	45
Sodium	mg	24		0	61	4	7
Zinc	mg	0.48		0	1.23	0.08	0.14
Copper	mg	0.070		0	0.179	0.011	0.020
Manganese	mg	0.150		0	0.384	0.024	0.043
Selenium	µg	2.8		0	7.2	0.4	0.8
Vitamins:							
Ascorbic acid	mg	0.1		0	0.3	0.0	0.0
Thiamin	mg	0.032		0	0.082	0.005	0.009
Riboflavin	mg	0.052		0	0.133	0.008	0.015
Niacin	mg	0.720		0	1.843	0.115	0.204
Pantothenic acid	mg	0.107		0	0.274	0.017	0.030
Vitamin B-6	mg	0.072		0	0.184	0.012	0.020
Folate	µg	5		0	13	1	1
Vitamin B-12	µg	0.01		0	0.03	0.00	0.00
Vitamin A **(1)**	IU	4132		0	10578	661	1171
Vitamin A, RE **(1)**	µg	413		0	1057	66	117
Vitamin E, α-TE	mg	0.240		0	0.614	0.038	0.068
Lipids:							
Saturated, total	g	0.496		0	1.270	0.079	0.141
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.002		0	0.005	0.000	0.001
14:0	g	0.014		0	0.036	0.002	0.004
15.0	g						
16:0	g	0.359		0	0.919	0.057	0.102
17:0	g						
18:0	g	0.098		0	0.251	0.016	0.028
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.712	0	1.823	0.114	0.202
14:1	g					
16:1	g	0.088	0	0.225	0.014	0.025
18:1	g	0.596	0	1.526	0.095	0.169
20:1	g	0.017	0	0.044	0.003	0.005
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.374	0	0.957	0.060	0.106
18:2	g	0.334	0	0.855	0.053	0.095
18:3	g	0.021	0	0.054	0.003	0.006
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.004	0	0.010	0.001	0.001
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.001	0	0.003	0.000	0.000
22:6	g	0.001	0	0.003	0.000	0.000
Cholesterol	mg	11	0	28	2	3
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

Footnotes:

1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

NDB No. 03075 Babyfood, dinner, vegetables, noodles and chicken, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	87.20	0.500	8	24.72	98.54	
Energy	kcal	63		0	18	71	
Energy	kj	264		0	75	298	
Protein (N x 5.95)	g	2.00	0.100	2	0.57	2.26	
Total lipid (fat)	g	2.50	0.400	2	0.71	2.83	
Carbohydrate, by difference	g	7.90		0	2.24	8.93	
Fiber, total dietary	g	1.1		0	0.3	1.2	
Ash	g	0.40	0.000	2	0.11	0.45	
Sugars, total	g						
Minerals:							
Calcium	mg	28	4.000	2	8	32	
Iron	mg	0.35	0.040	2	0.10	0.40	
Magnesium	mg	10		0	3	11	
Phosphorus	mg	31		0	9	35	
Potassium	mg	55		0	16	62	
Sodium	mg	20		1	6	23	
Zinc	mg	0.25	0.010	9	0.07	0.28	
Copper	mg	0.054	0.002	9	0.015	0.061	
Manganese	mg						
Selenium	µg	3.2		0	0.9	3.6	
Vitamins:							
Ascorbic acid	mg	0.7		0	0.2	0.8	
Thiamin	mg	0.032	0.005	2	0.009	0.036	
Riboflavin	mg	0.049	0.003	2	0.014	0.055	
Niacin	mg	0.407		1	0.115	0.460	
Pantothenic acid	mg	0.190		4	0.054	0.215	
Vitamin B-6	mg	0.021		0	0.006	0.024	
Folate	µg	3	0.400	3	1	4	
Vitamin B-12	µg	0.08		0	0.02	0.09	
Vitamin A	IU	1417	12.000	2	402	1601	
Vitamin A, RE	µg	175		0	50	198	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03076 Babyfood, dinner, vegetables, noodles and chicken, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	86.20	0.300	4	24.44	146.54	
Energy	kcal	64		0	18	109	
Energy	kj	268		0	76	456	
Protein (N x 5.95)	g	1.70	0.100	4	0.48	2.89	
Total lipid (fat)	g	2.20	0.300	4	0.62	3.74	
Carbohydrate, by difference	g	9.10		0	2.58	15.47	
Fiber, total dietary	g	1.1		0	0.3	1.9	
Ash	g	0.70	0.200	4	0.20	1.19	
Sugars, total	g						
Minerals:							
Calcium	mg	26	2.000	4	7	44	
Iron	mg	0.49	0.060	4	0.14	0.83	
Magnesium	mg	11		0	3	19	
Phosphorus	mg	33		1	9	56	
Potassium	mg	59		1	17	100	
Sodium	mg	26		1	7	44	
Zinc	mg	0.32		1	0.09	0.54	
Copper	mg	0.058		0	0.016	0.099	
Manganese	mg						
Selenium	µg	3.2		0	0.9	5.4	
Vitamins:							
Ascorbic acid	mg	0.8	0.100	3	0.2	1.4	
Thiamin	mg	0.042	0.005	4	0.012	0.071	
Riboflavin	mg	0.037	0.005	4	0.010	0.063	
Niacin	mg	0.675	0.106	4	0.191	1.148	
Pantothenic acid	mg	0.204		0	0.058	0.347	
Vitamin B-6	mg	0.023		1	0.007	0.039	
Folate	µg	3		0	1	6	
Vitamin B-12	µg	0.09		1	0.03	0.15	
Vitamin A	IU	1051	72.000	4	298	1787	
Vitamin A, RE	µg	130		0	37	221	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03079 Babyfood, dinner, vegetables and noodles and turkey, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	90.30	0.100	7	25.60	102.04	
Energy	kcal	44		0	12	50	
Energy	kj	184		0	52	208	
Protein (N x 5.95)	g	1.20	0.100	4	0.34	1.36	
Total lipid (fat)	g	1.20	0.000	4	0.34	1.36	
Carbohydrate, by difference	g	6.80		0	1.93	7.68	
Fiber, total dietary	g	1.1		0	0.3	1.2	
Ash	g	0.40	0.000	4	0.11	0.45	
Sugars, total	g						
Minerals:							
Calcium	mg	32	2.000	4	9	36	
Iron	mg	0.19	0.010	4	0.05	0.21	
Magnesium	mg	8		1	2	9	
Phosphorus	mg	25		1	7	28	
Potassium	mg	63		1	18	71	
Sodium	mg	21		1	6	24	
Zinc	mg	0.27		1	0.08	0.31	
Copper	mg	0.022		0	0.006	0.025	
Manganese	mg						
Selenium	µg	2.8		0	0.8	3.2	
Vitamins:							
Ascorbic acid	mg	0.8	0.200	4	0.2	0.9	
Thiamin	mg	0.018	0.000	4	0.005	0.020	
Riboflavin	mg	0.044	0.007	4	0.012	0.050	
Niacin	mg	0.250	0.050	4	0.071	0.282	
Pantothenic acid	mg	0.186		0	0.053	0.210	
Vitamin B-6	mg	0.016		1	0.005	0.018	
Folate	µg	2	0.800	3	1	3	
Vitamin B-12	µg	0.10		1	0.03	0.11	
Vitamin A	IU	991	87.000	4	281	1120	
Vitamin A, RE	µg	133		0	38	150	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03081 Babyfood, dinner, vegetables and noodles and turkey, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	88.70	0.000	4	25.15	150.79	
Energy	kcal	52		0	15	88	
Energy	kj	218		0	62	371	
Protein (N x 5.95)	g	1.80	0.000	4	0.51	3.06	
Total lipid (fat)	g	1.50	0.100	4	0.43	2.55	
Carbohydrate, by difference	g	7.60		0	2.15	12.92	
Fiber, total dietary	g	1.1		0	0.3	1.9	
Ash	g	0.40	0.000	4	0.11	0.68	
Sugars, total	g						
Minerals:							
Calcium	mg	32	2.000	4	9	54	
Iron	mg	0.26	0.020	4	0.07	0.44	
Magnesium	mg	9		0	3	15	
Phosphorus	mg	29		0	8	49	
Potassium	mg	73		0	21	124	
Sodium	mg	17		1	5	29	
Zinc	mg	0.30		1	0.09	0.51	
Copper	mg	0.026		0	0.007	0.044	
Manganese	mg						
Selenium	µg	2.8		0	0.8	4.8	
Vitamins:							
Ascorbic acid	mg	0.8	0.100	4	0.2	1.4	
Thiamin	mg	0.024	0.000	4	0.007	0.041	
Riboflavin	mg	0.040	0.003	4	0.011	0.068	
Niacin	mg	0.299	0.034	4	0.085	0.508	
Pantothenic acid	mg	0.217		0	0.062	0.369	
Vitamin B-6	mg	0.018		0	0.005	0.031	
Folate	µg	3		0	1	5	
Vitamin B-12	µg	0.12		0	0.03	0.20	
Vitamin A	IU	994	84.000	4	282	1690	
Vitamin A, RE	µg	133		0	38	226	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03082 Babyfood, dinner, turkey and rice, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	88.22		0	14.12	25.01	99.69
Energy	kcal	52		0	8	15	59
Energy	kj	218		0	35	62	246
Protein (N x 5.95)	g	2.27		0	0.36	0.64	2.57
Total lipid (fat)	g	1.24		0	0.20	0.35	1.40
Carbohydrate, by difference	g	7.94		0	1.27	2.25	8.97
Fiber, total dietary	g	0.9		0	0.1	0.3	1.0
Ash	g	0.33		0	0.05	0.09	0.37
Sugars, total	g	1.66		0	0.27	0.47	1.88
Minerals:							
Calcium	mg	18		0	3	5	20
Iron	mg	0.29		0	0.05	0.08	0.33
Magnesium	mg	8		0	1	2	9
Phosphorus	mg	34		0	5	10	38
Potassium	mg	91		0	15	26	103
Sodium	mg	20		0	3	6	23
Zinc	mg	0.40		0	0.06	0.11	0.45
Copper	mg	0.030		0	0.005	0.009	0.034
Manganese	mg	0.130		0	0.021	0.037	0.147
Selenium	µg	3.0		0	0.5	0.9	3.4
Vitamins:							
Ascorbic acid	mg	0.2		0	0.0	0.1	0.2
Thiamin	mg	0.022		0	0.004	0.006	0.025
Riboflavin	mg	0.040		0	0.006	0.011	0.045
Niacin	mg	0.648		0	0.104	0.184	0.732
Pantothenic acid	mg	0.177		0	0.028	0.050	0.200
Vitamin B-6	mg	0.052		0	0.008	0.015	0.059
Folate	µg	4		0	1	1	5
Vitamin B-12	µg	0.02		0	0.00	0.01	0.02
Vitamin A **(1)**	IU	1622		0	260	460	1833
Vitamin A, RE **(1)**	µg	162		0	26	46	183
Vitamin E, α-TE	mg	0.124		0	0.020	0.035	0.140
Lipids:							
Saturated, total	g	0.338		0	0.054	0.096	0.382
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.011		0	0.002	0.003	0.012
15.0	g						
16:0	g	0.223		0	0.036	0.063	0.252
17:0	g						
18:0	g	0.074		0	0.012	0.021	0.084
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.446	0	0.071	0.126	0.504
14:1	g					
16:1	g	0.051	0	0.008	0.014	0.058
18:1	g	0.380	0	0.061	0.108	0.429
20:1	g	0.003	0	0.000	0.001	0.003
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.308	0	0.049	0.087	0.348
18:2	g	0.272	0	0.044	0.077	0.307
18:3	g	0.020	0	0.003	0.006	0.023
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.008	0	0.001	0.002	0.009
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.001	0	0.000	0.000	0.001
22:6	g	0.002	0	0.000	0.001	0.002
Cholesterol	mg	5	0	1	1	6
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

Footnotes:

1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

NDB No. 03083 Babyfood, dinner, turkey and rice, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	86.64		0	13.86	24.56	147.29
Energy	kcal	56		0	9	16	95
Energy	kj	234		0	37	66	398
Protein (N x 5.95)	g	2.37		0	0.38	0.67	4.03
Total lipid (fat)	g	0.92		0	0.15	0.26	1.56
Carbohydrate, by difference	g	9.57		0	1.53	2.71	16.27
Fiber, total dietary	g	1.0		0	0.2	0.3	1.7
Ash	g	0.50		0	0.08	0.14	0.85
Sugars, total	g	1.25		0	0.20	0.35	2.13
Minerals:							
Calcium	mg	24		0	4	7	41
Iron	mg	0.41		0	0.07	0.12	0.70
Magnesium	mg	9		0	1	3	15
Phosphorus	mg	37		0	6	10	63
Potassium	mg	86		0	14	24	146
Sodium	mg	80		0	13	23	136
Zinc	mg	0.47		0	0.08	0.13	0.80
Copper	mg	0.030		0	0.005	0.009	0.051
Manganese	mg	0.120		0	0.019	0.034	0.204
Selenium	µg	3.3		0	0.5	0.9	5.6
Vitamins:							
Ascorbic acid	mg	0.3		0	0.0	0.1	0.5
Thiamin	mg	0.033		0	0.005	0.009	0.056
Riboflavin	mg	0.044		0	0.007	0.012	0.075
Niacin	mg	0.692		0	0.111	0.196	1.176
Pantothenic acid	mg	0.200		0	0.032	0.057	0.340
Vitamin B-6	mg	0.052		0	0.008	0.015	0.088
Folate	µg	8		0	1	2	14
Vitamin B-12	µg	0.02		0	0.00	0.01	0.03
Vitamin A **(1)**	IU	1886		0	302	535	3206
Vitamin A, RE **(1)**	µg	188		0	30	53	320
Vitamin E, α-TE	mg	0.160		0	0.026	0.045	0.272
Lipids:							
Saturated, total	g	0.239		0	0.038	0.068	0.406
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.000	0.000	0.002
14:0	g	0.008		0	0.001	0.002	0.014
15.0	g						
16:0	g	0.157		0	0.025	0.045	0.267
17:0	g						
18:0	g	0.052		0	0.008	0.015	0.088
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.304	0	0.049	0.086	0.517
14:1	g					
16:1	g	0.032	0	0.005	0.009	0.054
18:1	g	0.261	0	0.042	0.074	0.444
20:1	g	0.002	0	0.000	0.001	0.003
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.233	0	0.037	0.066	0.396
18:2	g	0.203	0	0.032	0.058	0.345
18:3	g	0.016	0	0.003	0.005	0.027
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.007	0	0.001	0.002	0.012
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.001	0	0.000	0.000	0.002
22:6	g	0.002	0	0.000	0.001	0.003
Cholesterol	mg	4	0	1	1	7
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

Footnotes:

1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

NDB No. 03084 Babyfood, dinner, vegetables and turkey, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	88.82		0	227.38	14.21	25.18
Energy	kcal	48		0	123	8	14
Energy	kj	201		0	515	32	57
Protein (N x 5.95)	g	2.32		0	5.94	0.37	0.66
Total lipid (fat)	g	0.90		0	2.30	0.14	0.26
Carbohydrate, by difference	g	7.62		0	19.51	1.22	2.16
Fiber, total dietary	g	1.5		0	3.8	0.2	0.4
Ash	g	0.35		0	0.90	0.06	0.10
Sugars, total	g	1.54		0	3.94	0.25	0.44
Minerals:							
Calcium	mg	27		0	69	4	8
Iron	mg	0.37		0	0.95	0.06	0.10
Magnesium	mg	13		0	33	2	4
Phosphorus	mg	44		0	113	7	12
Potassium	mg	102		0	261	16	29
Sodium	mg	20		0	51	3	6
Zinc	mg	0.70		0	1.79	0.11	0.20
Copper	mg	0.090		0	0.230	0.014	0.026
Manganese	mg	0.140		0	0.358	0.022	0.040
Selenium	µg	1.9		0	4.9	0.3	0.5
Vitamins:							
Ascorbic acid	mg	0.7		0	1.8	0.1	0.2
Thiamin	mg	0.020		0	0.051	0.003	0.006
Riboflavin	mg	0.024		0	0.061	0.004	0.007
Niacin	mg	0.466		0	1.193	0.075	0.132
Pantothenic acid	mg	0.224		0	0.573	0.036	0.064
Vitamin B-6	mg	0.044		0	0.113	0.007	0.012
Folate	µg	10		0	26	2	3
Vitamin B-12	µg	0.02		0	0.05	0.00	0.01
Vitamin A **(1)**	IU	4396		0	11254	703	1246
Vitamin A, RE **(1)**	µg	439		0	1124	70	124
Vitamin E, α-TE	mg	0.217		0	0.556	0.035	0.062
Lipids:							
Saturated, total	g	0.236		0	0.604	0.038	0.067
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.003	0.000	0.000
14:0	g	0.008		0	0.020	0.001	0.002
15.0	g						
16:0	g	0.149		0	0.381	0.024	0.042
17:0	g						
18:0	g	0.053		0	0.136	0.008	0.015
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.294	0	0.753	0.047	0.083
14:1	g					
16:1	g	0.034	0	0.087	0.005	0.010
18:1	g	0.247	0	0.632	0.040	0.070
20:1	g	0.002	0	0.005	0.000	0.001
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.241	0	0.617	0.039	0.068
18:2	g	0.207	0	0.530	0.033	0.059
18:3	g	0.015	0	0.038	0.002	0.004
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.007	0	0.018	0.001	0.002
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.001	0	0.003	0.000	0.000
22:6	g	0.002	0	0.005	0.000	0.001
Cholesterol	mg	4	0	10	1	1
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

Footnotes:

1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

NDB No. 03085 Babyfood, dinner, vegetables and turkey, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	88.50		0	226.56	14.16	25.09
Energy	kcal	53		0	136	8	15
Energy	kj	222		0	568	36	63
Protein (N x 5.95)	g	1.72		0	4.40	0.28	0.49
Total lipid (fat)	g	1.74		0	4.45	0.28	0.49
Carbohydrate, by difference	g	7.55		0	19.33	1.21	2.14
Fiber, total dietary	g	0.9		0	2.3	0.1	0.3
Ash	g	0.49		0	1.25	0.08	0.14
Sugars, total	g	1.36		0	3.48	0.22	0.39
Minerals:							
Calcium	mg	16		0	41	3	5
Iron	mg	0.36		0	0.92	0.06	0.10
Magnesium	mg	9		0	23	1	3
Phosphorus	mg	32		0	82	5	9
Potassium	mg	98		0	251	16	28
Sodium	mg	89		0	228	14	25
Zinc	mg	0.30		0	0.77	0.05	0.09
Copper	mg	0.020		0	0.051	0.003	0.006
Manganese	mg	0.060		0	0.154	0.010	0.017
Selenium	µg	1.9		0	4.9	0.3	0.5
Vitamins:							
Ascorbic acid	mg	0.4		0	1.0	0.1	0.1
Thiamin	mg	0.022		0	0.056	0.004	0.006
Riboflavin	mg	0.032		0	0.082	0.005	0.009
Niacin	mg	0.539		0	1.380	0.086	0.153
Pantothenic acid	mg	0.162		0	0.415	0.026	0.046
Vitamin B-6	mg	0.052		0	0.133	0.008	0.015
Folate	µg	7		0	18	1	2
Vitamin B-12	µg	0.01		0	0.03	0.00	0.00
Vitamin A **(1)**	IU	1644		0	4209	263	466
Vitamin A, RE **(1)**	µg	164		0	420	26	46
Vitamin E, α-TE	mg	0.171		0	0.438	0.027	0.048
Lipids:							
Saturated, total	g	0.485		0	1.242	0.078	0.137
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.002		0	0.005	0.000	0.001
14:0	g	0.015		0	0.038	0.002	0.004
15.0	g						
16:0	g	0.336		0	0.860	0.054	0.095
17:0	g						
18:0	g	0.102		0	0.261	0.016	0.029
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.687	0	1.759	0.110	0.195
14:1	g					
16:1	g	0.085	0	0.218	0.014	0.024
18:1	g	0.576	0	1.475	0.092	0.163
20:1	g	0.013	0	0.033	0.002	0.004
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.391	0	1.001	0.063	0.111
18:2	g	0.355	0	0.909	0.057	0.101
18:3	g	0.021	0	0.054	0.003	0.006
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.006	0	0.015	0.001	0.002
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.001	0	0.003	0.000	0.000
22:6	g	0.001	0	0.003	0.000	0.000
Cholesterol	mg	4	0	10	1	1
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

Footnotes:

1 Vitamin A values range widely due to differences in cultivar and proportion of carrots.

NDB No. 03086 Babyfood, dinner, vegetables and turkey, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	82.30	0.300	3	23.33	139.91	
Energy	kcal	80		0	23	136	
Energy	kj	335		0	95	570	
Protein (N x 5.95)	g	4.80	0.200	4	1.36	8.16	
Total lipid (fat)	g	3.40	0.200	4	0.96	5.78	
Carbohydrate, by difference	g	8.00		0	2.27	13.60	
Fiber, total dietary	g						
Ash	g	1.40	0.000	3	0.40	2.38	
Sugars, total	g						
Minerals:							
Calcium	mg	46	1.000	4	13	78	
Iron	mg	0.60	0.020	4	0.17	1.02	
Magnesium	mg	16		1	5	27	
Phosphorus	mg	57		1	16	97	
Potassium	mg	166		1	47	282	
Sodium	mg	334		1	95	568	
Zinc	mg	0.32		1	0.09	0.54	
Copper	mg	0.042		0	0.012	0.071	
Manganese	mg						
Selenium	µg	1.9		0	0.5	3.2	
Vitamins:							
Ascorbic acid	mg	3.4	0.700	4	1.0	5.8	
Thiamin	mg	0.020	0.000	4	0.006	0.034	
Riboflavin	mg	0.090	0.005	4	0.026	0.153	
Niacin	mg	0.586	0.053	4	0.166	0.996	
Pantothenic acid	mg						
Vitamin B-6	mg	0.060	0.003	4	0.017	0.102	
Folate	µg	3		0	1	5	
Vitamin B-12	µg	0.44		0	0.12	0.75	
Vitamin A	IU	2099	166.000	3	595	3568	
Vitamin A, RE	µg	269		0	76	457	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g				
14:1	g				
16:1	g				
18:1	g				
20:1	g				
22.1	g				
Polyunsaturated, total	g				
18:2	g				
18:3	g				
18:4	g				
20:4	g				
20:5	g				
22:5	g				
22:6	g				
Cholesterol	mg				
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.060	0	0.017	0.102
Threonine	g	0.186	0	0.053	0.316
Isoleucine	g	0.249	0	0.071	0.423
Leucine	g	0.389	0	0.110	0.661
Lysine	g	0.331	0	0.094	0.563
Methionine	g	0.088	0	0.025	0.150
Cystine	g	0.052	0	0.015	0.088
Phenylalanine	g	0.200	0	0.057	0.340
Tyrosine	g	0.174	0	0.049	0.296
Valine	g	0.278	0	0.079	0.473
Arginine	g	0.295	0	0.084	0.501
Histidine	g	0.114	0	0.032	0.194
Alanine	g	0.229	0	0.065	0.389
Aspartic acid	g	0.480	0	0.136	0.816
Glutamic acid	g	0.915	0	0.259	1.556
Glycine	g	0.192	0	0.054	0.326
Proline	g	0.333	0	0.094	0.566
Serine	g	0.193	0	0.055	0.328
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03089 Babyfood, dinner, macaroni and cheese, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	85.25		0	24.17	96.33	
Energy	kcal	67		0	19	76	
Energy	kj	280		0	79	316	
Protein (N x 5.95)	g	3.14		0	0.89	3.55	
Total lipid (fat)	g	2.11		0	0.60	2.38	
Carbohydrate, by difference	g	8.95		0	2.54	10.11	
Fiber, total dietary	g	0.7		0	0.2	0.8	
Ash	g	0.55		0	0.16	0.62	
Sugars, total	g	1.27		0	0.36	1.44	
Minerals:							
Calcium	mg	66		0	19	75	
Iron	mg	0.21		0	0.06	0.24	
Magnesium	mg	8		0	2	9	
Phosphorus	mg	86		0	24	97	
Potassium	mg	67		0	19	76	
Sodium	mg	87		0	25	98	
Zinc	mg	0.40		0	0.11	0.45	
Copper	mg	0.020		0	0.006	0.023	
Manganese	mg	0.090		0	0.026	0.102	
Selenium	µg	3.8		0	1.1	4.3	
Vitamins:							
Ascorbic acid	mg	0.1		0	0.0	0.1	
Thiamin	mg	0.038		0	0.011	0.043	
Riboflavin	mg	0.076		0	0.022	0.086	
Niacin	mg	0.516		0	0.146	0.583	
Pantothenic acid	mg	0.176		0	0.050	0.199	
Vitamin B-6	mg	0.036		0	0.010	0.041	
Folate	µg	11		0	3	12	
Vitamin B-12	µg	0.13		0	0.04	0.15	
Vitamin A	IU	86		0	24	97	
Vitamin A, RE	µg	25		0	7	28	
Vitamin E, α-TE	mg	0.051		0	0.014	0.058	
Lipids:							
Saturated, total	g	1.291		0	0.366	1.459	
4:0	g	0.063		0	0.018	0.071	
6.0	g	0.031		0	0.009	0.035	
8:0	g	0.017		0	0.005	0.019	
10:0	g	0.036		0	0.010	0.041	
12:0	g	0.033		0	0.009	0.037	
14:0	g	0.200		0	0.057	0.226	
15.0	g						
16:0	g	0.609		0	0.173	0.688	
17:0	g						
18:0	g	0.242		0	0.069	0.273	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.581	0	0.165	0.657
14:1	g				
16:1	g	0.061	0	0.017	0.069
18:1	g	0.491	0	0.139	0.555
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.103	0	0.029	0.116
18:2	g	0.075	0	0.021	0.085
18:3	g	0.028	0	0.008	0.032
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	7	0	2	8
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03090 Babyfood, dinner, macaroni and cheese, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	86.50		1	24.52	147.05	
Energy	kcal	61		0	17	104	
Energy	kj	255		0	72	434	
Protein (N x 5.95)	g	2.60		6	0.74	4.42	
Total lipid (fat)	g	2.00		6	0.57	3.40	
Carbohydrate, by difference	g	8.20		0	2.32	13.94	
Fiber, total dietary	g	0.3		0	0.1	0.5	
Ash	g	0.70		1	0.20	1.19	
Sugars, total	g						
Minerals:							
Calcium	mg	51		6	14	87	
Iron	mg	0.30		6	0.09	0.51	
Magnesium	mg	7		1	2	12	
Phosphorus	mg	59		1	17	100	
Potassium	mg	44		1	12	75	
Sodium	mg	76		0	22	129	
Zinc	mg	0.32		1	0.09	0.54	
Copper	mg	0.021		0	0.006	0.036	
Manganese	mg						
Selenium	µg	3.8		0	1.1	6.5	
Vitamins:							
Ascorbic acid	mg	1.3		6	0.4	2.2	
Thiamin	mg	0.056		6	0.016	0.095	
Riboflavin	mg	0.064		6	0.018	0.109	
Niacin	mg	0.545		4	0.155	0.927	
Pantothenic acid	mg						
Vitamin B-6	mg	0.016		6	0.005	0.027	
Folate	µg	11		0	3	19	
Vitamin B-12	µg	0.03		1	0.01	0.05	
Vitamin A	IU	13	8.000	6	4	22	
Vitamin A, RE	µg	3		0	1	5	
Vitamin E, α-TE	mg	0.240		0	0.068	0.408	
Lipids:							
Saturated, total	g	1.175		0	0.333	1.998	
4:0	g	0.057		0	0.016	0.097	
6.0	g	0.029		0	0.008	0.049	
8:0	g	0.015		0	0.004	0.026	
10:0	g	0.033		0	0.009	0.056	
12:0	g	0.029		0	0.008	0.049	
14:0	g	0.181		0	0.051	0.308	
15.0	g						
16:0	g	0.557		0	0.158	0.947	
17:0	g						
18:0	g	0.221		0	0.063	0.376	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.534	0	0.151	0.908
14:1	g				
16:1	g	0.055	0	0.016	0.094
18:1	g	0.453	0	0.128	0.770
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.132	0	0.037	0.224
18:2	g	0.105	0	0.030	0.179
18:3	g	0.027	0	0.008	0.046
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	6	0	2	10
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.032	0	0.009	0.054
Threonine	g	0.078	0	0.022	0.133
Isoleucine	g	0.130	0	0.037	0.221
Leucine	g	0.234	0	0.066	0.398
Lysine	g	0.148	0	0.042	0.252
Methionine	g	0.090	0	0.026	0.153
Cystine	g	0.032	0	0.009	0.054
Phenylalanine	g	0.132	0	0.037	0.224
Tyrosine	g	0.123	0	0.035	0.209
Valine	g	0.147	0	0.042	0.250
Arginine	g	0.102	0	0.029	0.173
Histidine	g	0.062	0	0.018	0.105
Alanine	g	0.085	0	0.024	0.145
Aspartic acid	g	0.167	0	0.047	0.284
Glutamic acid	g	0.665	0	0.189	1.131
Glycine	g	0.058	0	0.016	0.099
Proline	g	0.293	0	0.083	0.498
Serine	g	0.104	0	0.029	0.177
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03091 Babyfood, vegetables, green beans, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 240g	Measure 2* 15g	Measure 3* 28g
Proximates:							
Water	g	92.00	0.200	34	220.80	13.80	26.08
Energy	kcal	25		0	60	4	7
Energy	kj	105		0	252	16	30
Protein (N x 5.95)	g	1.30	0.000	25	3.12	0.20	0.37
Total lipid (fat)	g	0.10	0.000	25	0.24	0.02	0.03
Carbohydrate, by difference	g	5.90		0	14.16	0.89	1.67
Fiber, total dietary	g	1.9		0	4.6	0.3	0.5
Ash	g	0.60	0.000	25	1.44	0.09	0.17
Sugars, total	g						
Minerals:							
Calcium	mg	39	1.000	24	94	6	11
Iron	mg	0.75	0.030	30	1.80	0.11	0.21
Magnesium	mg	24	9.000	2	58	4	7
Phosphorus	mg	20		2	48	3	6
Potassium	mg	158		15	379	24	45
Sodium	mg	2		18	5	0	1
Zinc	mg	0.21	0.045	2	0.49	0.03	0.06
Copper	mg	0.051		3	0.122	0.008	0.014
Manganese	mg						
Selenium	µg	0.3		2	0.7	0.0	0.1
Vitamins:							
Ascorbic acid	mg	5.2	0.300	29	12.5	0.8	1.5
Thiamin	mg	0.026	0.000	26	0.062	0.004	0.007
Riboflavin	mg	0.085	0.003	28	0.204	0.013	0.024
Niacin	mg	0.346	0.006	24	0.830	0.052	0.098
Pantothenic acid	mg	0.160		2	0.384	0.024	0.045
Vitamin B-6	mg	0.038	0.003	10	0.091	0.006	0.011
Folate	µg	35	1.600	6	83	5	10
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	448	35.000	23	1075	67	127
Vitamin A, RE	µg	45	3.000	23	108	7	13
Vitamin E, α-TE	mg	0.520		0	1.248	0.078	0.147
Lipids:							
Saturated, total	g	0.023		0	0.055	0.003	0.007
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.019		0	0.046	0.003	0.005
17:0	g						
18:0	g	0.003		0	0.007	0.000	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.004	0	0.010	0.001	0.001
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.004	0	0.010	0.001	0.001
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.052	0	0.125	0.008	0.015
18:2	g	0.020	0	0.048	0.003	0.006
18:3	g	0.032	0	0.077	0.005	0.009
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.015	0	0.036	0.002	0.004
Threonine	g	0.055	0	0.132	0.008	0.016
Isoleucine	g	0.058	0	0.139	0.009	0.016
Leucine	g	0.085	0	0.204	0.013	0.024
Lysine	g	0.065	0	0.156	0.010	0.018
Methionine	g	0.019	0	0.046	0.003	0.005
Cystine	g	0.011	0	0.026	0.002	0.003
Phenylalanine	g	0.053	0	0.127	0.008	0.015
Tyrosine	g	0.046	0	0.110	0.007	0.013
Valine	g	0.071	0	0.170	0.011	0.020
Arginine	g	0.072	0	0.173	0.011	0.020
Histidine	g	0.036	0	0.086	0.005	0.010
Alanine	g	0.060	0	0.144	0.009	0.017
Aspartic acid	g	0.254	0	0.610	0.038	0.072
Glutamic acid	g	0.171	0	0.410	0.026	0.048
Glycine	g	0.053	0	0.127	0.008	0.015
Proline	g	0.066	0	0.158	0.010	0.019
Serine	g	0.069	0	0.166	0.010	0.020
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03092 Babyfood, vegetables, green beans, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 240g	Measure 2* 15g	Measure 3* 28g
Proximates:							
Water	g	92.50	0.200	13	222.00	13.88	26.22
Energy	kcal	25		0	60	4	7
Energy	kj	105		0	252	16	30
Protein (N x 5.95)	g	1.20	0.000	13	2.88	0.18	0.34
Total lipid (fat)	g	0.10	0.000	13	0.24	0.02	0.03
Carbohydrate, by difference	g	5.70		0	13.68	0.86	1.62
Fiber, total dietary	g	1.9		0	4.6	0.3	0.5
Ash	g	0.40	0.000	13	0.96	0.06	0.11
Sugars, total	g						
Minerals:							
Calcium	mg	65	4.000	13	156	10	18
Iron	mg	1.08	0.040	13	2.59	0.16	0.31
Magnesium	mg	22		0	53	3	6
Phosphorus	mg	19		0	46	3	5
Potassium	mg	128	3.000	13	307	19	36
Sodium	mg	2	0.000	13	5	0	1
Zinc	mg	0.19		0	0.46	0.03	0.05
Copper	mg	0.049		0	0.118	0.007	0.014
Manganese	mg						
Selenium	µg	0.3		2	0.7	0.0	0.1
Vitamins:							
Ascorbic acid	mg	8.4	0.500	13	20.2	1.3	2.4
Thiamin	mg	0.021	0.000	13	0.050	0.003	0.006
Riboflavin	mg	0.102	0.004	13	0.245	0.015	0.029
Niacin	mg	0.321	0.011	13	0.770	0.048	0.091
Pantothenic acid	mg	0.151		0	0.362	0.023	0.043
Vitamin B-6	mg	0.035		0	0.084	0.005	0.010
Folate	µg	33		0	78	5	9
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	433	37.000	13	1039	65	123
Vitamin A, RE	µg	43	4.000	13	103	6	12
Vitamin E, α-TE	mg	0.520		0	1.248	0.078	0.147
Lipids:							
Saturated, total	g	0.023		0	0.055	0.003	0.007
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.019		0	0.046	0.003	0.005
17:0	g						
18:0	g	0.003		0	0.007	0.000	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.004	0	0.010	0.001	0.001
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.004	0	0.010	0.001	0.001
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.052	0	0.125	0.008	0.015
18:2	g	0.020	0	0.048	0.003	0.006
18:3	g	0.032	0	0.077	0.005	0.009
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.014	0	0.034	0.002	0.004
Threonine	g	0.051	0	0.122	0.008	0.014
Isoleucine	g	0.054	0	0.130	0.008	0.015
Leucine	g	0.078	0	0.187	0.012	0.022
Lysine	g	0.059	0	0.142	0.009	0.017
Methionine	g	0.018	0	0.043	0.003	0.005
Cystine	g	0.010	0	0.024	0.002	0.003
Phenylalanine	g	0.049	0	0.118	0.007	0.014
Tyrosine	g	0.042	0	0.101	0.006	0.012
Valine	g	0.065	0	0.156	0.010	0.018
Arginine	g	0.066	0	0.158	0.010	0.019
Histidine	g	0.033	0	0.079	0.005	0.009
Alanine	g	0.056	0	0.134	0.008	0.016
Aspartic acid	g	0.234	0	0.562	0.035	0.066
Glutamic acid	g	0.157	0	0.377	0.024	0.045
Glycine	g	0.049	0	0.118	0.007	0.014
Proline	g	0.061	0	0.146	0.009	0.017
Serine	g	0.063	0	0.151	0.009	0.018
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03093 Babyfood, green beans, dices, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	92.60		0			
Energy	kcal	29		0			
Energy	kj	121		0			
Protein (N x 5.95)	g	1.20		0			
Total lipid (fat)	g	0.20		0			
Carbohydrate, by difference	g	5.70		0			
Fiber, total dietary	g	1.3		0			
Ash	g	0.40		0			
Sugars, total	g						
Minerals:							
Calcium	mg	27		0			
Iron	mg	0.40		0			
Magnesium	mg	19		0			
Phosphorus	mg	22		0			
Potassium	mg	116		0			
Sodium	mg	37		0			
Zinc	mg	0.10		0			
Copper	mg	0.030		0			
Manganese	mg	0.080		0			
Selenium	µg	0.4		0			
Vitamins:							
Ascorbic acid	mg	1.7		0			
Thiamin	mg	0.020		0			
Riboflavin	mg	0.040		0			
Niacin	mg	0.230		0			
Pantothenic acid	mg	0.051		0			
Vitamin B-6	mg	0.030		0			
Folate	µg	32		0			
Vitamin B-12	µg	0.00		0			
Vitamin A	IU	350		0			
Vitamin A, RE	µg	35		0			
Vitamin E, α-TE	mg	0.140		0			
Lipids:							
Saturated, total	g	0.044		0			
4:0	g	0.000		0			
6.0	g	0.000		0			
8:0	g	0.000		0			
10:0	g	0.000		0			
12:0	g	0.000		0			
14:0	g	0.000		0			
15.0	g						
16:0	g	0.038		0			
17:0	g						
18:0	g	0.006		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.008	0
14:1	g		
16:1	g	0.000	0
18:1	g	0.008	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.102	0
18:2	g	0.038	0
18:3	g	0.062	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	0	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03097 Babyfood, vegetables, green beans, creamed, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 240g	Measure 2* 15g	Measure 3* 28g
Proximates:							
Water	g	90.90		5	218.16	13.63	25.77
Energy	kcal	32		0	77	5	9
Energy	kj	134		0	322	20	38
Protein (N x 5.95)	g	1.00		5	2.40	0.15	0.28
Total lipid (fat)	g	0.40		5	0.96	0.06	0.11
Carbohydrate, by difference	g	7.20		0	17.28	1.08	2.04
Fiber, total dietary	g	1.6		0	3.8	0.2	0.5
Ash	g	0.50	0.000	13	1.20	0.08	0.14
Sugars, total	g						
Minerals:							
Calcium	mg	32		5	77	5	9
Iron	mg	0.26		5	0.62	0.04	0.07
Magnesium	mg	7		1	17	1	2
Phosphorus	mg	19		1	46	3	5
Potassium	mg	65		1	156	10	18
Sodium	mg	12		5	29	2	3
Zinc	mg	0.16		1	0.38	0.02	0.05
Copper	mg	0.059		0	0.142	0.009	0.017
Manganese	mg						
Selenium	µg	0.4		0	1.0	0.1	0.1
Vitamins:							
Ascorbic acid	mg	2.7		5	6.5	0.4	0.8
Thiamin	mg	0.023		5	0.055	0.003	0.007
Riboflavin	mg	0.054		5	0.130	0.008	0.015
Niacin	mg	0.233		5	0.559	0.035	0.066
Pantothenic acid	mg	0.183		0	0.439	0.027	0.052
Vitamin B-6	mg	0.012		1	0.029	0.002	0.003
Folate	µg	40		0	95	6	11
Vitamin B-12	µg	0.05		0	0.12	0.01	0.01
Vitamin A	IU	150	9.000	17	360	23	43
Vitamin A, RE	µg	15	1.000	17	36	2	4
Vitamin E, α-TE	mg	0.520		0	1.248	0.078	0.147
Lipids:							
Saturated, total	g	0.072		0	0.173	0.011	0.020
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.001		0	0.002	0.000	0.000
15.0	g						
16:0	g	0.055		0	0.132	0.008	0.016
17:0	g						
18:0	g	0.015		0	0.036	0.002	0.004
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.066	0	0.158	0.010	0.019
14:1	g					
16:1	g	0.001	0	0.002	0.000	0.000
18:1	g	0.064	0	0.154	0.010	0.018
20:1	g	0.001	0	0.002	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.220	0	0.528	0.033	0.062
18:2	g	0.157	0	0.377	0.024	0.045
18:3	g	0.063	0	0.151	0.009	0.018
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	1	0	2	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.015	0	0.036	0.002	0.004
Threonine	g	0.038	0	0.091	0.006	0.011
Isoleucine	g	0.048	0	0.115	0.007	0.014
Leucine	g	0.078	0	0.187	0.012	0.022
Lysine	g	0.043	0	0.103	0.006	0.012
Methionine	g	0.022	0	0.053	0.003	0.006
Cystine	g	0.011	0	0.026	0.002	0.003
Phenylalanine	g	0.045	0	0.108	0.007	0.013
Tyrosine	g	0.043	0	0.103	0.006	0.012
Valine	g	0.058	0	0.139	0.009	0.016
Arginine	g	0.048	0	0.115	0.007	0.014
Histidine	g	0.023	0	0.055	0.003	0.007
Alanine	g	0.043	0	0.103	0.006	0.012
Aspartic acid	g	0.097	0	0.233	0.015	0.027
Glutamic acid	g	0.194	0	0.466	0.029	0.055
Glycine	g	0.033	0	0.079	0.005	0.009
Proline	g	0.098	0	0.235	0.015	0.028
Serine	g	0.043	0	0.103	0.006	0.012
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03098 Babyfood, vegetables, beets, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 224g	Measure 2* 14g	Measure 3* 28g
Proximates:							
Water	g	90.10	0.500	16	201.82	12.61	25.54
Energy	kcal	34		0	76	5	10
Energy	kj	142		0	318	20	40
Protein (N x 5.95)	g	1.30	0.000	10	2.91	0.18	0.37
Total lipid (fat)	g	0.10	0.000	10	0.22	0.01	0.03
Carbohydrate, by difference	g	7.70		0	17.25	1.08	2.18
Fiber, total dietary	g	1.9		0	4.3	0.3	0.5
Ash	g	0.90	0.000	15	2.02	0.13	0.26
Sugars, total	g						
Minerals:							
Calcium	mg	14	1.000	15	31	2	4
Iron	mg	0.32	0.020	17	0.72	0.04	0.09
Magnesium	mg	14	2.000	2	31	2	4
Phosphorus	mg	14		1	31	2	4
Potassium	mg	182		1	408	25	52
Sodium	mg	83		4	186	12	24
Zinc	mg	0.12	0.029	2	0.27	0.02	0.03
Copper	mg	0.070		1	0.157	0.010	0.020
Manganese	mg						
Selenium	µg	0.1		1	0.2	0.0	0.0
Vitamins:							
Ascorbic acid	mg	2.4	0.200	10	5.4	0.3	0.7
Thiamin	mg	0.011	0.000	11	0.025	0.002	0.003
Riboflavin	mg	0.043	0.000	14	0.096	0.006	0.012
Niacin	mg	0.132	0.007	10	0.296	0.018	0.037
Pantothenic acid	mg	0.100		0	0.224	0.014	0.028
Vitamin B-6	mg	0.024		7	0.054	0.003	0.007
Folate	µg	31	3.600	6	69	4	9
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	33	5.000	10	74	5	9
Vitamin A, RE	µg	3	1.000	10	7	0	1
Vitamin E, α-TE	mg	0.520		0	1.165	0.073	0.147
Lipids:							
Saturated, total	g	0.016		0	0.036	0.002	0.005
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.016		0	0.036	0.002	0.005
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.019	0	0.043	0.003	0.005
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.019	0	0.043	0.003	0.005
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.036	0	0.081	0.005	0.010
18:2	g	0.033	0	0.074	0.005	0.009
18:3	g	0.003	0	0.007	0.000	0.001
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.012	0	0.027	0.002	0.003
Threonine	g	0.032	0	0.072	0.004	0.009
Isoleucine	g	0.038	0	0.085	0.005	0.011
Leucine	g	0.046	0	0.103	0.006	0.013
Lysine	g	0.034	0	0.076	0.005	0.010
Methionine	g	0.010	0	0.022	0.001	0.003
Cystine	g	0.007	0	0.016	0.001	0.002
Phenylalanine	g	0.018	0	0.040	0.003	0.005
Tyrosine	g	0.035	0	0.078	0.005	0.010
Valine	g	0.045	0	0.101	0.006	0.013
Arginine	g	0.030	0	0.067	0.004	0.009
Histidine	g	0.021	0	0.047	0.003	0.006
Alanine	g	0.054	0	0.121	0.008	0.015
Aspartic acid	g	0.086	0	0.193	0.012	0.024
Glutamic acid	g	0.292	0	0.654	0.041	0.083
Glycine	g	0.027	0	0.060	0.004	0.008
Proline	g	0.027	0	0.060	0.004	0.008
Serine	g	0.043	0	0.096	0.006	0.012
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03099 Babyfood, vegetables, carrots, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 224g	Measure 2* 14g	Measure 3* 28g
Proximates:							
Water	g	92.30	0.200	52	206.75	12.92	26.17
Energy	kcal	27		0	60	4	8
Energy	kj	113		0	253	16	32
Protein (N x 5.95)	g	0.80	0.000	28	1.79	0.11	0.23
Total lipid (fat)	g	0.10	0.000	28	0.22	0.01	0.03
Carbohydrate, by difference	g	6.00		0	13.44	0.84	1.70
Fiber, total dietary	g	1.7		0	3.8	0.2	0.5
Ash	g	0.80	0.000	26	1.79	0.11	0.23
Sugars, total	g						
Minerals:							
Calcium	mg	22	1.000	29	49	3	6
Iron	mg	0.37	0.040	34	0.83	0.05	0.10
Magnesium	mg	9		1	20	1	3
Phosphorus	mg	20	2.000	2	45	3	6
Potassium	mg	196	6.000	13	439	27	56
Sodium	mg	37		18	83	5	10
Zinc	mg	0.15		16	0.34	0.02	0.04
Copper	mg	0.041		16	0.092	0.006	0.012
Manganese	mg						
Selenium	µg	0.2		1	0.4	0.0	0.1
Vitamins:							
Ascorbic acid	mg	5.7	0.300	33	12.8	0.8	1.6
Thiamin	mg	0.023	0.000	32	0.052	0.003	0.007
Riboflavin	mg	0.040	0.000	28	0.090	0.006	0.011
Niacin	mg	0.463	0.031	30	1.037	0.065	0.131
Pantothenic acid	mg	0.240		4	0.538	0.034	0.068
Vitamin B-6	mg	0.073	0.000	20	0.164	0.010	0.021
Folate	µg	15	2.800	9	33	2	4
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	11461	341.000	29	25673	1605	3249
Vitamin A, RE	µg	1146	34.000	29	2567	160	325
Vitamin E, α-TE	mg	0.520		0	1.165	0.073	0.147
Lipids:							
Saturated, total	g	0.018		0	0.040	0.003	0.005
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.002	0.000	0.000
14:0	g	0.001		0	0.002	0.000	0.000
15.0	g						
16:0	g	0.014		0	0.031	0.002	0.004
17:0	g						
18:0	g	0.001		0	0.002	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.004	0	0.009	0.001	0.001
14:1	g					
16:1	g	0.001	0	0.002	0.000	0.000
18:1	g	0.003	0	0.007	0.000	0.001
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.047	0	0.105	0.007	0.013
18:2	g	0.040	0	0.090	0.006	0.011
18:3	g	0.006	0	0.013	0.001	0.002
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.011	0	0.025	0.002	0.003
Threonine	g	0.022	0	0.049	0.003	0.006
Isoleucine	g	0.024	0	0.054	0.003	0.007
Leucine	g	0.032	0	0.072	0.004	0.009
Lysine	g	0.020	0	0.045	0.003	0.006
Methionine	g	0.009	0	0.020	0.001	0.003
Cystine	g	0.006	0	0.013	0.001	0.002
Phenylalanine	g	0.024	0	0.054	0.003	0.007
Tyrosine	g	0.019	0	0.043	0.003	0.005
Valine	g	0.030	0	0.067	0.004	0.009
Arginine	g	0.050	0	0.112	0.007	0.014
Histidine	g	0.012	0	0.027	0.002	0.003
Alanine	g	0.040	0	0.090	0.006	0.011
Aspartic acid	g	0.123	0	0.276	0.017	0.035
Glutamic acid	g	0.218	0	0.488	0.031	0.062
Glycine	g	0.021	0	0.047	0.003	0.006
Proline	g	0.020	0	0.045	0.003	0.006
Serine	g	0.024	0	0.054	0.003	0.007
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03100 Babyfood, vegetables, carrots, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 224g	Measure 2* 14g	Measure 3* 28g
Proximates:							
Water	g	91.00	0.200	28	203.84	12.74	25.80
Energy	kcal	32		0	72	4	9
Energy	kj	134		0	300	19	38
Protein (N x 5.95)	g	0.80	0.000	29	1.79	0.11	0.23
Total lipid (fat)	g	0.20	0.000	28	0.45	0.03	0.06
Carbohydrate, by difference	g	7.20		0	16.13	1.01	2.04
Fiber, total dietary	g	1.7		0	3.8	0.2	0.5
Ash	g	0.70	0.000	28	1.57	0.10	0.20
Sugars, total	g						
Minerals:							
Calcium	mg	23	1.000	24	52	3	7
Iron	mg	0.39	0.050	24	0.87	0.05	0.11
Magnesium	mg	11		0	25	2	3
Phosphorus	mg	20	1.000	2	45	3	6
Potassium	mg	202	7.000	13	452	28	57
Sodium	mg	49		18	110	7	14
Zinc	mg	0.18		0	0.39	0.02	0.05
Copper	mg	0.047		0	0.105	0.007	0.013
Manganese	mg						
Selenium	µg	0.2		0	0.4	0.0	0.1
Vitamins:							
Ascorbic acid	mg	5.5	0.300	24	12.3	0.8	1.6
Thiamin	mg	0.024	0.000	23	0.054	0.003	0.007
Riboflavin	mg	0.041	0.000	22	0.092	0.006	0.012
Niacin	mg	0.497	0.031	22	1.113	0.070	0.141
Pantothenic acid	mg	0.278		0	0.623	0.039	0.079
Vitamin B-6	mg	0.080	0.004	11	0.179	0.011	0.023
Folate	µg	17		0	39	2	5
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	11810	448.000	24	26454	1653	3348
Vitamin A, RE	µg	1181	45.000	24	2645	165	335
Vitamin E, α-TE	mg	0.520		0	1.165	0.073	0.147
Lipids:							
Saturated, total	g	0.036		0	0.081	0.005	0.010
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.002		0	0.004	0.000	0.001
14:0	g	0.001		0	0.002	0.000	0.000
15.0	g						
16:0	g	0.028		0	0.063	0.004	0.008
17:0	g						
18:0	g	0.001		0	0.002	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.009	0	0.020	0.001	0.003
14:1	g					
16:1	g	0.002	0	0.004	0.000	0.001
18:1	g	0.007	0	0.016	0.001	0.002
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.093	0	0.208	0.013	0.026
18:2	g	0.080	0	0.179	0.011	0.023
18:3	g	0.011	0	0.025	0.002	0.003
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.011	0	0.025	0.002	0.003
Threonine	g	0.023	0	0.052	0.003	0.007
Isoleucine	g	0.024	0	0.054	0.003	0.007
Leucine	g	0.033	0	0.074	0.005	0.009
Lysine	g	0.021	0	0.047	0.003	0.006
Methionine	g	0.009	0	0.020	0.001	0.003
Cystine	g	0.006	0	0.013	0.001	0.002
Phenylalanine	g	0.025	0	0.056	0.004	0.007
Tyrosine	g	0.020	0	0.045	0.003	0.006
Valine	g	0.031	0	0.069	0.004	0.009
Arginine	g	0.052	0	0.116	0.007	0.015
Histidine	g	0.013	0	0.029	0.002	0.004
Alanine	g	0.041	0	0.092	0.006	0.012
Aspartic acid	g	0.127	0	0.284	0.018	0.036
Glutamic acid	g	0.225	0	0.504	0.032	0.064
Glycine	g	0.022	0	0.049	0.003	0.006
Proline	g	0.021	0	0.047	0.003	0.006
Serine	g	0.024	0	0.054	0.003	0.007
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03104 Babyfood, vegetables, squash, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 224g	Measure 2* 14g	Measure 3* 28g
Proximates:							
Water	g	92.70	0.100	45	207.65	12.98	26.28
Energy	kcal	24		0	54	3	7
Energy	kj	100		0	224	14	28
Protein (N x 5.95)	g	0.80	0.000	28	1.79	0.11	0.23
Total lipid (fat)	g	0.20	0.000	24	0.45	0.03	0.06
Carbohydrate, by difference	g	5.60		0	12.54	0.78	1.59
Fiber, total dietary	g	2.1		0	4.7	0.3	0.6
Ash	g	0.60	0.000	22	1.34	0.08	0.17
Sugars, total	g						
Minerals:							
Calcium	mg	24	2.000	17	54	3	7
Iron	mg	0.30	0.030	23	0.67	0.04	0.09
Magnesium	mg	12	1.000	2	27	2	3
Phosphorus	mg	15		2	34	2	4
Potassium	mg	179		15	401	25	51
Sodium	mg	2		18	4	0	1
Zinc	mg	0.14	0.035	17	0.32	0.02	0.04
Copper	mg	0.054		17	0.121	0.008	0.015
Manganese	mg						
Selenium	µg	0.2		0	0.4	0.0	0.1
Vitamins:							
Ascorbic acid	mg	7.7	0.300	17	17.2	1.1	2.2
Thiamin	mg	0.011	0.000	21	0.025	0.002	0.003
Riboflavin	mg	0.056	0.008	19	0.125	0.008	0.016
Niacin	mg	0.354	0.018	18	0.793	0.050	0.100
Pantothenic acid	mg	0.220		4	0.493	0.031	0.062
Vitamin B-6	mg	0.063	0.006	11	0.141	0.009	0.018
Folate	µg	15	1.000	3	34	2	4
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	2023	204.000	17	4532	283	574
Vitamin A, RE	µg	202	20.000	17	452	28	57
Vitamin E, α-TE	mg	0.520		0	1.165	0.073	0.147
Lipids:							
Saturated, total	g	0.041		0	0.092	0.006	0.012
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.002	0.000	0.000
14:0	g	0.001		0	0.002	0.000	0.000
15.0	g						
16:0	g	0.036		0	0.081	0.005	0.010
17:0	g						
18:0	g	0.004		0	0.009	0.001	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.015	0	0.034	0.002	0.004
14:1	g					
16:1	g	0.001	0	0.002	0.000	0.000
18:1	g	0.014	0	0.031	0.002	0.004
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.084	0	0.188	0.012	0.024
18:2	g	0.031	0	0.069	0.004	0.009
18:3	g	0.052	0	0.116	0.007	0.015
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.012	0	0.027	0.002	0.003
Threonine	g	0.025	0	0.056	0.004	0.007
Isoleucine	g	0.033	0	0.074	0.005	0.009
Leucine	g	0.047	0	0.105	0.007	0.013
Lysine	g	0.031	0	0.069	0.004	0.009
Methionine	g	0.010	0	0.022	0.001	0.003
Cystine	g	0.007	0	0.016	0.001	0.002
Phenylalanine	g	0.029	0	0.065	0.004	0.008
Tyrosine	g	0.028	0	0.063	0.004	0.008
Valine	g	0.036	0	0.081	0.005	0.010
Arginine	g	0.046	0	0.103	0.006	0.013
Histidine	g	0.016	0	0.036	0.002	0.005
Alanine	g	0.035	0	0.078	0.005	0.010
Aspartic acid	g	0.089	0	0.199	0.012	0.025
Glutamic acid	g	0.146	0	0.327	0.020	0.041
Glycine	g	0.031	0	0.069	0.004	0.009
Proline	g	0.030	0	0.067	0.004	0.009
Serine	g	0.033	0	0.074	0.005	0.009
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03105 Babyfood, vegetables, squash, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 224g	Measure 2* 14g	Measure 3* 28g
Proximates:							
Water	g	92.80	0.200	20	207.87	12.99	26.31
Energy	kcal	24		0	54	3	7
Energy	kj	100		0	224	14	28
Protein (N x 5.95)	g	0.80	0.000	20	1.79	0.11	0.23
Total lipid (fat)	g	0.20	0.000	20	0.45	0.03	0.06
Carbohydrate, by difference	g	5.60		0	12.54	0.78	1.59
Fiber, total dietary	g	2.1		0	4.7	0.3	0.6
Ash	g	0.60	0.000	20	1.34	0.08	0.17
Sugars, total	g						
Minerals:							
Calcium	mg	24	2.000	12	54	3	7
Iron	mg	0.35	0.060	12	0.78	0.05	0.10
Magnesium	mg	12		1	27	2	3
Phosphorus	mg	16		1	36	2	5
Potassium	mg	185		14	414	26	52
Sodium	mg	1	0.000	16	2	0	0
Zinc	mg	0.08		1	0.18	0.01	0.02
Copper	mg	0.054		0	0.121	0.008	0.015
Manganese	mg						
Selenium	µg	0.2		0	0.4	0.0	0.1
Vitamins:							
Ascorbic acid	mg	7.8	0.400	12	17.5	1.1	2.2
Thiamin	mg	0.011	0.000	12	0.025	0.002	0.003
Riboflavin	mg	0.065	0.014	11	0.146	0.009	0.018
Niacin	mg	0.378	0.028	11	0.847	0.053	0.107
Pantothenic acid	mg	0.219		0	0.491	0.031	0.062
Vitamin B-6	mg	0.069	0.006	7	0.155	0.010	0.020
Folate	µg	15		0	34	2	4
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	2014	215.000	11	4511	282	571
Vitamin A, RE	µg	201	22.000	11	450	28	57
Vitamin E, α-TE	mg	0.520		0	1.165	0.073	0.147
Lipids:							
Saturated, total	g	0.041		0	0.092	0.006	0.012
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.002	0.000	0.000
14:0	g	0.001		0	0.002	0.000	0.000
15.0	g						
16:0	g	0.036		0	0.081	0.005	0.010
17:0	g						
18:0	g	0.004		0	0.009	0.001	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.015	0	0.034	0.002	0.004
14:1	g					
16:1	g	0.001	0	0.002	0.000	0.000
18:1	g	0.014	0	0.031	0.002	0.004
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.084	0	0.188	0.012	0.024
18:2	g	0.031	0	0.069	0.004	0.009
18:3	g	0.052	0	0.116	0.007	0.015
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.012	0	0.027	0.002	0.003
Threonine	g	0.025	0	0.056	0.004	0.007
Isoleucine	g	0.033	0	0.074	0.005	0.009
Leucine	g	0.048	0	0.108	0.007	0.014
Lysine	g	0.031	0	0.069	0.004	0.009
Methionine	g	0.011	0	0.025	0.002	0.003
Cystine	g	0.007	0	0.016	0.001	0.002
Phenylalanine	g	0.029	0	0.065	0.004	0.008
Tyrosine	g	0.028	0	0.063	0.004	0.008
Valine	g	0.036	0	0.081	0.005	0.010
Arginine	g	0.047	0	0.105	0.007	0.013
Histidine	g	0.016	0	0.036	0.002	0.005
Alanine	g	0.035	0	0.078	0.005	0.010
Aspartic acid	g	0.091	0	0.204	0.013	0.026
Glutamic acid	g	0.148	0	0.332	0.021	0.042
Glycine	g	0.031	0	0.069	0.004	0.009
Proline	g	0.030	0	0.067	0.004	0.009
Serine	g	0.033	0	0.074	0.005	0.009
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03108 Babyfood, vegetables, sweet potatoes, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 224g	Measure 2* 14g	Measure 3* 28g
Proximates:							
Water	g	84.80	0.300	50	189.95	11.87	24.04
Energy	kcal	57		0	128	8	16
Energy	kj	238		0	533	33	67
Protein (N x 5.95)	g	1.10	0.000	31	2.46	0.15	0.31
Total lipid (fat)	g	0.10	0.000	26	0.22	0.01	0.03
Carbohydrate, by difference	g	13.20		0	29.57	1.85	3.74
Fiber, total dietary	g	1.5		0	3.4	0.2	0.4
Ash	g	0.80	0.000	24	1.79	0.11	0.23
Sugars, total	g						
Minerals:							
Calcium	mg	16	1.000	26	36	2	5
Iron	mg	0.37	0.040	26	0.83	0.05	0.10
Magnesium	mg	13	1.000	2	29	2	4
Phosphorus	mg	24		2	54	3	7
Potassium	mg	263		15	589	37	75
Sodium	mg	20		17	45	3	6
Zinc	mg	0.21	0.010	17	0.46	0.03	0.06
Copper	mg	0.081		17	0.181	0.011	0.023
Manganese	mg						
Selenium	µg	0.7		0	1.6	0.1	0.2
Vitamins:							
Ascorbic acid	mg	9.9	0.700	22	22.2	1.4	2.8
Thiamin	mg	0.028	0.000	22	0.063	0.004	0.008
Riboflavin	mg	0.033	0.000	21	0.074	0.005	0.009
Niacin	mg	0.358	0.025	19	0.802	0.050	0.101
Pantothenic acid	mg	0.390		4	0.874	0.055	0.111
Vitamin B-6	mg	0.093		7	0.208	0.013	0.026
Folate	µg	10	0.900	6	22	1	3
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	6438	1046.000	21	14421	901	1825
Vitamin A, RE	µg	644	105.000	21	1443	90	183
Vitamin E, α-TE	mg	0.520		0	1.165	0.073	0.147
Lipids:							
Saturated, total	g	0.021		0	0.047	0.003	0.006
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.019		0	0.043	0.003	0.005
17:0	g						
18:0	g	0.002		0	0.004	0.000	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.004	0	0.009	0.001	0.001
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.004	0	0.009	0.001	0.001
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.044	0	0.099	0.006	0.012
18:2	g	0.037	0	0.083	0.005	0.010
18:3	g	0.007	0	0.016	0.001	0.002
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.022	0	0.049	0.003	0.006
Threonine	g	0.054	0	0.121	0.008	0.015
Isoleucine	g	0.051	0	0.114	0.007	0.014
Leucine	g	0.078	0	0.175	0.011	0.022
Lysine	g	0.044	0	0.099	0.006	0.012
Methionine	g	0.024	0	0.054	0.003	0.007
Cystine	g	0.015	0	0.034	0.002	0.004
Phenylalanine	g	0.062	0	0.139	0.009	0.018
Tyrosine	g	0.041	0	0.092	0.006	0.012
Valine	g	0.073	0	0.164	0.010	0.021
Arginine	g	0.054	0	0.121	0.008	0.015
Histidine	g	0.026	0	0.058	0.004	0.007
Alanine	g	0.061	0	0.137	0.009	0.017
Aspartic acid	g	0.199	0	0.446	0.028	0.056
Glutamic acid	g	0.118	0	0.264	0.017	0.033
Glycine	g	0.050	0	0.112	0.007	0.014
Proline	g	0.055	0	0.123	0.008	0.016
Serine	g	0.051	0	0.114	0.007	0.014
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03109 Babyfood, vegetables, sweet potatoes, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 224g	Measure 2* 14g	Measure 3* 28g
Proximates:							
Water	g	84.10	0.300	23	188.38	11.77	23.84
Energy	kcal	60		0	134	8	17
Energy	kj	251		0	562	35	71
Protein (N x 5.95)	g	1.10	0.000	24	2.46	0.15	0.31
Total lipid (fat)	g	0.10	0.000	23	0.22	0.01	0.03
Carbohydrate, by difference	g	13.90		0	31.14	1.95	3.94
Fiber, total dietary	g	1.5		0	3.4	0.2	0.4
Ash	g	0.70	0.000	23	1.57	0.10	0.20
Sugars, total	g						
Minerals:							
Calcium	mg	16	1.000	14	36	2	5
Iron	mg	0.39	0.060	14	0.87	0.05	0.11
Magnesium	mg	12		2	27	2	3
Phosphorus	mg	24		2	54	3	7
Potassium	mg	243		15	544	34	69
Sodium	mg	22	6.000	18	49	3	6
Zinc	mg	0.11		1	0.25	0.02	0.03
Copper	mg	0.100		1	0.224	0.014	0.028
Manganese	mg						
Selenium	µg	0.7		0	1.6	0.1	0.2
Vitamins:							
Ascorbic acid	mg	9.6	0.800	14	21.5	1.3	2.7
Thiamin	mg	0.026	0.000	14	0.058	0.004	0.007
Riboflavin	mg	0.034	0.000	13	0.076	0.005	0.010
Niacin	mg	0.384	0.016	14	0.860	0.054	0.109
Pantothenic acid	mg	0.408		0	0.914	0.057	0.116
Vitamin B-6	mg	0.113		7	0.253	0.016	0.032
Folate	µg	10		0	23	1	3
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	6636	1029.000	13	14865	929	1881
Vitamin A, RE	µg	664	104.000	13	1487	93	188
Vitamin E, α-TE	mg	0.520		0	1.165	0.073	0.147
Lipids:							
Saturated, total	g	0.021		0	0.047	0.003	0.006
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.019		0	0.043	0.003	0.005
17:0	g						
18:0	g	0.002		0	0.004	0.000	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.004	0	0.009	0.001	0.001
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.004	0	0.009	0.001	0.001
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.044	0	0.099	0.006	0.012
18:2	g	0.037	0	0.083	0.005	0.010
18:3	g	0.007	0	0.016	0.001	0.002
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.021	0	0.047	0.003	0.006
Threonine	g	0.053	0	0.119	0.007	0.015
Isoleucine	g	0.050	0	0.112	0.007	0.014
Leucine	g	0.076	0	0.170	0.011	0.022
Lysine	g	0.043	0	0.096	0.006	0.012
Methionine	g	0.023	0	0.052	0.003	0.007
Cystine	g	0.015	0	0.034	0.002	0.004
Phenylalanine	g	0.061	0	0.137	0.009	0.017
Tyrosine	g	0.040	0	0.090	0.006	0.011
Valine	g	0.071	0	0.159	0.010	0.020
Arginine	g	0.053	0	0.119	0.007	0.015
Histidine	g	0.025	0	0.056	0.004	0.007
Alanine	g	0.059	0	0.132	0.008	0.017
Aspartic acid	g	0.195	0	0.437	0.027	0.055
Glutamic acid	g	0.115	0	0.258	0.016	0.033
Glycine	g	0.049	0	0.110	0.007	0.014
Proline	g	0.054	0	0.121	0.008	0.015
Serine	g	0.050	0	0.112	0.007	0.014
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03112 Babyfood, potatoes, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 163g	Measure 2* 10g	Measure 3* 71g
Proximates:							
Water	g	86.80		0	141.48	8.68	61.63
Energy	kcal	51		0	83	5	36
Energy	kj	213		0	347	21	151
Protein (N x 5.95)	g	1.00		0	1.63	0.10	0.71
Total lipid (fat)	g	0.10		0	0.16	0.01	0.07
Carbohydrate, by difference	g	11.80		0	19.23	1.18	8.38
Fiber, total dietary	g	0.9		0	1.5	0.1	0.6
Ash	g	0.37		0	0.60	0.04	0.26
Sugars, total	g						
Minerals:							
Calcium	mg	4		0	7	0	3
Iron	mg	0.20		0	0.33	0.02	0.14
Magnesium	mg	15		0	24	2	11
Phosphorus	mg	23		0	37	2	16
Potassium	mg	110		0	179	11	78
Sodium	mg	57		0	93	6	40
Zinc	mg	0.17		0	0.28	0.02	0.12
Copper	mg	0.070		0	0.114	0.007	0.050
Manganese	mg	0.070		0	0.114	0.007	0.050
Selenium	µg	0.8		0	1.3	0.1	0.6
Vitamins:							
Ascorbic acid	mg	10.5		0	17.1	1.1	7.5
Thiamin	mg	0.020		0	0.033	0.002	0.014
Riboflavin	mg	0.010		0	0.016	0.001	0.007
Niacin	mg	0.350		0	0.571	0.035	0.248
Pantothenic acid	mg	0.305		0	0.497	0.031	0.217
Vitamin B-6	mg	0.070		0	0.114	0.007	0.050
Folate	µg	6		0	10	1	4
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	0		0	0	0	0
Vitamin A, RE	µg	0		0	0	0	0
Vitamin E, α-TE	mg	0.029		0	0.047	0.003	0.021
Lipids:							
Saturated, total	g	0.015		0	0.024	0.002	0.011
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.002	0.000	0.001
12:0	g	0.002		0	0.003	0.000	0.001
14:0	g	0.001		0	0.002	0.000	0.001
15.0	g						
16:0	g	0.009		0	0.015	0.001	0.006
17:0	g						
18:0	g	0.002		0	0.003	0.000	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.002	0	0.003	0.000	0.001
14:1	g					
16:1	g	0.001	0	0.002	0.000	0.001
18:1	g	0.001	0	0.002	0.000	0.001
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.025	0	0.041	0.003	0.018
18:2	g	0.019	0	0.031	0.002	0.013
18:3	g	0.006	0	0.010	0.001	0.004
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 Gerber Graduates container (4.5 oz) yields

NDB No. 03115 Babyfood, apples, dices, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	87.50		0			
Energy	kcal	51		0			
Energy	kj	213		0			
Protein (N x 5.95)	g	0.20		0			
Total lipid (fat)	g	0.10		0			
Carbohydrate, by difference	g	12.10		0			
Fiber, total dietary	g	0.9		0			
Ash	g	0.13		0			
Sugars, total	g						
Minerals:							
Calcium	mg	10		0			
Iron	mg	0.20		0			
Magnesium	mg	6		0			
Phosphorus	mg	13		0			
Potassium	mg	50		0			
Sodium	mg	13		0			
Zinc	mg	0.04		0			
Copper	mg	0.020		0			
Manganese	mg	0.040		0			
Selenium	µg	0.3		0			
Vitamins:							
Ascorbic acid	mg	31.3		0			
Thiamin	mg	0.010		0			
Riboflavin	mg	0.020		0			
Niacin	mg	0.080		0			
Pantothenic acid	mg	0.039		0			
Vitamin B-6	mg	0.050		0			
Folate	µg	1		0			
Vitamin B-12	µg	0.00		0			
Vitamin A	IU	6		0			
Vitamin A, RE	µg	1		0			
Vitamin E, α-TE	mg	0.600		0			
Lipids:							
Saturated, total	g	0.020		0			
4:0	g	0.000		0			
6.0	g	0.000		0			
8:0	g	0.000		0			
10:0	g	0.000		0			
12:0	g	0.000		0			
14:0	g	0.001		0			
15.0	g						
16:0	g	0.014		0			
17:0	g						
18:0	g	0.003		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.004	0
14:1	g		
16:1	g	0.000	0
18:1	g	0.004	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.030	0
18:2	g	0.025	0
18:3	g	0.005	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	0	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03116 Babyfood, fruit, applesauce, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	88.60		14	14.18	25.12	100.12
Energy	kcal	41		0	7	12	46
Energy	kj	172		0	28	49	194
Protein (N x 5.95)	g	0.20	0.000	18	0.03	0.06	0.23
Total lipid (fat)	g	0.20	0.000	18	0.03	0.06	0.23
Carbohydrate, by difference	g	10.90		0	1.74	3.09	12.32
Fiber, total dietary	g	1.7		0	0.3	0.5	1.9
Ash	g	0.20	0.000	42	0.03	0.06	0.23
Sugars, total	g						
Minerals:							
Calcium	mg	4		43	1	1	5
Iron	mg	0.22	0.010	41	0.04	0.06	0.25
Magnesium	mg	3	0.000	4	0	1	3
Phosphorus	mg	7		5	1	2	8
Potassium	mg	71		18	11	20	80
Sodium	mg	2	0.000	19	0	1	2
Zinc	mg	0.02	0.003	19	0.00	0.01	0.03
Copper	mg	0.038		16	0.006	0.011	0.043
Manganese	mg						
Selenium	µg	0.3		0	0.0	0.1	0.3
Vitamins:							
Ascorbic acid	mg	38.3	1.300	36	6.1	10.9	43.3
Thiamin	mg	0.012	0.000	34	0.002	0.003	0.014
Riboflavin	mg	0.028	0.000	34	0.004	0.008	0.032
Niacin	mg	0.061		18	0.010	0.017	0.069
Pantothenic acid	mg	0.110		4	0.018	0.031	0.124
Vitamin B-6	mg	0.031	0.000	35	0.005	0.009	0.035
Folate	µg	2	0.100	6	0	1	2
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	17		7	3	5	19
Vitamin A, RE	µg	2		7	0	1	2
Vitamin E, α-TE	mg	0.600		0	0.096	0.170	0.678
Lipids:							
Saturated, total	g	0.032		0	0.005	0.009	0.036
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.028		0	0.004	0.008	0.032
17:0	g						
18:0	g	0.004		0	0.001	0.001	0.005
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.008	0	0.001	0.002	0.009
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.008	0	0.001	0.002	0.009
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.056	0	0.009	0.016	0.063
18:2	g	0.048	0	0.008	0.014	0.054
18:3	g	0.012	0	0.002	0.003	0.014
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03117 Babyfood, fruit, applesauce, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	89.50		14	14.32	25.37	152.15
Energy	kcal	37		0	6	10	63
Energy	kj	155		0	25	44	264
Protein (N x 5.95)	g	0.00	0.000	43	0.00	0.00	0.00
Total lipid (fat)	g	0.00	0.000	43	0.00	0.00	0.00
Carbohydrate, by difference	g	10.30		0	1.65	2.92	17.51
Fiber, total dietary	g	1.7		0	0.3	0.5	2.9
Ash	g	0.20	0.000	42	0.03	0.06	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	5	0.000	46	1	1	9
Iron	mg	0.22	0.010	40	0.04	0.06	0.37
Magnesium	mg	3	0.000	2	0	1	5
Phosphorus	mg	6		3	1	2	10
Potassium	mg	77		16	12	22	131
Sodium	mg	2	1.000	17	0	1	3
Zinc	mg	0.04		3	0.01	0.01	0.07
Copper	mg	0.035		0	0.006	0.010	0.060
Manganese	mg						
Selenium	µg	0.3		0	0.0	0.1	0.5
Vitamins:							
Ascorbic acid	mg	37.8	1.300	35	6.0	10.7	64.3
Thiamin	mg	0.012	0.000	37	0.002	0.003	0.020
Riboflavin	mg	0.027	0.000	34	0.004	0.008	0.046
Niacin	mg	0.063		18	0.010	0.018	0.107
Pantothenic acid	mg	0.100		0	0.016	0.028	0.170
Vitamin B-6	mg	0.030		31	0.005	0.009	0.051
Folate	µg	2		0	0	0	3
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	9		10	1	3	15
Vitamin A, RE	µg	1		10	0	0	2
Vitamin E, α-TE	mg	0.600		0	0.096	0.170	1.020
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	0.000
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.000		0	0.000	0.000	0.000
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000	0.000
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.000	0	0.000	0.000	0.000
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000	0.000
18:2	g	0.000	0	0.000	0.000	0.000
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03118 Babyfood, fruit, apricot with tapioca, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	83.10	0.400	17	12.46	23.56	93.90
Energy	kcal	60		0	9	17	68
Energy	kj	251		0	38	71	284
Protein (N x 5.95)	g	0.30		14	0.05	0.09	0.34
Total lipid (fat)	g	0.00		14	0.00	0.00	0.00
Carbohydrate, by difference	g	16.30		0	2.44	4.62	18.42
Fiber, total dietary	g	1.5		0	0.2	0.4	1.7
Ash	g	0.30	0.000	18	0.05	0.09	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	9	1.000	16	1	3	10
Iron	mg	0.30	0.040	17	0.05	0.09	0.34
Magnesium	mg	4	0.000	2	1	1	5
Phosphorus	mg	10		2	2	3	11
Potassium	mg	121		15	18	34	137
Sodium	mg	8	1.000	20	1	2	9
Zinc	mg	0.05	0.004	2	0.01	0.01	0.05
Copper	mg	0.034		2	0.005	0.010	0.038
Manganese	mg						
Selenium	µg	0.3		1	0.0	0.1	0.3
Vitamins:							
Ascorbic acid	mg	21.6	1.800	11	3.2	6.1	24.4
Thiamin	mg	0.008		13	0.001	0.002	0.009
Riboflavin	mg	0.013	0.000	15	0.002	0.004	0.015
Niacin	mg	0.195	0.003	16	0.029	0.055	0.220
Pantothenic acid	mg	0.130		4	0.020	0.037	0.147
Vitamin B-6	mg	0.030	0.000	8	0.004	0.009	0.034
Folate	µg	2	0.100	9	0	0	2
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	725		13	109	206	819
Vitamin A, RE	µg	72		13	11	20	81
Vitamin E, α-TE	mg	0.600		0	0.090	0.170	0.678
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	0.000
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.000		0	0.000	0.000	0.000
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000	0.000
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.000	0	0.000	0.000	0.000
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000	0.000
18:2	g	0.000	0	0.000	0.000	0.000
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03119 Babyfood, vegetables, corn, creamed, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 240g	Measure 2* 15g	Measure 3* 28g
Proximates:							
Water	g	83.60	0.800	26	200.64	12.54	23.70
Energy	kcal	57		0	137	9	16
Energy	kj	238		0	571	36	67
Protein (N x 5.95)	g	1.40		17	3.36	0.21	0.40
Total lipid (fat)	g	0.40		17	0.96	0.06	0.11
Carbohydrate, by difference	g	14.10		0	33.84	2.12	4.00
Fiber, total dietary	g	2.1		0	5.0	0.3	0.6
Ash	g	0.50	0.000	22	1.20	0.08	0.14
Sugars, total	g						
Minerals:							
Calcium	mg	20		13	48	3	6
Iron	mg	0.28		14	0.67	0.04	0.08
Magnesium	mg	8		1	19	1	2
Phosphorus	mg	33		1	79	5	9
Potassium	mg	90		14	216	14	26
Sodium	mg	43		21	103	6	12
Zinc	mg	0.19		1	0.46	0.03	0.05
Copper	mg	0.034		1	0.082	0.005	0.010
Manganese	mg						
Selenium	µg	1.3		1	3.1	0.2	0.4
Vitamins:							
Ascorbic acid	mg	2.1		13	5.0	0.3	0.6
Thiamin	mg	0.013		13	0.031	0.002	0.004
Riboflavin	mg	0.047		13	0.113	0.007	0.013
Niacin	mg	0.512		13	1.229	0.077	0.145
Pantothenic acid	mg	0.290		4	0.696	0.044	0.082
Vitamin B-6	mg	0.041		1	0.098	0.006	0.012
Folate	µg	11	0.700	9	27	2	3
Vitamin B-12	µg	0.02		1	0.05	0.00	0.01
Vitamin A	IU	75		10	180	11	21
Vitamin A, RE	µg	7		10	17	1	2
Vitamin E, α-TE	mg	0.520		0	1.248	0.078	0.147
Lipids:							
Saturated, total	g	0.076		0	0.182	0.011	0.022
4:0	g	0.001		0	0.002	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.002	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.003		0	0.007	0.000	0.001
15.0	g						
16:0	g	0.062		0	0.149	0.009	0.018
17:0	g						
18:0	g	0.007		0	0.017	0.001	0.002
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.116	0	0.278	0.017	0.033
14:1	g					
16:1	g	0.001	0	0.002	0.000	0.000
18:1	g	0.115	0	0.276	0.017	0.033
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.176	0	0.422	0.026	0.050
18:2	g	0.171	0	0.410	0.026	0.048
18:3	g	0.006	0	0.014	0.001	0.002
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	1	0	2	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.015	0	0.036	0.002	0.004
Threonine	g	0.052	0	0.125	0.008	0.015
Isoleucine	g	0.065	0	0.156	0.010	0.018
Leucine	g	0.140	0	0.336	0.021	0.040
Lysine	g	0.081	0	0.194	0.012	0.023
Methionine	g	0.040	0	0.096	0.006	0.011
Cystine	g	0.018	0	0.043	0.003	0.005
Phenylalanine	g	0.049	0	0.118	0.007	0.014
Tyrosine	g	0.067	0	0.161	0.010	0.019
Valine	g	0.077	0	0.185	0.012	0.022
Arginine	g	0.060	0	0.144	0.009	0.017
Histidine	g	0.046	0	0.110	0.007	0.013
Alanine	g	0.070	0	0.168	0.011	0.020
Aspartic acid	g	0.099	0	0.238	0.015	0.028
Glutamic acid	g	0.275	0	0.660	0.041	0.078
Glycine	g	0.036	0	0.086	0.005	0.010
Proline	g	0.161	0	0.386	0.024	0.046
Serine	g	0.062	0	0.149	0.009	0.018
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03120 Babyfood, vegetables, corn, creamed, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 240g	Measure 2* 15g	Measure 3* 28g
Proximates:							
Water	g	81.40		17	195.36	12.21	23.08
Energy	kcal	65		0	156	10	18
Energy	kj	272		0	653	41	77
Protein (N x 5.95)	g	1.40		17	3.36	0.21	0.40
Total lipid (fat)	g	0.40		17	0.96	0.06	0.11
Carbohydrate, by difference	g	16.30		0	39.12	2.44	4.62
Fiber, total dietary	g	2.1		0	5.0	0.3	0.6
Ash	g	0.50	0.000	22	1.20	0.08	0.14
Sugars, total	g						
Minerals:							
Calcium	mg	18		8	43	3	5
Iron	mg	0.27		8	0.65	0.04	0.08
Magnesium	mg	8		1	19	1	2
Phosphorus	mg	33		1	79	5	9
Potassium	mg	81		14	194	12	23
Sodium	mg	52		19	125	8	15
Zinc	mg	0.23		1	0.55	0.03	0.07
Copper	mg	0.038		0	0.091	0.006	0.011
Manganese	mg						
Selenium	µg	1.3		1	3.1	0.2	0.4
Vitamins:							
Ascorbic acid	mg	2.2		9	5.3	0.3	0.6
Thiamin	mg	0.013		9	0.031	0.002	0.004
Riboflavin	mg	0.048		8	0.115	0.007	0.014
Niacin	mg	0.504		8	1.210	0.076	0.143
Pantothenic acid	mg	0.327		0	0.785	0.049	0.093
Vitamin B-6	mg	0.041		1	0.098	0.006	0.012
Folate	µg	13		0	30	2	4
Vitamin B-12	µg	0.02		1	0.05	0.00	0.01
Vitamin A	IU	77		5	185	12	22
Vitamin A, RE	µg	8		5	19	1	2
Vitamin E, α-TE	mg	0.520		0	1.248	0.078	0.147
Lipids:							
Saturated, total	g	0.074		0	0.178	0.011	0.021
4:0	g	0.001		0	0.002	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.002	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.002		0	0.005	0.000	0.001
15.0	g						
16:0	g	0.062		0	0.149	0.009	0.018
17:0	g						
18:0	g	0.006		0	0.014	0.001	0.002
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.116	0	0.278	0.017	0.033
14:1	g					
16:1	g	0.001	0	0.002	0.000	0.000
18:1	g	0.115	0	0.276	0.017	0.033
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.178	0	0.427	0.027	0.050
18:2	g	0.173	0	0.415	0.026	0.049
18:3	g	0.006	0	0.014	0.001	0.002
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	1	0	2	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.015	0	0.036	0.002	0.004
Threonine	g	0.052	0	0.125	0.008	0.015
Isoleucine	g	0.065	0	0.156	0.010	0.018
Leucine	g	0.141	0	0.338	0.021	0.040
Lysine	g	0.082	0	0.197	0.012	0.023
Methionine	g	0.040	0	0.096	0.006	0.011
Cystine	g	0.018	0	0.043	0.003	0.005
Phenylalanine	g	0.049	0	0.118	0.007	0.014
Tyrosine	g	0.068	0	0.163	0.010	0.019
Valine	g	0.078	0	0.187	0.012	0.022
Arginine	g	0.060	0	0.144	0.009	0.017
Histidine	g	0.046	0	0.110	0.007	0.013
Alanine	g	0.071	0	0.170	0.011	0.020
Aspartic acid	g	0.099	0	0.238	0.015	0.028
Glutamic acid	g	0.276	0	0.662	0.041	0.078
Glycine	g	0.036	0	0.086	0.005	0.010
Proline	g	0.161	0	0.386	0.024	0.046
Serine	g	0.062	0	0.149	0.009	0.018
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03121 Babyfood, vegetables, peas, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 240g	Measure 2* 15g	Measure 3* 28g
Proximates:							
Water	g	87.50	0.100	56	210.00	13.13	24.81
Energy	kcal	40		0	96	6	11
Energy	kj	167		0	401	25	47
Protein (N x 5.95)	g	3.50	0.000	45	8.40	0.53	0.99
Total lipid (fat)	g	0.30	0.000	41	0.72	0.05	0.09
Carbohydrate, by difference	g	8.10		0	19.44	1.22	2.30
Fiber, total dietary	g	2.1		0	5.0	0.3	0.6
Ash	g	0.50	0.000	41	1.20	0.08	0.14
Sugars, total	g						
Minerals:							
Calcium	mg	20	1.000	50	48	3	6
Iron	mg	0.96	0.030	45	2.30	0.14	0.27
Magnesium	mg	15		2	36	2	4
Phosphorus	mg	43		1	103	6	12
Potassium	mg	112		14	269	17	32
Sodium	mg	4	1.000	13	10	1	1
Zinc	mg	0.35	0.024	8	0.84	0.05	0.10
Copper	mg	0.064		7	0.154	0.010	0.018
Manganese	mg						
Selenium	µg	0.1		1	0.2	0.0	0.0
Vitamins:							
Ascorbic acid	mg	6.9	0.300	50	16.6	1.0	2.0
Thiamin	mg	0.081	0.000	44	0.194	0.012	0.023
Riboflavin	mg	0.061	0.000	40	0.146	0.009	0.017
Niacin	mg	1.018	0.048	44	2.443	0.153	0.289
Pantothenic acid	mg	0.280		4	0.672	0.042	0.079
Vitamin B-6	mg	0.069	0.000	30	0.166	0.010	0.020
Folate	µg	26	0.300	6	62	4	7
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	565	21.000	43	1356	85	160
Vitamin A, RE	µg	56	2.000	43	134	8	16
Vitamin E, α-TE	mg	0.520		0	1.248	0.078	0.147
Lipids:							
Saturated, total	g	0.054		0	0.130	0.008	0.015
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.048		0	0.115	0.007	0.014
17:0	g						
18:0	g	0.005		0	0.012	0.001	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.027	0	0.065	0.004	0.008
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.027	0	0.065	0.004	0.008
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.141	0	0.338	0.021	0.040
18:2	g	0.115	0	0.276	0.017	0.033
18:3	g	0.027	0	0.065	0.004	0.008
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.034	0	0.082	0.005	0.010
Threonine	g	0.136	0	0.326	0.020	0.039
Isoleucine	g	0.151	0	0.362	0.023	0.043
Leucine	g	0.235	0	0.564	0.035	0.067
Lysine	g	0.234	0	0.562	0.035	0.066
Methionine	g	0.040	0	0.096	0.006	0.011
Cystine	g	0.026	0	0.062	0.004	0.007
Phenylalanine	g	0.143	0	0.343	0.021	0.041
Tyrosine	g	0.119	0	0.286	0.018	0.034
Valine	g	0.169	0	0.406	0.025	0.048
Arginine	g	0.389	0	0.934	0.058	0.110
Histidine	g	0.075	0	0.180	0.011	0.021
Alanine	g	0.185	0	0.444	0.028	0.052
Aspartic acid	g	0.311	0	0.746	0.047	0.088
Glutamic acid	g	0.507	0	1.217	0.076	0.144
Glycine	g	0.133	0	0.319	0.020	0.038
Proline	g	0.165	0	0.396	0.025	0.047
Serine	g	0.132	0	0.317	0.020	0.037
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03122 Babyfood, peas, dices, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	84.60		0			
Energy	kcal	64		0			
Energy	kj	268		0			
Protein (N x 5.95)	g	3.90		0			
Total lipid (fat)	g	0.80		0			
Carbohydrate, by difference	g	10.30		0			
Fiber, total dietary	g	3.9		0			
Ash	g	0.35		0			
Sugars, total	g						
Minerals:							
Calcium	mg	21		0			
Iron	mg	1.00		0			
Magnesium	mg	19		0			
Phosphorus	mg	67		0			
Potassium	mg	81		0			
Sodium	mg	48		0			
Zinc	mg	0.50		0			
Copper	mg	0.080		0			
Manganese	mg	0.150		0			
Selenium	µg	0.1		1			
Vitamins:							
Ascorbic acid	mg	6.0		0			
Thiamin	mg	0.100		0			
Riboflavin	mg	0.060		0			
Niacin	mg	0.850		0			
Pantothenic acid	mg	0.345		0			
Vitamin B-6	mg	0.060		0			
Folate	µg	35		0			
Vitamin B-12	µg	0.00		0			
Vitamin A	IU	304		0			
Vitamin A, RE	µg	30		0			
Vitamin E, α-TE	mg	0.450		0			
Lipids:							
Saturated, total	g	0.140		0			
4:0	g	0.000		0			
6.0	g	0.000		0			
8:0	g	0.000		0			
10:0	g	0.000		0			
12:0	g	0.000		0			
14:0	g	0.000		0			
15.0	g						
16:0	g	0.128		0			
17:0	g						
18:0	g	0.014		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.070	0
14:1	g		
16:1	g	0.000	0
18:1	g	0.071	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.370	0
18:2	g	0.301	0
18:3	g	0.071	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	0	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03125 Babyfood, vegetables, peas, creamed, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 240g	Measure 2* 15g	Measure 3* 28g
Proximates:							
Water	g	86.50	1.000	7	207.60	12.97	24.52
Energy	kcal	53		0	127	8	15
Energy	kj	222		0	533	33	63
Protein (N x 5.95)	g	2.20	0.200	4	5.28	0.33	0.62
Total lipid (fat)	g	1.90	0.100	4	4.56	0.28	0.54
Carbohydrate, by difference	g	8.90		0	21.36	1.33	2.52
Fiber, total dietary	g	1.9		0	4.6	0.3	0.5
Ash	g	0.50	0.100	4	1.20	0.08	0.14
Sugars, total	g						
Minerals:							
Calcium	mg	13	3.000	2	31	2	4
Iron	mg	0.56	0.010	4	1.34	0.08	0.16
Magnesium	mg	16		0	38	2	5
Phosphorus	mg	31		1	74	5	9
Potassium	mg	88		1	211	13	25
Sodium	mg	14		1	34	2	4
Zinc	mg	0.39		8	0.93	0.06	0.11
Copper	mg	0.051		9	0.122	0.008	0.014
Manganese	mg						
Selenium	µg	0.4		0	1.0	0.1	0.1
Vitamins:							
Ascorbic acid	mg	1.6	0.300	4	3.8	0.2	0.5
Thiamin	mg	0.088	0.004	4	0.211	0.013	0.025
Riboflavin	mg	0.056	0.003	4	0.134	0.008	0.016
Niacin	mg	0.812	0.040	4	1.949	0.122	0.230
Pantothenic acid	mg	0.302		0	0.725	0.045	0.086
Vitamin B-6	mg	0.047	0.000	3	0.113	0.007	0.013
Folate	µg	23	2.200	3	54	3	6
Vitamin B-12	µg	0.08		1	0.19	0.01	0.02
Vitamin A	IU	86	39.000	4	206	13	24
Vitamin A, RE	µg	9	4.000	4	22	1	3
Vitamin E, α-TE	mg	0.520		0	1.248	0.078	0.147
Lipids:							
Saturated, total	g	0.420		0	1.008	0.063	0.119
4:0	g	0.010		0	0.024	0.002	0.003
6.0	g	0.006		0	0.014	0.001	0.002
8:0	g	0.003		0	0.007	0.000	0.001
10:0	g	0.008		0	0.019	0.001	0.002
12:0	g	0.008		0	0.019	0.001	0.002
14:0	g	0.032		0	0.077	0.005	0.009
15.0	g						
16:0	g	0.247		0	0.593	0.037	0.070
17:0	g						
18:0	g	0.096		0	0.230	0.014	0.027
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.453	0	1.087	0.068	0.128
14:1	g					
16:1	g	0.010	0	0.024	0.002	0.003
18:1	g	0.434	0	1.042	0.065	0.123
20:1	g	0.003	0	0.007	0.000	0.001
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.931	0	2.234	0.140	0.264
18:2	g	0.816	0	1.958	0.122	0.231
18:3	g	0.114	0	0.274	0.017	0.032
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	4	0	10	1	1
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03127 Babyfood, vegetables, spinach, creamed, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 240g	Measure 2* 15g	Measure 3* 28g
Proximates:							
Water	g	89.60	0.200	4	215.04	13.44	25.40
Energy	kcal	37		0	89	6	10
Energy	kj	155		0	372	23	44
Protein (N x 5.95)	g	2.50		4	6.00	0.38	0.71
Total lipid (fat)	g	1.30		4	3.12	0.20	0.37
Carbohydrate, by difference	g	5.70		0	13.68	0.86	1.62
Fiber, total dietary	g	1.8		0	4.3	0.3	0.5
Ash	g	1.00	0.000	17	2.40	0.15	0.28
Sugars, total	g						
Minerals:							
Calcium	mg	89		14	214	13	25
Iron	mg	0.62	0.060	17	1.49	0.09	0.18
Magnesium	mg	55		1	132	8	16
Phosphorus	mg	54		1	130	8	15
Potassium	mg	191		1	458	29	54
Sodium	mg	49		1	118	7	14
Zinc	mg	0.31		1	0.74	0.05	0.09
Copper	mg	0.060		1	0.144	0.009	0.017
Manganese	mg						
Selenium	µg	2.4		0	5.8	0.4	0.7
Vitamins:							
Ascorbic acid	mg	8.7		8	20.9	1.3	2.5
Thiamin	mg	0.015		8	0.036	0.002	0.004
Riboflavin	mg	0.104		4	0.250	0.016	0.029
Niacin	mg	0.216		8	0.518	0.032	0.061
Pantothenic acid	mg						
Vitamin B-6	mg	0.075		4	0.180	0.011	0.021
Folate	µg	61	1.900	3	146	9	17
Vitamin B-12	µg	0.06		0	0.14	0.01	0.02
Vitamin A	IU	4170	347.000	4	10008	626	1182
Vitamin A, RE	µg	417	35.000	4	1001	63	118
Vitamin E, α-TE	mg	0.520		0	1.248	0.078	0.147
Lipids:							
Saturated, total	g	0.702		0	1.685	0.105	0.199
4:0	g	0.035		0	0.084	0.005	0.010
6.0	g	0.019		0	0.046	0.003	0.005
8:0	g	0.013		0	0.031	0.002	0.004
10:0	g	0.025		0	0.060	0.004	0.007
12:0	g	0.029		0	0.070	0.004	0.008
14:0	g	0.112		0	0.269	0.017	0.032
15.0	g						
16:0	g	0.310		0	0.744	0.047	0.088
17:0	g						
18:0	g	0.130		0	0.312	0.020	0.037
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.332	0	0.797	0.050	0.094
14:1	g					
16:1	g	0.028	0	0.067	0.004	0.008
18:1	g	0.291	0	0.698	0.044	0.082
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.133	0	0.319	0.020	0.038
18:2	g	0.060	0	0.144	0.009	0.017
18:3	g	0.071	0	0.170	0.011	0.020
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	5	0	12	1	1
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.036	0	0.086	0.005	0.010
Threonine	g	0.101	0	0.242	0.015	0.029
Isoleucine	g	0.112	0	0.269	0.017	0.032
Leucine	g	0.221	0	0.530	0.033	0.063
Lysine	g	0.148	0	0.355	0.022	0.042
Methionine	g	0.055	0	0.132	0.008	0.016
Cystine	g	0.031	0	0.074	0.005	0.009
Phenylalanine	g	0.096	0	0.230	0.014	0.027
Tyrosine	g	0.115	0	0.276	0.017	0.033
Valine	g	0.151	0	0.362	0.023	0.043
Arginine	g	0.152	0	0.365	0.023	0.043
Histidine	g	0.064	0	0.154	0.010	0.018
Alanine	g	0.117	0	0.281	0.018	0.033
Aspartic acid	g	0.203	0	0.487	0.030	0.058
Glutamic acid	g	0.421	0	1.010	0.063	0.119
Glycine	g	0.097	0	0.233	0.015	0.027
Proline	g	0.207	0	0.497	0.031	0.059
Serine	g	0.103	0	0.247	0.015	0.029
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03128 Babyfood, fruit, apricot with tapioca, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	82.10		14	12.31	23.28	139.57
Energy	kcal	63		0	9	18	107
Energy	kj	264		0	40	75	449
Protein (N x 5.95)	g	0.30		14	0.05	0.09	0.51
Total lipid (fat)	g	0.00		14	0.00	0.00	0.00
Carbohydrate, by difference	g	17.30		0	2.60	4.90	29.41
Fiber, total dietary	g	1.5		0	0.2	0.4	2.5
Ash	g	0.40	0.000	24	0.06	0.11	0.68
Sugars, total	g						
Minerals:							
Calcium	mg	8	1.000	22	1	2	14
Iron	mg	0.27	0.020	22	0.04	0.08	0.46
Magnesium	mg	4		1	1	1	7
Phosphorus	mg	10		2	2	3	17
Potassium	mg	125		15	19	35	213
Sodium	mg	6	1.000	17	1	2	10
Zinc	mg	0.04		1	0.01	0.01	0.07
Copper	mg	0.036		0	0.005	0.010	0.061
Manganese	mg						
Selenium	µg	0.3		0	0.0	0.1	0.5
Vitamins:							
Ascorbic acid	mg	17.9	1.400	23	2.7	5.1	30.4
Thiamin	mg	0.008	0.000	28	0.001	0.002	0.014
Riboflavin	mg	0.013	0.000	29	0.002	0.004	0.022
Niacin	mg	0.196	0.003	29	0.029	0.056	0.333
Pantothenic acid	mg	0.138		0	0.021	0.039	0.235
Vitamin B-6	mg	0.028		13	0.004	0.008	0.048
Folate	µg	2		0	0	0	3
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	723		16	108	205	1229
Vitamin A, RE	µg	72		16	11	20	122
Vitamin E, α-TE	mg	0.600		0	0.090	0.170	1.020
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	0.000
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.000		0	0.000	0.000	0.000
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000	0.000
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.000	0	0.000	0.000	0.000
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000	0.000
18:2	g	0.000	0	0.000	0.000	0.000
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03129 Babyfood, fruit, bananas with tapioca, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	84.00	0.500	17	12.60	23.81	94.92
Energy	kcal	57		0	9	16	64
Energy	kj	238		0	36	67	269
Protein (N x 5.95)	g	0.40	0.000	15	0.06	0.11	0.45
Total lipid (fat)	g	0.10	0.100	15	0.02	0.03	0.11
Carbohydrate, by difference	g	15.30		0	2.29	4.34	17.29
Fiber, total dietary	g	1.6		0	0.2	0.5	1.8
Ash	g	0.30	0.000	18	0.05	0.09	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	5	0.000	21	1	1	6
Iron	mg	0.20	0.010	24	0.03	0.06	0.23
Magnesium	mg	10		1	2	3	11
Phosphorus	mg	7		1	1	2	8
Potassium	mg	88		14	13	25	99
Sodium	mg	9	1.000	15	1	3	10
Zinc	mg	0.06		1	0.01	0.02	0.07
Copper	mg	0.040		1	0.006	0.011	0.045
Manganese	mg						
Selenium	µg	0.6		0	0.1	0.2	0.7
Vitamins:							
Ascorbic acid	mg	16.7		9	2.5	4.7	18.9
Thiamin	mg	0.012	0.000	22	0.002	0.003	0.014
Riboflavin	mg	0.031	0.000	23	0.005	0.009	0.035
Niacin	mg	0.183	0.005	24	0.027	0.052	0.207
Pantothenic acid	mg	0.150		4	0.023	0.043	0.170
Vitamin B-6	mg	0.115	0.008	8	0.017	0.033	0.130
Folate	µg	6	0.400	9	1	2	6
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	43	8.000	22	6	12	49
Vitamin A, RE	µg	4	1.000	22	1	1	5
Vitamin E, α-TE	mg	0.600		0	0.090	0.170	0.678
Lipids:							
Saturated, total	g	0.035		0	0.005	0.010	0.040
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.001		0	0.000	0.000	0.001
15.0	g						
16:0	g	0.025		0	0.004	0.007	0.028
17:0	g						
18:0	g	0.001		0	0.000	0.000	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.010	0	0.002	0.003	0.011
14:1	g					
16:1	g	0.002	0	0.000	0.001	0.002
18:1	g	0.007	0	0.001	0.002	0.008
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.019	0	0.003	0.005	0.021
18:2	g	0.012	0	0.002	0.003	0.014
18:3	g	0.007	0	0.001	0.002	0.008
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03130 Babyfood, fruit, peaches with sugar, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	80.10		1	12.82	22.71	90.51
Energy	kcal	71		0	11	20	80
Energy	kj	297		0	48	84	336
Protein (N x 5.95)	g	0.50	0.000	20	0.08	0.14	0.56
Total lipid (fat)	g	0.20	0.100	19	0.03	0.06	0.23
Carbohydrate, by difference	g	18.90		0	3.02	5.36	21.36
Fiber, total dietary	g	1.5		0	0.2	0.4	1.7
Ash	g	0.30	0.000	19	0.05	0.09	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	6	1.000	20	1	2	7
Iron	mg	0.24	0.020	22	0.04	0.07	0.27
Magnesium	mg	6		3	1	2	7
Phosphorus	mg	12		2	2	3	14
Potassium	mg	162		15	26	46	183
Sodium	mg	6	0.000	15	1	2	7
Zinc	mg	0.09	0.006	17	0.01	0.02	0.10
Copper	mg	0.053		16	0.008	0.015	0.060
Manganese	mg						
Selenium	µg	0.4		1	0.1	0.1	0.5
Vitamins:							
Ascorbic acid	mg	31.4	2.600	18	5.0	8.9	35.5
Thiamin	mg	0.011	0.000	20	0.002	0.003	0.012
Riboflavin	mg	0.033	0.000	20	0.005	0.009	0.037
Niacin	mg	0.609	0.041	25	0.097	0.173	0.688
Pantothenic acid	mg	0.130		4	0.021	0.037	0.147
Vitamin B-6	mg	0.015		8	0.002	0.004	0.017
Folate	µg	4	0.500	9	1	1	4
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	161	15.000	19	26	46	182
Vitamin A, RE	µg	16	2.000	19	3	5	18
Vitamin E, α-TE	mg	0.600		0	0.096	0.170	0.678
Lipids:							
Saturated, total	g	0.020		0	0.003	0.006	0.023
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.018		0	0.003	0.005	0.020
17:0	g						
18:0	g	0.002		0	0.000	0.001	0.002
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.070	0	0.011	0.020	0.079
14:1	g					
16:1	g	0.002	0	0.000	0.001	0.002
18:1	g	0.070	0	0.011	0.020	0.079
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.094	0	0.015	0.027	0.106
18:2	g	0.092	0	0.015	0.026	0.104
18:3	g	0.002	0	0.000	0.001	0.002
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03131 Babyfood, fruit, peaches with sugar, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	80.10		1	12.82	22.71	136.17
Energy	kcal	71		0	11	20	121
Energy	kj	297		0	48	84	505
Protein (N x 5.95)	g	0.50	0.000	20	0.08	0.14	0.85
Total lipid (fat)	g	0.20	0.100	19	0.03	0.06	0.34
Carbohydrate, by difference	g	18.90		0	3.02	5.36	32.13
Fiber, total dietary	g	1.5		0	0.2	0.4	2.5
Ash	g	0.30	0.000	19	0.05	0.09	0.51
Sugars, total	g						
Minerals:							
Calcium	mg	5	1.000	13	1	1	9
Iron	mg	0.27	0.030	16	0.04	0.08	0.46
Magnesium	mg	5		2	1	1	9
Phosphorus	mg	11		2	2	3	19
Potassium	mg	155		15	25	44	264
Sodium	mg	5	1.000	15	1	1	9
Zinc	mg	0.06		2	0.01	0.02	0.10
Copper	mg	0.050		1	0.008	0.014	0.085
Manganese	mg						
Selenium	µg	0.4		1	0.1	0.1	0.7
Vitamins:							
Ascorbic acid	mg	18.9		9	3.0	5.4	32.1
Thiamin	mg	0.014	0.000	15	0.002	0.004	0.024
Riboflavin	mg	0.032	0.000	15	0.005	0.009	0.054
Niacin	mg	0.647	0.052	16	0.104	0.183	1.100
Pantothenic acid	mg	0.130		0	0.021	0.037	0.221
Vitamin B-6	mg	0.018	0.000	7	0.003	0.005	0.031
Folate	µg	4		0	1	1	7
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	178	26.000	17	28	50	303
Vitamin A, RE	µg	18	3.000	17	3	5	31
Vitamin E, α-TE	mg	0.600		0	0.096	0.170	1.020
Lipids:							
Saturated, total	g	0.020		0	0.003	0.006	0.034
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.018		0	0.003	0.005	0.031
17:0	g						
18:0	g	0.002		0	0.000	0.001	0.003
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.070	0	0.011	0.020	0.119
14:1	g					
16:1	g	0.002	0	0.000	0.001	0.003
18:1	g	0.070	0	0.011	0.020	0.119
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.094	0	0.015	0.027	0.160
18:2	g	0.092	0	0.015	0.026	0.156
18:3	g	0.002	0	0.000	0.001	0.003
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03132 Babyfood, fruit, pears, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	88.40	0.300	17	14.14	25.06	99.89
Energy	kcal	41		0	7	12	46
Energy	kj	172		0	28	49	194
Protein (N x 5.95)	g	0.30	0.000	23	0.05	0.09	0.34
Total lipid (fat)	g	0.20	0.000	23	0.03	0.06	0.23
Carbohydrate, by difference	g	10.80		0	1.73	3.06	12.20
Fiber, total dietary	g	3.6		0	0.6	1.0	4.1
Ash	g	0.30	0.000	19	0.05	0.09	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	8	0.000	20	1	2	9
Iron	mg	0.24	0.020	29	0.04	0.07	0.27
Magnesium	mg	8		2	1	2	9
Phosphorus	mg	12		1	2	3	14
Potassium	mg	130		14	21	37	147
Sodium	mg	2		15	0	1	2
Zinc	mg	0.08		17	0.01	0.02	0.08
Copper	mg	0.065		16	0.010	0.018	0.073
Manganese	mg						
Selenium	µg	0.4		1	0.1	0.1	0.5
Vitamins:							
Ascorbic acid	mg	24.5	1.300	14	3.9	6.9	27.7
Thiamin	mg	0.013	0.000	21	0.002	0.004	0.015
Riboflavin	mg	0.028	0.000	21	0.004	0.008	0.032
Niacin	mg	0.189	0.008	22	0.030	0.054	0.214
Pantothenic acid	mg	0.090		4	0.014	0.026	0.102
Vitamin B-6	mg	0.008		12	0.001	0.002	0.009
Folate	µg	4	1.000	9	1	1	4
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	33	9.000	17	5	9	37
Vitamin A, RE	µg	3	1.000	17	0	1	3
Vitamin E, α-TE	mg	0.600		0	0.096	0.170	0.678
Lipids:							
Saturated, total	g	0.012		0	0.002	0.003	0.014
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.008		0	0.001	0.002	0.009
17:0	g						
18:0	g	0.002		0	0.000	0.001	0.002
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.042	0	0.007	0.012	0.047
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.040	0	0.006	0.011	0.045
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.046	0	0.007	0.013	0.052
18:2	g	0.046	0	0.007	0.013	0.052
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03133 Babyfood, fruit, pears, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	87.80		14	14.05	24.89	149.26
Energy	kcal	43		0	7	12	73
Energy	kj	180		0	29	51	306
Protein (N x 5.95)	g	0.30	0.000	19	0.05	0.09	0.51
Total lipid (fat)	g	0.10	0.100	19	0.02	0.03	0.17
Carbohydrate, by difference	g	11.60		0	1.86	3.29	19.72
Fiber, total dietary	g	3.6		0	0.6	1.0	6.1
Ash	g	0.20	0.000	19	0.03	0.06	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	8	0.000	16	1	2	14
Iron	mg	0.25	0.040	16	0.04	0.07	0.43
Magnesium	mg	9		1	1	3	15
Phosphorus	mg	12		1	2	3	20
Potassium	mg	115		14	18	33	196
Sodium	mg	2		15	0	1	3
Zinc	mg	0.08		1	0.01	0.02	0.14
Copper	mg	0.080		1	0.013	0.023	0.136
Manganese	mg						
Selenium	µg	0.4		1	0.1	0.1	0.7
Vitamins:							
Ascorbic acid	mg	22.0	1.400	23	3.5	6.2	37.4
Thiamin	mg	0.014	0.000	24	0.002	0.004	0.024
Riboflavin	mg	0.030	0.000	23	0.005	0.009	0.051
Niacin	mg	0.188	0.010	23	0.030	0.053	0.320
Pantothenic acid	mg	0.095		0	0.015	0.027	0.161
Vitamin B-6	mg	0.010	0.000	7	0.002	0.003	0.017
Folate	µg	4		0	1	1	6
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	34	8.000	11	5	10	58
Vitamin A, RE	µg	3	1.000	11	0	1	5
Vitamin E, α-TE	mg	0.600		0	0.096	0.170	1.020
Lipids:							
Saturated, total	g	0.006		0	0.001	0.002	0.010
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.004		0	0.001	0.001	0.007
17:0	g						
18:0	g	0.001		0	0.000	0.000	0.002
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.021	0	0.003	0.006	0.036
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.020	0	0.003	0.006	0.034
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.023	0	0.004	0.007	0.039
18:2	g	0.023	0	0.004	0.007	0.039
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03134 Babyfood, fruit, plums with tapioca, without ascorbic acid, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	80.00	0.200	17	12.00	22.68	90.40
Energy	kcal	71		0	11	20	80
Energy	kj	297		0	45	84	336
Protein (N x 5.95)	g	0.10		14	0.02	0.03	0.11
Total lipid (fat)	g	0.00		14	0.00	0.00	0.00
Carbohydrate, by difference	g	19.70		0	2.96	5.58	22.26
Fiber, total dietary	g	1.2		0	0.2	0.3	1.4
Ash	g	0.20	0.000	19	0.03	0.06	0.23
Sugars, total	g						
Minerals:							
Calcium	mg	6	0.000	14	1	2	7
Iron	mg	0.20	0.010	17	0.03	0.06	0.23
Magnesium	mg	4		2	1	1	5
Phosphorus	mg	6		1	1	2	7
Potassium	mg	85		14	13	24	96
Sodium	mg	6	0.000	17	1	2	7
Zinc	mg	0.08		2	0.01	0.02	0.09
Copper	mg	0.037		2	0.006	0.010	0.042
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.1	0.5
Vitamins:							
Ascorbic acid	mg	1.1	0.600	6	0.2	0.3	1.2
Thiamin	mg	0.008	0.000	16	0.001	0.002	0.009
Riboflavin	mg	0.028	0.000	15	0.004	0.008	0.032
Niacin	mg	0.213	0.007	16	0.032	0.060	0.241
Pantothenic acid	mg	0.110		4	0.017	0.031	0.124
Vitamin B-6	mg	0.024		8	0.004	0.007	0.027
Folate	µg	1	0.200	9	0	0	1
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	95	19.000	14	14	27	107
Vitamin A, RE	µg	10	2.000	14	2	3	11
Vitamin E, α-TE	mg	0.600		0	0.090	0.170	0.678
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	0.000
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.000		0	0.000	0.000	0.000
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000	0.000
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.000	0	0.000	0.000	0.000
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000	0.000
18:2	g	0.000	0	0.000	0.000	0.000
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03135 Babyfood, fruit, plums with tapioca, without ascorbic acid, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	79.20		14	11.88	22.45	134.64
Energy	kcal	74		0	11	21	126
Energy	kj	310		0	47	88	527
Protein (N x 5.95)	g	0.10		14	0.02	0.03	0.17
Total lipid (fat)	g	0.00		14	0.00	0.00	0.00
Carbohydrate, by difference	g	20.40		0	3.06	5.78	34.68
Fiber, total dietary	g	1.2		0	0.2	0.3	2.0
Ash	g	0.20	0.000	19	0.03	0.06	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	6	0.000	15	1	2	10
Iron	mg	0.22	0.020	16	0.03	0.06	0.37
Magnesium	mg	4		0	1	1	7
Phosphorus	mg	6		0	1	2	10
Potassium	mg	83	2.000	13	12	24	141
Sodium	mg	8		14	1	2	14
Zinc	mg	0.08		0	0.01	0.02	0.14
Copper	mg	0.038		0	0.006	0.011	0.065
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.1	0.7
Vitamins:							
Ascorbic acid	mg	0.8	0.300	6	0.1	0.2	1.4
Thiamin	mg	0.006	0.000	15	0.001	0.002	0.010
Riboflavin	mg	0.030	0.000	15	0.004	0.009	0.051
Niacin	mg	0.206	0.008	15	0.031	0.058	0.350
Pantothenic acid	mg	0.114		0	0.017	0.032	0.194
Vitamin B-6	mg	0.029	0.000	7	0.004	0.008	0.049
Folate	µg	1		0	0	0	2
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	94	16.000	15	14	27	160
Vitamin A, RE	µg	9	2.000	15	1	3	15
Vitamin E, α-TE	mg	0.600		0	0.090	0.170	1.020
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	0.000
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.000		0	0.000	0.000	0.000
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000	0.000
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.000	0	0.000	0.000	0.000
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000	0.000
18:2	g	0.000	0	0.000	0.000	0.000
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03136 Babyfood, fruit, prunes with tapioca, without ascorbic acid, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	80.30		1	12.04	22.77	90.74
Energy	kcal	70		0	11	20	79
Energy	kj	293		0	44	83	331
Protein (N x 5.95)	g	0.60	0.000	17	0.09	0.17	0.68
Total lipid (fat)	g	0.10	0.000	17	0.02	0.03	0.11
Carbohydrate, by difference	g	18.50		0	2.77	5.24	20.91
Fiber, total dietary	g	2.7		0	0.4	0.8	3.1
Ash	g	0.50	0.000	18	0.08	0.14	0.56
Sugars, total	g						
Minerals:							
Calcium	mg	15		11	2	4	17
Iron	mg	0.35	0.040	12	0.05	0.10	0.40
Magnesium	mg	10		3	2	3	11
Phosphorus	mg	15		2	2	4	17
Potassium	mg	177		15	27	50	200
Sodium	mg	5	1.000	19	1	1	6
Zinc	mg	0.09		3	0.01	0.03	0.10
Copper	mg	0.061		2	0.009	0.017	0.069
Manganese	mg						
Selenium	µg	0.5		0	0.1	0.1	0.6
Vitamins:							
Ascorbic acid	mg	0.8		1	0.1	0.2	0.9
Thiamin	mg	0.022		11	0.003	0.006	0.025
Riboflavin	mg	0.075		11	0.011	0.021	0.085
Niacin	mg	0.525		12	0.079	0.149	0.593
Pantothenic acid	mg	0.140		4	0.021	0.040	0.158
Vitamin B-6	mg	0.081		3	0.012	0.023	0.092
Folate	µg	0		9	0	0	0
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	453		13	68	128	512
Vitamin A, RE	µg	45		13	7	13	51
Vitamin E, α-TE	mg	0.600		0	0.090	0.170	0.678
Lipids:							
Saturated, total	g	0.008		0	0.001	0.002	0.009
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.007		0	0.001	0.002	0.008
17:0	g						
18:0	g	0.001		0	0.000	0.000	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.066	0	0.010	0.019	0.075
14:1	g					
16:1	g	0.001	0	0.000	0.000	0.001
18:1	g	0.065	0	0.010	0.018	0.073
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.022	0	0.003	0.006	0.025
18:2	g	0.022	0	0.003	0.006	0.025
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03137 Babyfood, fruit, prunes with tapioca, without ascorbic acid, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	80.10		14	22.71	136.17	
Energy	kcal	70		0	20	119	
Energy	kj	293		0	83	498	
Protein (N x 5.95)	g	0.60		14	0.17	1.02	
Total lipid (fat)	g	0.10		14	0.03	0.17	
Carbohydrate, by difference	g	18.70		0	5.30	31.79	
Fiber, total dietary	g	2.7		0	0.8	4.6	
Ash	g	0.50	0.000	18	0.14	0.85	
Sugars, total	g						
Minerals:							
Calcium	mg	15		10	4	26	
Iron	mg	0.33		10	0.09	0.56	
Magnesium	mg	10		1	3	17	
Phosphorus	mg	15		1	4	26	
Potassium	mg	162		14	46	275	
Sodium	mg	2	1.000	15	1	3	
Zinc	mg	0.10		1	0.03	0.17	
Copper	mg	0.062		0	0.018	0.105	
Manganese	mg						
Selenium	µg	0.5		0	0.1	0.9	
Vitamins:							
Ascorbic acid	mg	0.8		1	0.2	1.4	
Thiamin	mg	0.022		10	0.006	0.037	
Riboflavin	mg	0.083		11	0.024	0.141	
Niacin	mg	0.526		11	0.149	0.894	
Pantothenic acid	mg	0.141		0	0.040	0.240	
Vitamin B-6	mg	0.086		1	0.024	0.146	
Folate	µg	0		0	0	0	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	407		14	115	692	
Vitamin A, RE	µg	41		14	12	70	
Vitamin E, α-TE	mg	0.600		0	0.170	1.020	
Lipids:							
Saturated, total	g	0.008		0	0.002	0.014	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.000		0	0.000	0.000	
15.0	g						
16:0	g	0.007		0	0.002	0.012	
17:0	g						
18:0	g	0.001		0	0.000	0.002	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.066	0	0.019	0.112
14:1	g				
16:1	g	0.001	0	0.000	0.002
18:1	g	0.065	0	0.018	0.111
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.022	0	0.006	0.037
18:2	g	0.022	0	0.006	0.037
18:3	g	0.000	0	0.000	0.000
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03138 Babyfood, fruit, guava with tapioca, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	81.20		1	23.02	91.76	
Energy	kcal	67		0	19	76	
Energy	kj	280		0	79	316	
Protein (N x 5.95)	g	0.30		1	0.09	0.34	
Total lipid (fat)	g	0.00		1	0.00	0.00	
Carbohydrate, by difference	g	18.30		0	5.19	20.68	
Fiber, total dietary	g	1.8		0	0.5	2.0	
Ash	g	0.20		1	0.06	0.23	
Sugars, total	g						
Minerals:							
Calcium	mg	7		5	2	8	
Iron	mg	0.20		5	0.06	0.23	
Magnesium	mg	2	0.000	2	1	2	
Phosphorus	mg	5	0.000	2	1	6	
Potassium	mg	73		1	21	82	
Sodium	mg	2		3	1	2	
Zinc	mg	0.08	0.034	2	0.02	0.08	
Copper	mg						
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.5	
Vitamins:							
Ascorbic acid	mg	75.4		5	21.4	85.2	
Thiamin	mg	0.014		5	0.004	0.016	
Riboflavin	mg	0.070		5	0.020	0.079	
Niacin	mg	0.389		5	0.110	0.440	
Pantothenic acid	mg	0.166		0	0.047	0.188	
Vitamin B-6	mg	0.042		5	0.012	0.047	
Folate	µg	2		0	1	2	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	299	108.000	5	85	338	
Vitamin A, RE	µg	30	11.000	5	9	34	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03140 Babyfood, fruit, mango with tapioca, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	77.70		1	11.65	22.03	87.80
Energy	kcal	80		0	12	23	90
Energy	kj	335		0	50	95	379
Protein (N x 5.95)	g	0.30		2	0.05	0.09	0.34
Total lipid (fat)	g	0.20		2	0.03	0.06	0.23
Carbohydrate, by difference	g	21.60		0	3.24	6.12	24.41
Fiber, total dietary	g	1.0		0	0.2	0.3	1.1
Ash	g	0.20		1	0.03	0.06	0.23
Sugars, total	g						
Minerals:							
Calcium	mg	4		2	1	1	5
Iron	mg	0.10		2	0.02	0.03	0.11
Magnesium	mg	4	1.000	2	1	1	5
Phosphorus	mg	6	1.000	2	1	2	7
Potassium	mg	59	14.000	2	9	17	67
Sodium	mg	4		2	1	1	5
Zinc	mg	0.06	0.009	2	0.01	0.02	0.07
Copper	mg	0.027		0	0.004	0.008	0.031
Manganese	mg						
Selenium	µg	0.5		0	0.1	0.1	0.6
Vitamins:							
Ascorbic acid	mg	124.4		2	18.7	35.3	140.6
Thiamin	mg	0.023		2	0.003	0.007	0.026
Riboflavin	mg	0.027		2	0.004	0.008	0.031
Niacin	mg	0.253		2	0.038	0.072	0.286
Pantothenic acid	mg	0.195		0	0.029	0.055	0.220
Vitamin B-6	mg	0.117		2	0.018	0.033	0.132
Folate	µg	2		0	0	1	2
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	665	345.000	2	100	189	751
Vitamin A, RE	µg	67	35.000	2	10	19	76
Vitamin E, α-TE	mg	0.600		0	0.090	0.170	0.678
Lipids:							
Saturated, total	g	0.049		0	0.007	0.014	0.055
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.000	0.000	0.001
14:0	g	0.007		0	0.001	0.002	0.008
15.0	g						
16:0	g	0.039		0	0.006	0.011	0.044
17:0	g						
18:0	g	0.002		0	0.000	0.001	0.002
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.074	0	0.011	0.021	0.084
14:1	g					
16:1	g	0.035	0	0.005	0.010	0.040
18:1	g	0.040	0	0.006	0.011	0.045
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.038	0	0.006	0.011	0.043
18:2	g	0.011	0	0.002	0.003	0.012
18:3	g	0.027	0	0.004	0.008	0.031
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 Gerber jar (4 oz)

NDB No. 03141 Babyfood, pears, dices, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	85.60		0			
Energy	kcal	57		0			
Energy	kj	238		0			
Protein (N x 5.95)	g	0.30		0			
Total lipid (fat)	g	0.10		0			
Carbohydrate, by difference	g	13.60		0			
Fiber, total dietary	g	1.2		0			
Ash	g	0.20		0			
Sugars, total	g						
Minerals:							
Calcium	mg	10		0			
Iron	mg	0.20		0			
Magnesium	mg	7		0			
Phosphorus	mg	13		0			
Potassium	mg	51		0			
Sodium	mg	6		0			
Zinc	mg	0.09		0			
Copper	mg	0.040		0			
Manganese	mg	0.030		0			
Selenium	µg	0.4		0			
Vitamins:							
Ascorbic acid	mg	31.3		0			
Thiamin	mg	0.010		0			
Riboflavin	mg	0.020		0			
Niacin	mg	0.130		0			
Pantothenic acid	mg						
Vitamin B-6	mg	0.040		0			
Folate	µg	1		0			
Vitamin B-12	µg	0.00		0			
Vitamin A	IU	0		0			
Vitamin A, RE	µg	0		0			
Vitamin E, α-TE	mg	0.500		0			
Lipids:							
Saturated, total	g	0.010		0			
4:0	g	0.000		0			
6.0	g	0.000		0			
8:0	g	0.000		0			
10:0	g	0.000		0			
12:0	g	0.000		0			
14:0	g	0.000		0			
15.0	g						
16:0	g	0.010		0			
17:0	g						
18:0	g	0.000		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.043	0
14:1	g		
16:1	g	0.000	0
18:1	g	0.041	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.046	0
18:2	g	0.046	0
18:3	g	0.000	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	0	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03142 Babyfood, fruit, applesauce and apricots, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	87.70		14	14.03	24.86	99.10
Energy	kcal	45		0	7	13	51
Energy	kj	188		0	30	53	212
Protein (N x 5.95)	g	0.20		14	0.03	0.06	0.23
Total lipid (fat)	g	0.20		14	0.03	0.06	0.23
Carbohydrate, by difference	g	11.60		0	1.86	3.29	13.11
Fiber, total dietary	g	1.8		0	0.3	0.5	2.0
Ash	g	0.30	0.000	18	0.05	0.09	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	6	0.000	16	1	2	7
Iron	mg	0.25	0.020	16	0.04	0.07	0.28
Magnesium	mg	4		1	1	1	5
Phosphorus	mg	9		2	1	3	10
Potassium	mg	120		15	19	34	136
Sodium	mg	3		16	0	1	3
Zinc	mg	0.04		2	0.01	0.01	0.05
Copper	mg	0.041		0	0.007	0.012	0.046
Manganese	mg						
Selenium	µg	0.3		0	0.0	0.1	0.3
Vitamins:							
Ascorbic acid	mg	18.9	1.900	11	3.0	5.4	21.4
Thiamin	mg	0.014	0.000	16	0.002	0.004	0.016
Riboflavin	mg	0.029	0.000	16	0.005	0.008	0.033
Niacin	mg	0.140	0.003	16	0.022	0.040	0.158
Pantothenic acid	mg	0.119		0	0.019	0.034	0.134
Vitamin B-6	mg	0.030		7	0.005	0.009	0.034
Folate	µg	1	0.300	9	0	0	1
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	387	24.000	14	62	110	437
Vitamin A, RE	µg	39	2.000	14	6	11	44
Vitamin E, α-TE	mg	0.600		0	0.096	0.170	0.678
Lipids:							
Saturated, total	g	0.024		0	0.004	0.007	0.027
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.020		0	0.003	0.006	0.023
17:0	g						
18:0	g	0.003		0	0.000	0.001	0.003
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.037	0	0.006	0.010	0.042
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.037	0	0.006	0.010	0.042
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.045	0	0.007	0.013	0.051
18:2	g	0.041	0	0.007	0.012	0.046
18:3	g	0.007	0	0.001	0.002	0.008
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03143 Babyfood, fruit, applesauce and apricots, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	86.90		14	13.90	24.64	147.73
Energy	kcal	47		0	8	13	80
Energy	kj	197		0	32	56	335
Protein (N x 5.95)	g	0.20		14	0.03	0.06	0.34
Total lipid (fat)	g	0.20		14	0.03	0.06	0.34
Carbohydrate, by difference	g	12.40		0	1.98	3.52	21.08
Fiber, total dietary	g	1.8		0	0.3	0.5	3.1
Ash	g	0.30	0.000	19	0.05	0.09	0.51
Sugars, total	g						
Minerals:							
Calcium	mg	6	0.000	18	1	2	10
Iron	mg	0.26	0.020	19	0.04	0.07	0.44
Magnesium	mg	4		1	1	1	7
Phosphorus	mg	10		2	2	3	17
Potassium	mg	109		15	17	31	185
Sodium	mg	3		16	0	1	5
Zinc	mg	0.03		1	0.00	0.01	0.05
Copper	mg	0.044		0	0.007	0.012	0.075
Manganese	mg						
Selenium	µg	0.3		0	0.0	0.1	0.5
Vitamins:							
Ascorbic acid	mg	17.9		10	2.9	5.1	30.4
Thiamin	mg	0.014	0.000	18	0.002	0.004	0.024
Riboflavin	mg	0.030	0.000	17	0.005	0.009	0.051
Niacin	mg	0.145	0.004	18	0.023	0.041	0.247
Pantothenic acid	mg	0.125		0	0.020	0.035	0.213
Vitamin B-6	mg	0.030		7	0.005	0.009	0.051
Folate	µg	1		0	0	0	2
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	339	34.000	17	54	96	576
Vitamin A, RE	µg	34	3.000	17	5	10	58
Vitamin E, α-TE	mg	0.600		0	0.096	0.170	1.020
Lipids:							
Saturated, total	g	0.028		0	0.004	0.008	0.048
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.023		0	0.004	0.007	0.039
17:0	g						
18:0	g	0.003		0	0.000	0.001	0.005
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.030	0	0.005	0.009	0.051
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.030	0	0.005	0.009	0.051
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.051	0	0.008	0.014	0.087
18:2	g	0.044	0	0.007	0.012	0.075
18:3	g	0.009	0	0.001	0.003	0.015
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03144 Babyfood, fruit, applesauce and cherries, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	85.63		0	24.28	96.76	
Energy	kcal	51		0	14	58	
Energy	kj	213		0	60	241	
Protein (N x 5.95)	g	0.00		0	0.00	0.00	
Total lipid (fat)	g	0.00		13	0.00	0.00	
Carbohydrate, by difference	g	14.10		0	4.00	15.93	
Fiber, total dietary	g	1.1		0	0.3	1.2	
Ash	g	0.25		0	0.07	0.28	
Sugars, total	g						
Minerals:							
Calcium	mg	1		0	0	1	
Iron	mg	0.30		0	0.09	0.34	
Magnesium	mg	4		0	1	5	
Phosphorus	mg	8		0	2	9	
Potassium	mg	132		0	37	149	
Sodium	mg	1		0	0	1	
Zinc	mg	0.03		0	0.01	0.03	
Copper	mg	0.045		0	0.013	0.051	
Manganese	mg						
Selenium	µg	0.3		0	0.1	0.3	
Vitamins:							
Ascorbic acid	mg	42.8		0	12.1	48.4	
Thiamin	mg	0.010		0	0.003	0.011	
Riboflavin	mg	0.030		0	0.009	0.034	
Niacin	mg	0.140		0	0.040	0.158	
Pantothenic acid	mg	0.131		0	0.037	0.148	
Vitamin B-6	mg	0.037		0	0.010	0.042	
Folate	µg	0		3	0	0	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	45		0	13	51	
Vitamin A, RE	µg	4	0.000	13	1	5	
Vitamin E, α-TE	mg	0.600		0	0.170	0.678	
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.000		0	0.000	0.000	
15.0	g						
16:0	g	0.000		0	0.000	0.000	
17:0	g						
18:0	g	0.000		0	0.000	0.000	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000
14:1	g				
16:1	g	0.000	0	0.000	0.000
18:1	g	0.000	0	0.000	0.000
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000
18:2	g	0.000	0	0.000	0.000
18:3	g	0.000	0	0.000	0.000
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03145 Babyfood, fruit, applesauce and cherries, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	85.60		0	24.27	145.52	
Energy	kcal	56		0	16	95	
Energy	kj	234		0	66	398	
Protein (N x 5.95)	g	0.00		0	0.00	0.00	
Total lipid (fat)	g	0.00		13	0.00	0.00	
Carbohydrate, by difference	g	14.10		0	4.00	23.97	
Fiber, total dietary	g	1.1		0	0.3	1.9	
Ash	g	0.30	0.000	13	0.09	0.51	
Sugars, total	g						
Minerals:							
Calcium	mg	1		0	0	2	
Iron	mg	0.30		0	0.09	0.51	
Magnesium	mg	4		0	1	7	
Phosphorus	mg	8		0	2	14	
Potassium	mg	132		0	37	224	
Sodium	mg	1		0	0	2	
Zinc	mg	0.03		0	0.01	0.05	
Copper	mg	0.046		0	0.013	0.078	
Manganese	mg						
Selenium	µg	0.3		0	0.1	0.5	
Vitamins:							
Ascorbic acid	mg	42.8		0	12.1	72.8	
Thiamin	mg	0.010		0	0.003	0.017	
Riboflavin	mg	0.030		0	0.009	0.051	
Niacin	mg	0.140		0	0.040	0.238	
Pantothenic acid	mg	0.130		0	0.037	0.221	
Vitamin B-6	mg	0.039		0	0.011	0.066	
Folate	µg	0		0	0	1	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	45		0	13	77	
Vitamin A, RE	µg	4	1.000	13	1	7	
Vitamin E, α-TE	mg	0.600		0	0.170	1.020	
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.000		0	0.000	0.000	
15.0	g						
16:0	g	0.000		0	0.000	0.000	
17:0	g						
18:0	g	0.000		0	0.000	0.000	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000
14:1	g				
16:1	g	0.000	0	0.000	0.000
18:1	g	0.000	0	0.000	0.000
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000
18:2	g	0.000	0	0.000	0.000
18:3	g	0.000	0	0.000	0.000
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03147 Babyfood, fruit, applesauce with banana, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 170g	Measure 3* 170g
Proximates:							
Water	g	83.14		0	13.30	141.34	141.34
Energy	kcal	66		0	11	112	112
Energy	kj	276		0	44	469	469
Protein (N x 5.95)	g	0.37		0	0.06	0.63	0.63
Total lipid (fat)	g	0.10		0	0.02	0.17	0.17
Carbohydrate, by difference	g	16.16		0	2.59	27.47	27.47
Fiber, total dietary	g	1.6		0	0.3	2.7	2.7
Ash	g	0.26		0	0.04	0.44	0.44
Sugars, total	g						
Minerals:							
Calcium	mg	5		0	1	9	9
Iron	mg	0.24		0	0.04	0.41	0.41
Magnesium	mg	9		0	1	15	15
Phosphorus	mg	12		0	2	20	20
Potassium	mg	131		0	21	223	223
Sodium	mg	3		0	0	5	5
Zinc	mg	0.05		0	0.01	0.09	0.09
Copper	mg	0.040		0	0.006	0.068	0.068
Manganese	mg	0.100		0	0.016	0.170	0.170
Selenium	µg	0.4		0	0.1	0.7	0.7
Vitamins:							
Ascorbic acid	mg	17.3		0	2.8	29.4	29.4
Thiamin	mg	0.010		0	0.002	0.017	0.017
Riboflavin	mg	0.031		0	0.005	0.053	0.053
Niacin	mg	0.163		0	0.026	0.277	0.277
Pantothenic acid	mg	0.135		0	0.022	0.230	0.230
Vitamin B-6	mg	0.100		0	0.016	0.170	0.170
Folate	µg	3		0	0	5	5
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	18		0	3	31	31
Vitamin A, RE	µg	2		0	0	3	3
Vitamin E, α-TE	mg	0.235		0	0.038	0.400	0.400
Lipids:							
Saturated, total	g	0.040		0	0.006	0.068	0.068
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.000	0.002	0.002
14:0	g	0.001		0	0.000	0.002	0.002
15.0	g						
16:0	g	0.034		0	0.005	0.058	0.058
17:0	g						
18:0	g	0.003		0	0.000	0.005	0.005
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.010	0	0.002	0.017	0.017
14:1	g					
16:1	g	0.002	0	0.000	0.003	0.003
18:1	g	0.009	0	0.001	0.015	0.015
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.050	0	0.008	0.085	0.085
18:2	g	0.040	0	0.006	0.068	0.068
18:3	g	0.011	0	0.002	0.019	0.019
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 jar, NFS
Measure 3: 1 Beech-Nut Stage 3 jar (6 oz)

NDB No. 03150 Babyfood, fruit, applesauce and pineapple, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	89.50		1	25.37	101.14	
Energy	kcal	37		0	10	42	
Energy	kj	155		0	44	175	
Protein (N x 5.95)	g	0.10		6	0.03	0.11	
Total lipid (fat)	g	0.10		6	0.03	0.11	
Carbohydrate, by difference	g	10.10		0	2.86	11.41	
Fiber, total dietary	g	1.5		0	0.4	1.7	
Ash	g	0.20	0.000	6	0.06	0.23	
Sugars, total	g						
Minerals:							
Calcium	mg	4		6	1	5	
Iron	mg	0.10		12	0.03	0.11	
Magnesium	mg	3	0.000	2	1	3	
Phosphorus	mg	6	0.000	2	2	7	
Potassium	mg	78	5.000	2	22	88	
Sodium	mg	2		2	1	2	
Zinc	mg	0.02	0.004	2	0.00	0.02	
Copper	mg	0.035		0	0.010	0.040	
Manganese	mg						
Selenium	µg	0.3		0	0.1	0.3	
Vitamins:							
Ascorbic acid	mg	28.1		6	8.0	31.8	
Thiamin	mg	0.021		6	0.006	0.024	
Riboflavin	mg	0.026		6	0.007	0.029	
Niacin	mg	0.078		6	0.022	0.088	
Pantothenic acid	mg	0.101		0	0.029	0.114	
Vitamin B-6	mg	0.039		6	0.011	0.044	
Folate	µg	2	0.100	3	1	2	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	20	6.000	6	6	23	
Vitamin A, RE	µg	2	1.000	6	1	2	
Vitamin E, α-TE	mg	0.600		0	0.170	0.678	
Lipids:							
Saturated, total	g	0.010		0	0.003	0.011	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.000		0	0.000	0.000	
15.0	g						
16:0	g	0.008		0	0.002	0.009	
17:0	g						
18:0	g	0.002		0	0.001	0.002	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.009	0	0.003	0.010
14:1	g				
16:1	g	0.001	0	0.000	0.001
18:1	g	0.008	0	0.002	0.009
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.032	0	0.009	0.036
18:2	g	0.021	0	0.006	0.024
18:3	g	0.012	0	0.003	0.014
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03151 Babyfood, fruit, applesauce and pineapple, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	89.10		1	25.26	151.47	
Energy	kcal	39		0	11	66	
Energy	kj	163		0	46	277	
Protein (N x 5.95)	g	0.10		6	0.03	0.17	
Total lipid (fat)	g	0.10		6	0.03	0.17	
Carbohydrate, by difference	g	10.50		0	2.98	17.85	
Fiber, total dietary	g	1.5		0	0.4	2.5	
Ash	g	0.20	0.000	6	0.06	0.34	
Sugars, total	g						
Minerals:							
Calcium	mg	4		6	1	7	
Iron	mg	0.10		6	0.03	0.17	
Magnesium	mg	4	0.000	2	1	7	
Phosphorus	mg	6	0.000	2	2	10	
Potassium	mg	76	6.000	2	22	129	
Sodium	mg	2		2	1	3	
Zinc	mg	0.03	0.009	2	0.01	0.05	
Copper	mg	0.036		0	0.010	0.061	
Manganese	mg						
Selenium	µg	0.3		0	0.1	0.5	
Vitamins:							
Ascorbic acid	mg	26.8		6	7.6	45.6	
Thiamin	mg	0.022		6	0.006	0.037	
Riboflavin	mg	0.027		6	0.008	0.046	
Niacin	mg	0.079		6	0.022	0.134	
Pantothenic acid	mg	0.104		0	0.029	0.177	
Vitamin B-6	mg	0.039		6	0.011	0.066	
Folate	µg	2		0	1	3	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	21	6.000	6	6	36	
Vitamin A, RE	µg	2	1.000	6	1	3	
Vitamin E, α-TE	mg	0.600		0	0.170	1.020	
Lipids:							
Saturated, total	g	0.011		0	0.003	0.019	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.000		0	0.000	0.000	
15.0	g						
16:0	g	0.008		0	0.002	0.014	
17:0	g						
18:0	g	0.002		0	0.001	0.003	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.009	0	0.003	0.015
14:1	g				
16:1	g	0.000	0	0.000	0.000
18:1	g	0.008	0	0.002	0.014
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.032	0	0.009	0.054
18:2	g	0.021	0	0.006	0.036
18:3	g	0.011	0	0.003	0.019
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03152 Babyfood, fruit, apple and raspberry, with sugar, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	83.80		1	23.76	94.69	
Energy	kcal	58		0	16	66	
Energy	kj	243		0	69	275	
Protein (N x 5.95)	g	0.20	0.000	19	0.06	0.23	
Total lipid (fat)	g	0.20	0.000	20	0.06	0.23	
Carbohydrate, by difference	g	15.70		0	4.45	17.74	
Fiber, total dietary	g	2.1		0	0.6	2.4	
Ash	g	0.20		14	0.06	0.23	
Sugars, total	g						
Minerals:							
Calcium	mg	5	0.000	13	1	6	
Iron	mg	0.22	0.020	14	0.06	0.25	
Magnesium	mg	4		0	1	5	
Phosphorus	mg	8	1.000	5	2	9	
Potassium	mg	80	2.000	18	23	90	
Sodium	mg	2	0.000	19	1	2	
Zinc	mg	0.03		0	0.01	0.04	
Copper	mg	0.054		0	0.015	0.061	
Manganese	mg						
Selenium	µg	0.3		0	0.1	0.3	
Vitamins:							
Ascorbic acid	mg	26.8		3	7.6	30.3	
Thiamin	mg	0.014	0.000	13	0.004	0.016	
Riboflavin	mg	0.028	0.000	13	0.008	0.032	
Niacin	mg	0.106	0.006	13	0.030	0.120	
Pantothenic acid	mg	0.090		4	0.026	0.102	
Vitamin B-6	mg	0.034		7	0.010	0.038	
Folate	µg	3	0.500	6	1	4	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	22	2.000	12	6	25	
Vitamin A, RE	µg	2	0.000	12	1	2	
Vitamin E, α-TE	mg	0.600		0	0.170	0.678	
Lipids:							
Saturated, total	g	0.033		0	0.009	0.037	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.001		0	0.000	0.001	
14:0	g	0.001		0	0.000	0.001	
15.0	g						
16:0	g	0.027		0	0.008	0.031	
17:0	g						
18:0	g	0.004		0	0.001	0.005	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.008	0	0.002	0.009
14:1	g				
16:1	g	0.000	0	0.000	0.000
18:1	g	0.008	0	0.002	0.009
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.062	0	0.018	0.070
18:2	g	0.051	0	0.014	0.058
18:3	g	0.011	0	0.003	0.012
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03153 Babyfood, fruit, apple and raspberry, with sugar, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	84.00		1	23.81	142.80	
Energy	kcal	58		0	16	99	
Energy	kj	243		0	69	413	
Protein (N x 5.95)	g	0.20	0.000	19	0.06	0.34	
Total lipid (fat)	g	0.20	0.000	19	0.06	0.34	
Carbohydrate, by difference	g	15.50		0	4.39	26.35	
Fiber, total dietary	g	2.1		0	0.6	3.6	
Ash	g	0.20	0.000	13	0.06	0.34	
Sugars, total	g						
Minerals:							
Calcium	mg	5	0.000	12	1	9	
Iron	mg	0.22	0.020	12	0.06	0.37	
Magnesium	mg	4		0	1	7	
Phosphorus	mg	8	0.000	5	2	14	
Potassium	mg	72	3.000	18	20	122	
Sodium	mg	2	0.000	19	1	3	
Zinc	mg	0.03		0	0.01	0.05	
Copper	mg	0.053		0	0.015	0.090	
Manganese	mg						
Selenium	µg	0.3		0	0.1	0.5	
Vitamins:							
Ascorbic acid	mg	28.9		14	8.2	49.1	
Thiamin	mg	0.012	0.000	19	0.003	0.020	
Riboflavin	mg	0.029	0.010	19	0.008	0.049	
Niacin	mg	0.104	0.004	19	0.029	0.177	
Pantothenic acid	mg	0.088		0	0.025	0.150	
Vitamin B-6	mg	0.034		6	0.010	0.058	
Folate	µg	3		0	1	6	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	30	5.000	11	9	51	
Vitamin A, RE	µg	3	1.000	11	1	5	
Vitamin E, α-TE	mg	0.600		0	0.170	1.020	
Lipids:							
Saturated, total	g	0.032		0	0.009	0.054	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.001		0	0.000	0.002	
14:0	g	0.001		0	0.000	0.002	
15.0	g						
16:0	g	0.027		0	0.008	0.046	
17:0	g						
18:0	g	0.004		0	0.001	0.007	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.008	0	0.002	0.014
14:1	g				
16:1	g	0.000	0	0.000	0.000
18:1	g	0.008	0	0.002	0.014
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.063	0	0.018	0.107
18:2	g	0.051	0	0.014	0.087
18:3	g	0.011	0	0.003	0.019
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03156 Babyfood, fruit, bananas and pineapple with tapioca, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	81.10		14	12.16	22.99	137.87
Energy	kcal	68		0	10	19	116
Energy	kj	285		0	43	81	485
Protein (N x 5.95)	g	0.20	0.000	17	0.03	0.06	0.34
Total lipid (fat)	g	0.10	0.000	17	0.02	0.03	0.17
Carbohydrate, by difference	g	18.40		0	2.76	5.22	31.28
Fiber, total dietary	g	1.6		0	0.2	0.5	2.7
Ash	g	0.20	0.000	18	0.03	0.06	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	7	1.000	12	1	2	12
Iron	mg	0.13	0.010	12	0.02	0.04	0.22
Magnesium	mg	6		2	1	2	10
Phosphorus	mg	5		2	1	1	9
Potassium	mg	78		15	12	22	133
Sodium	mg	8	1.000	21	1	2	14
Zinc	mg	0.03		2	0.00	0.01	0.05
Copper	mg	0.040		1	0.006	0.011	0.068
Manganese	mg						
Selenium	µg	0.6		0	0.1	0.2	1.0
Vitamins:							
Ascorbic acid	mg	21.2	1.400	14	3.2	6.0	36.0
Thiamin	mg	0.015	0.000	14	0.002	0.004	0.026
Riboflavin	mg	0.019	0.000	15	0.003	0.005	0.032
Niacin	mg	0.182	0.018	14	0.027	0.052	0.309
Pantothenic acid	mg	0.148		0	0.022	0.042	0.252
Vitamin B-6	mg	0.092	0.006	6	0.014	0.026	0.156
Folate	µg	6	0.700	9	1	2	9
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	40		7	6	11	68
Vitamin A, RE	µg	4		7	1	1	7
Vitamin E, α-TE	mg	0.600		0	0.090	0.170	1.020
Lipids:							
Saturated, total	g	0.036		0	0.005	0.010	0.061
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.001		0	0.000	0.000	0.002
15.0	g						
16:0	g	0.024		0	0.004	0.007	0.041
17:0	g						
18:0	g	0.001		0	0.000	0.000	0.002
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.009	0	0.001	0.003	0.015
14:1	g					
16:1	g	0.002	0	0.000	0.001	0.003
18:1	g	0.006	0	0.001	0.002	0.010
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.020	0	0.003	0.006	0.034
18:2	g	0.012	0	0.002	0.003	0.020
18:3	g	0.008	0	0.001	0.002	0.014
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03157 Babyfood, fruit, bananas and pineapple with tapioca, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	81.70		14	12.26	23.16	92.32
Energy	kcal	65		0	10	18	73
Energy	kj	272		0	41	77	307
Protein (N x 5.95)	g	0.20	0.000	17	0.03	0.06	0.23
Total lipid (fat)	g	0.00		17	0.00	0.00	0.00
Carbohydrate, by difference	g	17.80		0	2.67	5.05	20.11
Fiber, total dietary	g	1.6		0	0.2	0.5	1.8
Ash	g	0.20	0.000	18	0.03	0.06	0.23
Sugars, total	g						
Minerals:							
Calcium	mg	7	0.000	28	1	2	8
Iron	mg	0.23	0.020	28	0.03	0.07	0.26
Magnesium	mg	6		1	1	2	7
Phosphorus	mg	5		2	1	1	6
Potassium	mg	68		15	10	19	77
Sodium	mg	6	1.000	19	1	2	7
Zinc	mg	0.04		1	0.01	0.01	0.05
Copper	mg	0.039		0	0.006	0.011	0.044
Manganese	mg						
Selenium	µg	0.6		0	0.1	0.2	0.7
Vitamins:							
Ascorbic acid	mg	19.2		30	2.9	5.4	21.7
Thiamin	mg	0.019	0.000	29	0.003	0.005	0.021
Riboflavin	mg	0.019	0.000	29	0.003	0.005	0.021
Niacin	mg	0.168	0.016	29	0.025	0.048	0.190
Pantothenic acid	mg	0.143		0	0.021	0.041	0.162
Vitamin B-6	mg	0.082		5	0.012	0.023	0.093
Folate	µg	5		0	1	2	6
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	41		23	6	12	46
Vitamin A, RE	µg	4		23	1	1	5
Vitamin E, α-TE	mg	0.600		0	0.090	0.170	0.678
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	0.000
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.000		0	0.000	0.000	0.000
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000	0.000
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.000	0	0.000	0.000	0.000
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000	0.000
18:2	g	0.000	0	0.000	0.000	0.000
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03158 Babyfood, fruit, pears and pineapple, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	88.50		14	14.16	25.09	100.00
Energy	kcal	41		0	7	12	46
Energy	kj	172		0	28	49	194
Protein (N x 5.95)	g	0.30	0.000	19	0.05	0.09	0.34
Total lipid (fat)	g	0.10	0.100	19	0.02	0.03	0.11
Carbohydrate, by difference	g	10.90		0	1.74	3.09	12.32
Fiber, total dietary	g	2.6		0	0.4	0.7	2.9
Ash	g	0.30	0.000	19	0.05	0.09	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	10	0.000	17	2	3	11
Iron	mg	0.25	0.020	17	0.04	0.07	0.28
Magnesium	mg	7		2	1	2	8
Phosphorus	mg	9		2	1	3	10
Potassium	mg	116		15	19	33	131
Sodium	mg	4		14	1	1	5
Zinc	mg	0.07		2	0.01	0.02	0.07
Copper	mg	0.140		1	0.022	0.040	0.158
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.1	0.5
Vitamins:							
Ascorbic acid	mg	27.5	1.700	12	4.4	7.8	31.1
Thiamin	mg	0.021	0.000	20	0.003	0.006	0.024
Riboflavin	mg	0.028	0.000	17	0.004	0.008	0.032
Niacin	mg	0.207	0.015	16	0.033	0.059	0.234
Pantothenic acid	mg	0.089		0	0.014	0.025	0.101
Vitamin B-6	mg	0.016		8	0.003	0.005	0.018
Folate	µg	3	0.100	9	0	1	3
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	29	4.000	12	5	8	33
Vitamin A, RE	µg	3	0.000	12	0	1	3
Vitamin E, α-TE	mg	0.600		0	0.096	0.170	0.678
Lipids:							
Saturated, total	g	0.007		0	0.001	0.002	0.008
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.004		0	0.001	0.001	0.005
17:0	g						
18:0	g	0.002		0	0.000	0.001	0.002
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.016	0	0.003	0.005	0.018
14:1	g					
16:1	g	0.001	0	0.000	0.000	0.001
18:1	g	0.015	0	0.002	0.004	0.017
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.029	0	0.005	0.008	0.033
18:2	g	0.021	0	0.003	0.006	0.024
18:3	g	0.008	0	0.001	0.002	0.009
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03159 Babyfood, fruit, pears and pineapple, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	87.80		1	14.05	24.89	149.26
Energy	kcal	44		0	7	12	75
Energy	kj	184		0	29	52	313
Protein (N x 5.95)	g	0.30		6	0.05	0.09	0.51
Total lipid (fat)	g	0.20		6	0.03	0.06	0.34
Carbohydrate, by difference	g	11.40		0	1.82	3.23	19.38
Fiber, total dietary	g	2.6		0	0.4	0.7	4.4
Ash	g	0.30	0.000	7	0.05	0.09	0.51
Sugars, total	g						
Minerals:							
Calcium	mg	10	1.000	13	2	3	17
Iron	mg	0.21	0.040	13	0.03	0.06	0.36
Magnesium	mg	7		2	1	2	12
Phosphorus	mg	10		2	2	3	17
Potassium	mg	118		3	19	33	201
Sodium	mg	1		2	0	0	2
Zinc	mg	0.13		3	0.02	0.04	0.22
Copper	mg	0.105	0.005	2	0.017	0.030	0.179
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.1	0.7
Vitamins:							
Ascorbic acid	mg	16.8	1.600	12	2.7	4.8	28.6
Thiamin	mg	0.024	0.000	12	0.004	0.007	0.041
Riboflavin	mg	0.023	0.000	11	0.004	0.007	0.039
Niacin	mg	0.183	0.005	11	0.029	0.052	0.311
Pantothenic acid	mg	0.095		0	0.015	0.027	0.161
Vitamin B-6	mg	0.013		9	0.002	0.004	0.022
Folate	µg	3		0	0	1	5
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	32		8	5	9	54
Vitamin A, RE	µg	3		8	0	1	5
Vitamin E, α-TE	mg	0.600		0	0.096	0.170	1.020
Lipids:							
Saturated, total	g	0.013		0	0.002	0.004	0.022
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.009		0	0.001	0.003	0.015
17:0	g						
18:0	g	0.004		0	0.001	0.001	0.007
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.031	0	0.005	0.009	0.053
14:1	g					
16:1	g	0.001	0	0.000	0.000	0.002
18:1	g	0.030	0	0.005	0.009	0.051
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.058	0	0.009	0.016	0.099
18:2	g	0.043	0	0.007	0.012	0.073
18:3	g	0.016	0	0.003	0.005	0.027
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03160 Babyfood, fruit, guava and papaya with tapioca, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	82.50		1	23.39	93.22	
Energy	kcal	63		0	18	71	
Energy	kj	264		0	75	298	
Protein (N x 5.95)	g	0.20		1	0.06	0.23	
Total lipid (fat)	g	0.10		1	0.03	0.11	
Carbohydrate, by difference	g	17.00		0	4.82	19.21	
Fiber, total dietary	g						
Ash	g	0.20		1	0.06	0.23	
Sugars, total	g						
Minerals:							
Calcium	mg	7		6	2	8	
Iron	mg	0.20		6	0.06	0.23	
Magnesium	mg	5		2	1	6	
Phosphorus	mg	6	1.000	2	2	7	
Potassium	mg	74	9.000	2	21	84	
Sodium	mg	4		2	1	5	
Zinc	mg	0.06	0.019	2	0.02	0.07	
Copper	mg						
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.5	
Vitamins:							
Ascorbic acid	mg	80.9		6	22.9	91.4	
Thiamin	mg	0.010		6	0.003	0.011	
Riboflavin	mg	0.022		6	0.006	0.025	
Niacin	mg	0.263		6	0.075	0.297	
Pantothenic acid	mg						
Vitamin B-6	mg	0.014		6	0.004	0.016	
Folate	µg	2		0	1	2	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	184	18.000	6	52	208	
Vitamin A, RE	µg	18	2.000	6	5	20	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03161 Babyfood, peaches, dices, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	87.40		0			
Energy	kcal	51		0			
Energy	kj	213		0			
Protein (N x 5.95)	g	0.50		0			
Total lipid (fat)	g	0.20		0			
Carbohydrate, by difference	g	11.80		0			
Fiber, total dietary	g	0.8		0			
Ash	g	0.20		0			
Sugars, total	g						
Minerals:							
Calcium	mg	6		0			
Iron	mg	0.20		0			
Magnesium	mg	8		0			
Phosphorus	mg	17		0			
Potassium	mg	83		0			
Sodium	mg	5		0			
Zinc	mg	0.12		0			
Copper	mg	0.030		0			
Manganese	mg	0.050		0			
Selenium	µg	0.4		0			
Vitamins:							
Ascorbic acid	mg	31.3		0			
Thiamin	mg	0.010		0			
Riboflavin	mg	0.020		0			
Niacin	mg	0.470		0			
Pantothenic acid	mg	0.170		0			
Vitamin B-6	mg	0.040		0			
Folate	µg	5		0			
Vitamin B-12	µg	0.00		0			
Vitamin A	IU	138		0			
Vitamin A, RE	µg	14		0			
Vitamin E, α-TE	mg	1.300		0			
Lipids:							
Saturated, total	g	0.016		0			
4:0	g	0.000		0			
6.0	g	0.000		0			
8:0	g	0.000		0			
10:0	g	0.000		0			
12:0	g	0.000		0			
14:0	g	0.000		0			
15.0	g						
16:0	g	0.014		0			
17:0	g						
18:0	g	0.001		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.046	0
14:1	g		
16:1	g	0.001	0
18:1	g	0.053	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.078	0
18:2	g	0.068	0
18:3	g	0.005	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	0	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03162 Babyfood, fruit, papaya and applesauce with tapioca, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	80.60		1	22.85	91.08	
Energy	kcal	70		0	20	79	
Energy	kj	293		0	83	331	
Protein (N x 5.95)	g	0.20		1	0.06	0.23	
Total lipid (fat)	g	0.10		1	0.03	0.11	
Carbohydrate, by difference	g	18.90		0	5.36	21.36	
Fiber, total dietary	g	1.4		0	0.4	1.6	
Ash	g	0.20		1	0.06	0.23	
Sugars, total	g						
Minerals:							
Calcium	mg	7		2	2	8	
Iron	mg	0.44		0	0.12	0.50	
Magnesium	mg	5	1.000	2	1	6	
Phosphorus	mg	5	1.000	2	1	6	
Potassium	mg	79	4.000	2	22	89	
Sodium	mg	5		2	1	6	
Zinc	mg	0.03	0.009	2	0.01	0.03	
Copper	mg	0.044		0	0.012	0.050	
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.5	
Vitamins:							
Ascorbic acid	mg	113.1		2	32.1	127.8	
Thiamin	mg	0.010		2	0.003	0.011	
Riboflavin	mg	0.028		2	0.008	0.032	
Niacin	mg	0.108		2	0.031	0.122	
Pantothenic acid	mg	0.280		0	0.079	0.316	
Vitamin B-6	mg	0.023		2	0.007	0.026	
Folate	µg	2		0	1	2	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	76	32.000	2	22	86	
Vitamin A, RE	µg	8	3.000	2	2	9	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03164 Babyfood, fruit, apple and blueberry, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	83.10		1	23.56	93.90	
Energy	kcal	61		0	17	69	
Energy	kj	255		0	72	288	
Protein (N x 5.95)	g	0.20		6	0.06	0.23	
Total lipid (fat)	g	0.20	0.000	7	0.06	0.23	
Carbohydrate, by difference	g	16.30		0	4.62	18.42	
Fiber, total dietary	g	1.8		0	0.5	2.0	
Ash	g	0.20		1	0.06	0.23	
Sugars, total	g						
Minerals:							
Calcium	mg	4	0.000	7	1	5	
Iron	mg	0.20		7	0.06	0.23	
Magnesium	mg	3		0	1	3	
Phosphorus	mg	8	1.000	5	2	9	
Potassium	mg	69	5.000	5	20	78	
Sodium	mg	2		6	1	2	
Zinc	mg	0.03		0	0.01	0.04	
Copper	mg	0.056		0	0.016	0.063	
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.5	
Vitamins:							
Ascorbic acid	mg	27.8	0.100	2	7.9	31.4	
Thiamin	mg	0.017	0.000	7	0.005	0.019	
Riboflavin	mg	0.034	0.000	7	0.010	0.038	
Niacin	mg	0.120	0.008	7	0.034	0.136	
Pantothenic acid	mg	0.163		0	0.046	0.184	
Vitamin B-6	mg	0.037	0.000	7	0.010	0.042	
Folate	µg	4	0.300	3	1	4	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	20	6.000	6	6	23	
Vitamin A, RE	µg	2	1.000	6	1	2	
Vitamin E, α-TE	mg	0.600		0	0.170	0.678	
Lipids:							
Saturated, total	g	0.024		0	0.007	0.027	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.001		0	0.000	0.001	
15.0	g						
16:0	g	0.018		0	0.005	0.020	
17:0	g						
18:0	g	0.004		0	0.001	0.005	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.019	0	0.005	0.021
14:1	g				
16:1	g	0.001	0	0.000	0.001
18:1	g	0.018	0	0.005	0.020
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.073	0	0.021	0.082
18:2	g	0.050	0	0.014	0.057
18:3	g	0.023	0	0.007	0.026
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03165 Babyfood, fruit, apple and blueberry, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	82.80		1	23.47	140.76	
Energy	kcal	62		0	18	105	
Energy	kj	259		0	73	440	
Protein (N x 5.95)	g	0.20		5	0.06	0.34	
Total lipid (fat)	g	0.20		6	0.06	0.34	
Carbohydrate, by difference	g	16.60		0	4.71	28.22	
Fiber, total dietary	g	1.8		0	0.5	3.1	
Ash	g	0.20		0	0.06	0.34	
Sugars, total	g						
Minerals:							
Calcium	mg	5		6	1	9	
Iron	mg	0.40		6	0.11	0.68	
Magnesium	mg	3		0	1	5	
Phosphorus	mg	7	2.000	5	2	12	
Potassium	mg	65	5.000	4	18	111	
Sodium	mg	13		6	4	22	
Zinc	mg	0.04		0	0.01	0.06	
Copper	mg	0.057		0	0.016	0.097	
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.7	
Vitamins:							
Ascorbic acid	mg	13.9		2	3.9	23.6	
Thiamin	mg	0.018		6	0.005	0.031	
Riboflavin	mg	0.043		6	0.012	0.073	
Niacin	mg	0.103		6	0.029	0.175	
Pantothenic acid	mg	0.164		0	0.046	0.279	
Vitamin B-6	mg	0.042		5	0.012	0.071	
Folate	µg	4		0	1	6	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	42	8.000	4	12	71	
Vitamin A, RE	µg	4	1.000	4	1	7	
Vitamin E, α-TE	mg	0.600		0	0.170	1.020	
Lipids:							
Saturated, total	g	0.024		0	0.007	0.041	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.001		0	0.000	0.002	
15.0	g						
16:0	g	0.018		0	0.005	0.031	
17:0	g						
18:0	g	0.004		0	0.001	0.007	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.019	0	0.005	0.032
14:1	g				
16:1	g	0.001	0	0.000	0.002
18:1	g	0.018	0	0.005	0.031
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.073	0	0.021	0.124
18:2	g	0.050	0	0.014	0.085
18:3	g	0.023	0	0.007	0.039
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03166 Babyfood, juice, apple

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 32g	Measure 2* 127g	Measure 3* 131g
Proximates:							
Water	g	88.00		14	27.90	111.76	115.28
Energy	kcal	47		0	15	60	62
Energy	kj	197		0	62	250	258
Protein (N x 5.95)	g	0.00	0.000	22	0.00	0.00	0.00
Total lipid (fat)	g	0.10	0.000	22	0.03	0.13	0.13
Carbohydrate, by difference	g	11.70		0	3.71	14.86	15.33
Fiber, total dietary	g	0.1		0	0.0	0.1	0.1
Ash	g	0.20	0.000	18	0.06	0.25	0.26
Sugars, total	g						
Minerals:							
Calcium	mg	4		15	1	5	5
Iron	mg	0.57	0.060	23	0.18	0.72	0.75
Magnesium	mg	3		2	1	4	4
Phosphorus	mg	5		3	2	6	7
Potassium	mg	91		16	29	116	119
Sodium	mg	3		16	1	4	4
Zinc	mg	0.03		2	0.01	0.04	0.04
Copper	mg	0.040		0	0.013	0.051	0.052
Manganese	mg						
Selenium	µg	0.1		0	0.0	0.1	0.1
Vitamins:							
Ascorbic acid	mg	57.9		9	18.4	73.5	75.8
Thiamin	mg	0.007	0.000	22	0.002	0.009	0.009
Riboflavin	mg	0.016		11	0.005	0.020	0.021
Niacin	mg	0.083		19	0.026	0.105	0.109
Pantothenic acid	mg	0.116		0	0.037	0.147	0.152
Vitamin B-6	mg	0.029	0.000	6	0.009	0.037	0.038
Folate	µg	0		9	0	0	0
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	18		14	6	23	24
Vitamin A, RE	µg	2		14	1	3	3
Vitamin E, α-TE	mg	0.600		0	0.190	0.762	0.786
Lipids:							
Saturated, total	g	0.018		0	0.006	0.023	0.024
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.016		0	0.005	0.020	0.021
17:0	g						
18:0	g	0.002		0	0.001	0.003	0.003
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.002	0	0.001	0.003	0.003
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.002	0	0.001	0.003	0.003
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.031	0	0.010	0.039	0.041
18:2	g	0.027	0	0.009	0.034	0.035
18:3	g	0.004	0	0.001	0.005	0.005
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar
Measure 3: 1 Earth's Best bottle (4.2 fl oz)

NDB No. 03167 Babyfood, apple-banana juice

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 131g	Measure 3* 125g
Proximates:							
Water	g	87.10		0	27.18	114.10	108.88
Energy	kcal	51		0	16	67	64
Energy	kj	213		0	66	279	266
Protein (N x 5.95)	g	0.20		0	0.06	0.26	0.25
Total lipid (fat)	g	0.10		0	0.03	0.13	0.13
Carbohydrate, by difference	g	12.30		0	3.84	16.11	15.38
Fiber, total dietary	g	0.2		0	0.1	0.3	0.3
Ash	g	0.26		0	0.08	0.34	0.33
Sugars, total	g						
Minerals:							
Calcium	mg	7		0	2	9	9
Iron	mg	0.20		0	0.06	0.26	0.25
Magnesium	mg	6		0	2	8	8
Phosphorus	mg	8		0	2	10	10
Potassium	mg	123		0	38	161	154
Sodium	mg	4		0	1	5	5
Zinc	mg	0.04		0	0.01	0.05	0.05
Copper	mg	0.020		0	0.006	0.026	0.025
Manganese	mg	0.080		0	0.025	0.105	0.100
Selenium	µg	0.3		0	0.1	0.4	0.4
Vitamins:							
Ascorbic acid	mg	27.9		0	8.7	36.5	34.9
Thiamin	mg	0.010		0	0.003	0.013	0.013
Riboflavin	mg	0.010		0	0.003	0.013	0.013
Niacin	mg	0.140		0	0.044	0.183	0.175
Pantothenic acid	mg	0.125		0	0.039	0.164	0.156
Vitamin B-6	mg	0.060		0	0.019	0.079	0.075
Folate	µg	1		0	0	1	1
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	9		0	3	12	11
Vitamin A, RE	µg	1		0	0	1	1
Vitamin E, α-TE	mg	0.580		0	0.181	0.760	0.725
Lipids:							
Saturated, total	g	0.018		0	0.006	0.024	0.023
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.001		0	0.000	0.001	0.001
15.0	g						
16:0	g	0.015		0	0.005	0.020	0.019
17:0	g						
18:0	g	0.002		0	0.001	0.003	0.003
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.004	0	0.001	0.005	0.005
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.004	0	0.001	0.005	0.005
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.034	0	0.011	0.045	0.043
18:2	g	0.028	0	0.009	0.037	0.035
18:3	g	0.006	0	0.002	0.008	0.008
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 Earth's Best bottle (4.2 fl oz)
Measure 3: 1 Heinz Strained bottle (4 fl oz)

NDB No. 03168 Babyfood, juice, apple and peach

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3*
Proximates:							
Water	g	89.00		1	27.77	113.03	
Energy	kcal	42		0	13	53	
Energy	kj	176		0	55	224	
Protein (N x 5.95)	g	0.20	0.000	6	0.06	0.25	
Total lipid (fat)	g	0.10	0.000	6	0.03	0.13	
Carbohydrate, by difference	g	10.50		0	3.28	13.34	
Fiber, total dietary	g	0.1		0	0.0	0.1	
Ash	g	0.30	0.000	6	0.09	0.38	
Sugars, total	g						
Minerals:							
Calcium	mg	3	1.000	6	1	4	
Iron	mg	0.56	0.140	10	0.17	0.71	
Magnesium	mg	3	0.000	2	1	4	
Phosphorus	mg	4	1.000	2	1	5	
Potassium	mg	97	7.000	2	30	123	
Sodium	mg	1		0	0	1	
Zinc	mg	0.03	0.004	2	0.01	0.03	
Copper	mg	0.037		0	0.012	0.047	
Manganese	mg						
Selenium	µg	0.3		0	0.1	0.4	
Vitamins:							
Ascorbic acid	mg	58.5	2.000	6	18.3	74.3	
Thiamin	mg	0.008	0.000	6	0.002	0.010	
Riboflavin	mg	0.011	0.000	6	0.003	0.014	
Niacin	mg	0.213	0.006	6	0.066	0.271	
Pantothenic acid	mg	0.082		0	0.026	0.104	
Vitamin B-6	mg	0.022	0.000	6	0.007	0.028	
Folate	µg	1	0.100	3	0	2	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	63	12.000	6	20	80	
Vitamin A, RE	µg	6	1.000	6	2	8	
Vitamin E, α-TE	mg	0.010		0	0.003	0.013	
Lipids:							
Saturated, total	g	0.018		0	0.006	0.023	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.000		0	0.000	0.000	
15.0	g						
16:0	g	0.016		0	0.005	0.020	
17:0	g						
18:0	g	0.002		0	0.001	0.003	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.002	0	0.001	0.003
14:1	g				
16:1	g	0.000	0	0.000	0.000
18:1	g	0.002	0	0.001	0.003
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.031	0	0.010	0.039
18:2	g	0.027	0	0.008	0.034
18:3	g	0.004	0	0.001	0.005
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar

NDB No. 03169 Babyfood, apple-cranberry juice

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	88.30		0			
Energy	kcal	47		0			
Energy	kj	197		0			
Protein (N x 5.95)	g	0.00		0			
Total lipid (fat)	g	0.02		0			
Carbohydrate, by difference	g	11.40		0			
Fiber, total dietary	g	0.0		0			
Ash	g	0.19		0			
Sugars, total	g						
Minerals:							
Calcium	mg	6		0			
Iron	mg	0.22		0			
Magnesium	mg	3		0			
Phosphorus	mg	7		0			
Potassium	mg	97		0			
Sodium	mg	5		0			
Zinc	mg	0.05		0			
Copper	mg	0.010		0			
Manganese	mg	0.160		0			
Selenium	µg	0.1		0			
Vitamins:							
Ascorbic acid	mg	27.9		0			
Thiamin	mg	0.000		0			
Riboflavin	mg	0.020		0			
Niacin	mg	0.070		0			
Pantothenic acid	mg						
Vitamin B-6	mg	0.030		0			
Folate	µg	0		0			
Vitamin B-12	µg	0.00		0			
Vitamin A	IU	0		0			
Vitamin A, RE	µg	0		0			
Vitamin E, α-TE	mg	0.480		0			
Lipids:							
Saturated, total	g	0.007		0			
4:0	g	0.000		0			
6.0	g	0.000		0			
8:0	g	0.000		0			
10:0	g	0.000		0			
12:0	g	0.000		0			
14:0	g	0.000		0			
15.0	g						
16:0	g	0.006		0			
17:0	g						
18:0	g	0.001		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.001	0
14:1	g		
16:1	g	0.000	0
18:1	g	0.001	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.012	0
18:2	g	0.010	0
18:3	g	0.002	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	0	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03170 Babyfood, juice, apple and plum

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3*
Proximates:							
Water	g	87.30		1	27.24	110.87	
Energy	kcal	49		0	15	62	
Energy	kj	205		0	64	260	
Protein (N x 5.95)	g	0.10		1	0.03	0.13	
Total lipid (fat)	g	0.00		1	0.00	0.00	
Carbohydrate, by difference	g	12.30		0	3.84	15.62	
Fiber, total dietary	g	0.1		0	0.0	0.1	
Ash	g	0.30	0.000	6	0.09	0.38	
Sugars, total	g						
Minerals:							
Calcium	mg	5	1.000	6	2	6	
Iron	mg	0.62	0.100	11	0.19	0.79	
Magnesium	mg	3	0.000	2	1	4	
Phosphorus	mg	3	1.000	3	1	4	
Potassium	mg	101	1.000	2	32	128	
Sodium	mg	1		0	0	1	
Zinc	mg	0.03		2	0.01	0.04	
Copper	mg	0.042		0	0.013	0.053	
Manganese	mg						
Selenium	µg	0.3		0	0.1	0.4	
Vitamins:							
Ascorbic acid	mg	58.2	3.900	6	18.2	73.9	
Thiamin	mg	0.020	0.005	6	0.006	0.025	
Riboflavin	mg	0.017	0.000	6	0.005	0.022	
Niacin	mg	0.195	0.013	6	0.061	0.248	
Pantothenic acid	mg	0.123		0	0.038	0.156	
Vitamin B-6	mg	0.028	0.000	6	0.009	0.036	
Folate	µg	0		3	0	0	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	43	15.000	6	13	55	
Vitamin A, RE	µg	4	2.000	6	1	5	
Vitamin E, α-TE	mg	0.010		0	0.003	0.013	
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.000		0	0.000	0.000	
15.0	g						
16:0	g	0.000		0	0.000	0.000	
17:0	g						
18:0	g	0.000		0	0.000	0.000	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000
14:1	g				
16:1	g	0.000	0	0.000	0.000
18:1	g	0.000	0	0.000	0.000
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000
18:2	g	0.000	0	0.000	0.000
18:3	g	0.000	0	0.000	0.000
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar

NDB No. 03171 Babyfood, juice, apple and prune

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3* 125g
Proximates:							
Water	g	81.30	0.300	4	25.37	103.25	101.63
Energy	kcal	73		0	23	93	91
Energy	kj	305		0	95	387	381
Protein (N x 5.95)	g	0.20	0.000	4	0.06	0.25	0.25
Total lipid (fat)	g	0.10	0.000	4	0.03	0.13	0.13
Carbohydrate, by difference	g	18.00		0	5.62	22.86	22.50
Fiber, total dietary	g	0.1		0	0.0	0.1	0.1
Ash	g	0.30	0.100	4	0.09	0.38	0.38
Sugars, total	g						
Minerals:							
Calcium	mg	9		1	3	11	11
Iron	mg	0.95	0.140	4	0.30	1.21	1.19
Magnesium	mg	7		0	2	9	9
Phosphorus	mg	15		1	5	19	19
Potassium	mg	148		1	46	188	185
Sodium	mg	5		1	2	6	6
Zinc	mg	0.05		0	0.01	0.06	0.06
Copper	mg	0.062		0	0.019	0.079	0.078
Manganese	mg						
Selenium	µg	0.3		0	0.1	0.4	0.4
Vitamins:							
Ascorbic acid	mg	67.5	3.900	3	21.1	85.7	84.4
Thiamin	mg	0.005		1	0.002	0.006	0.006
Riboflavin	mg	0.002		1	0.001	0.003	0.003
Niacin	mg	0.301	0.012	4	0.094	0.382	0.376
Pantothenic acid	mg	0.181		0	0.056	0.230	0.226
Vitamin B-6	mg	0.035		1	0.011	0.044	0.044
Folate	µg	0		3	0	0	0
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	16		0	5	20	20
Vitamin A, RE	µg	2		0	1	3	3
Vitamin E, α-TE	mg	0.360		0	0.112	0.457	0.450
Lipids:							
Saturated, total	g	0.018		0	0.006	0.023	0.023
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.016		0	0.005	0.020	0.020
17:0	g						
18:0	g	0.002		0	0.001	0.003	0.003
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.006	0	0.002	0.008	0.008
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.006	0	0.002	0.008	0.008
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.031	0	0.010	0.039	0.039
18:2	g	0.027	0	0.008	0.034	0.034
18:3	g	0.004	0	0.001	0.005	0.005
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar
Measure 3: 1 bottle (4 fl oz)

NDB No. 03172 Babyfood, juice, orange

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3* 125g
Proximates:							
Water	g	88.50		14	27.61	112.39	110.63
Energy	kcal	44		0	14	56	55
Energy	kj	184		0	57	234	230
Protein (N x 5.95)	g	0.60	0.000	21	0.19	0.76	0.75
Total lipid (fat)	g	0.30	0.000	21	0.09	0.38	0.38
Carbohydrate, by difference	g	10.20		0	3.18	12.95	12.75
Fiber, total dietary	g	0.1		0	0.0	0.1	0.1
Ash	g	0.40	0.000	17	0.12	0.51	0.50
Sugars, total	g						
Minerals:							
Calcium	mg	12		19	4	15	15
Iron	mg	0.17	0.040	24	0.05	0.22	0.21
Magnesium	mg	9	0.000	5	3	11	11
Phosphorus	mg	11		3	3	14	14
Potassium	mg	184		16	57	234	230
Sodium	mg	1		16	0	1	1
Zinc	mg	0.06	0.011	5	0.02	0.07	0.07
Copper	mg	0.046		0	0.014	0.058	0.058
Manganese	mg						
Selenium	µg	0.1		0	0.0	0.1	0.1
Vitamins:							
Ascorbic acid	mg	62.5		7	19.5	79.4	78.1
Thiamin	mg	0.045	0.008	25	0.014	0.057	0.056
Riboflavin	mg	0.028	0.000	25	0.009	0.036	0.035
Niacin	mg	0.239	0.013	25	0.075	0.304	0.299
Pantothenic acid	mg	0.137		0	0.043	0.174	0.171
Vitamin B-6	mg	0.054		8	0.017	0.069	0.068
Folate	µg	26	0.500	9	8	34	33
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	55	7.000	18	17	70	69
Vitamin A, RE	µg	6	1.000	18	2	8	8
Vitamin E, α-TE	mg	0.600		0	0.187	0.762	0.750
Lipids:							
Saturated, total	g	0.035		0	0.011	0.044	0.044
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.035		0	0.011	0.044	0.044
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.050	0	0.016	0.064	0.063
14:1	g					
16:1	g	0.005	0	0.002	0.006	0.006
18:1	g	0.045	0	0.014	0.057	0.056
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.060	0	0.019	0.076	0.075
18:2	g	0.045	0	0.014	0.057	0.056
18:3	g	0.015	0	0.005	0.019	0.019
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar
Measure 3: 1 Heinz Strained bottle (4 fl oz)

NDB No. 03173 Babyfood, juice, orange and apple

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3*
Proximates:							
Water	g	88.90	0.800	3	27.74	112.90	
Energy	kcal	43		0	13	55	
Energy	kj	180		0	56	229	
Protein (N x 5.95)	g	0.40		11	0.12	0.51	
Total lipid (fat)	g	0.20		7	0.06	0.25	
Carbohydrate, by difference	g	10.10		0	3.15	12.83	
Fiber, total dietary	g						
Ash	g	0.40		1	0.12	0.51	
Sugars, total	g						
Minerals:							
Calcium	mg	10		4	3	13	
Iron	mg	0.20		6	0.06	0.25	
Magnesium	mg	5	0.000	2	2	6	
Phosphorus	mg	7	1.000	2	2	9	
Potassium	mg	138	9.000	2	43	175	
Sodium	mg	3		6	1	4	
Zinc	mg	0.03	0.004	2	0.01	0.03	
Copper	mg	0.040		0	0.012	0.051	
Manganese	mg						
Selenium	µg	0.1		0	0.0	0.1	
Vitamins:							
Ascorbic acid	mg	76.9		2	24.0	97.7	
Thiamin	mg	0.038		6	0.012	0.048	
Riboflavin	mg	0.028		10	0.009	0.036	
Niacin	mg	0.185		6	0.058	0.235	
Pantothenic acid	mg	0.120		0	0.037	0.152	
Vitamin B-6	mg	0.038		6	0.012	0.048	
Folate	µg	12	0.400	3	4	15	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	73	28.000	4	23	93	
Vitamin A, RE	µg	7	3.000	4	2	9	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar

NDB No. 03174 Babyfood, juice, orange and apple and banana

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3* 125g
Proximates:							
Water	g	87.60		1	27.33	111.25	109.50
Energy	kcal	47		0	15	60	59
Energy	kj	197		0	61	250	246
Protein (N x 5.95)	g	0.40		1	0.12	0.51	0.50
Total lipid (fat)	g	0.10		1	0.03	0.13	0.13
Carbohydrate, by difference	g	11.50		0	3.59	14.61	14.38
Fiber, total dietary	g	0.1		0	0.0	0.1	0.1
Ash	g	0.40		3	0.12	0.51	0.50
Sugars, total	g						
Minerals:							
Calcium	mg	5		2	2	6	6
Iron	mg	0.35		2	0.11	0.44	0.44
Magnesium	mg	6	0.000	2	2	8	8
Phosphorus	mg	8		3	2	10	10
Potassium	mg	134		3	42	170	168
Sodium	mg	4		2	1	5	5
Zinc	mg	0.03	0.004	2	0.01	0.03	0.03
Copper	mg	0.044		0	0.014	0.056	0.055
Manganese	mg						
Selenium	µg	0.1		0	0.0	0.1	0.1
Vitamins:							
Ascorbic acid	mg	32.1	8.300	6	10.0	40.8	40.1
Thiamin	mg	0.043	0.000	7	0.013	0.055	0.054
Riboflavin	mg	0.027		6	0.008	0.034	0.034
Niacin	mg	0.263		2	0.082	0.334	0.329
Pantothenic acid	mg	0.134		0	0.042	0.170	0.168
Vitamin B-6	mg	0.062		2	0.019	0.079	0.078
Folate	µg	10	2.100	6	3	12	12
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	27		1	8	34	34
Vitamin A, RE	µg	3		1	1	4	4
Vitamin E, α-TE	mg	0.600		0	0.187	0.762	0.750
Lipids:							
Saturated, total	g	0.016		0	0.005	0.020	0.020
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.014		0	0.004	0.018	0.018
17:0	g						
18:0	g	0.001		0	0.000	0.001	0.001
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.007	0	0.002	0.009	0.009
14:1	g					
16:1	g	0.001	0	0.000	0.001	0.001
18:1	g	0.007	0	0.002	0.009	0.009
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.027	0	0.008	0.034	0.034
18:2	g	0.022	0	0.007	0.028	0.028
18:3	g	0.004	0	0.001	0.005	0.005
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar
Measure 3: 1 Heinz Strained bottle (4 fl oz)

NDB No. 03175 Babyfood, juice, orange and apricot

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3*
Proximates:							
Water	g	87.80		1	27.39	111.51	
Energy	kcal	46		0	14	58	
Energy	kj	192		0	60	244	
Protein (N x 5.95)	g	0.80		1	0.25	1.02	
Total lipid (fat)	g	0.10		1	0.03	0.13	
Carbohydrate, by difference	g	10.90		0	3.40	13.84	
Fiber, total dietary	g	0.1		0	0.0	0.1	
Ash	g	0.40	0.000	4	0.12	0.51	
Sugars, total	g						
Minerals:							
Calcium	mg	6		1	2	8	
Iron	mg	0.38	0.180	6	0.12	0.48	
Magnesium	mg	7	1.000	2	2	9	
Phosphorus	mg	12	2.000	2	4	15	
Potassium	mg	199	14.000	2	62	253	
Sodium	mg	6		1	2	8	
Zinc	mg	0.04	0.004	2	0.01	0.04	
Copper	mg	0.084		0	0.026	0.107	
Manganese	mg						
Selenium	µg	0.1		0	0.0	0.1	
Vitamins:							
Ascorbic acid	mg	85.9	5.900	4	26.8	109.1	
Thiamin	mg	0.058	0.000	4	0.018	0.074	
Riboflavin	mg	0.028	0.000	4	0.009	0.036	
Niacin	mg	0.267	0.023	4	0.083	0.339	
Pantothenic acid	mg	0.096		0	0.030	0.122	
Vitamin B-6	mg	0.056	0.004	4	0.017	0.071	
Folate	µg	20	5.000	3	6	25	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	216		1	67	274	
Vitamin A, RE	µg	22		1	7	28	
Vitamin E, α-TE	mg	0.600		0	0.187	0.762	
Lipids:							
Saturated, total	g	0.011		0	0.003	0.014	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.000		0	0.000	0.000	
15.0	g						
16:0	g	0.010		0	0.003	0.013	
17:0	g						
18:0	g	0.000		0	0.000	0.000	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.022	0	0.007	0.028
14:1	g				
16:1	g	0.001	0	0.000	0.001
18:1	g	0.021	0	0.007	0.027
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.020	0	0.006	0.025
18:2	g	0.016	0	0.005	0.020
18:3	g	0.004	0	0.001	0.005
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar

NDB No. 03176 Babyfood, juice, orange and banana

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3*
Proximates:							
Water	g	86.90	0.000	13	27.11	110.36	
Energy	kcal	50		0	16	64	
Energy	kj	209		0	65	265	
Protein (N x 5.95)	g	0.70	0.000	13	0.22	0.89	
Total lipid (fat)	g	0.10		13	0.03	0.13	
Carbohydrate, by difference	g	11.90		0	3.71	15.11	
Fiber, total dietary	g						
Ash	g	0.40	0.000	13	0.12	0.51	
Sugars, total	g						
Minerals:							
Calcium	mg	17	1.000	13	5	22	
Iron	mg	0.11	0.000	13	0.03	0.14	
Magnesium	mg	14		0	4	18	
Phosphorus	mg	13		0	4	17	
Potassium	mg	200	3.000	13	62	254	
Sodium	mg	3	0.000	13	1	4	
Zinc	mg	0.09		0	0.03	0.11	
Copper	mg	0.042		0	0.013	0.053	
Manganese	mg						
Selenium	µg	0.1		0	0.0	0.1	
Vitamins:							
Ascorbic acid	mg	34.0		1	10.6	43.2	
Thiamin	mg	0.051	0.000	13	0.016	0.065	
Riboflavin	mg	0.042	0.000	13	0.013	0.053	
Niacin	mg	0.180	0.011	13	0.056	0.229	
Pantothenic acid	mg	0.148		0	0.046	0.188	
Vitamin B-6	mg	0.054		0	0.017	0.069	
Folate	µg	24	1.900	3	8	31	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	46	3.000	13	14	58	
Vitamin A, RE	µg	5	0.000	13	2	6	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar

NDB No. 03177 Babyfood, juice, orange and pineapple

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3*
Proximates:							
Water	g	87.30		14	27.24	110.87	
Energy	kcal	48		0	15	61	
Energy	kj	201		0	63	255	
Protein (N x 5.95)	g	0.50		14	0.16	0.64	
Total lipid (fat)	g	0.10		14	0.03	0.13	
Carbohydrate, by difference	g	11.70		0	3.65	14.86	
Fiber, total dietary	g	0.1		0	0.0	0.1	
Ash	g	0.40	0.000	16	0.12	0.51	
Sugars, total	g						
Minerals:							
Calcium	mg	8		3	2	10	
Iron	mg	0.42		21	0.13	0.53	
Magnesium	mg	9	0.000	2	3	11	
Phosphorus	mg	9		3	3	11	
Potassium	mg	141		16	44	179	
Sodium	mg	2		16	1	3	
Zinc	mg	0.04		2	0.01	0.05	
Copper	mg	0.044		0	0.014	0.056	
Manganese	mg						
Selenium	µg	0.1		0	0.0	0.1	
Vitamins:							
Ascorbic acid	mg	53.4		7	16.7	67.8	
Thiamin	mg	0.050		8	0.016	0.064	
Riboflavin	mg	0.023		5	0.007	0.029	
Niacin	mg	0.194		5	0.061	0.246	
Pantothenic acid	mg	0.059		0	0.018	0.075	
Vitamin B-6	mg	0.062		4	0.019	0.079	
Folate	µg	19	1.200	3	6	24	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	31		2	10	39	
Vitamin A, RE	µg	3		2	1	4	
Vitamin E, α-TE	mg	0.600		0	0.187	0.762	
Lipids:							
Saturated, total	g	0.010		0	0.003	0.013	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.000		0	0.000	0.000	
15.0	g						
16:0	g	0.009		0	0.003	0.011	
17:0	g						
18:0	g	0.001		0	0.000	0.001	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.014	0	0.004	0.018
14:1	g				
16:1	g	0.001	0	0.000	0.001
18:1	g	0.013	0	0.004	0.017
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.024	0	0.007	0.030
18:2	g	0.017	0	0.005	0.022
18:3	g	0.008	0	0.002	0.010
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar

NDB No. 03178 Babyfood, juice, prune and orange

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3*
Proximates:							
Water	g	81.90	0.300	18	25.55	104.01	
Energy	kcal	70		0	22	89	
Energy	kj	293		0	91	372	
Protein (N x 5.95)	g	0.60	0.000	19	0.19	0.76	
Total lipid (fat)	g	0.30	0.100	18	0.09	0.38	
Carbohydrate, by difference	g	16.80		0	5.24	21.34	
Fiber, total dietary	g						
Ash	g	0.40	0.000	18	0.12	0.51	
Sugars, total	g						
Minerals:							
Calcium	mg	12		14	4	15	
Iron	mg	0.87	0.330	20	0.27	1.10	
Magnesium	mg	8	0.000	2	2	10	
Phosphorus	mg	10	2.000	2	3	13	
Potassium	mg	181	1.000	15	56	230	
Sodium	mg	2	0.000	15	1	3	
Zinc	mg	0.04		2	0.01	0.05	
Copper	mg	0.046		0	0.014	0.058	
Manganese	mg						
Selenium	µg	0.1		0	0.0	0.1	
Vitamins:							
Ascorbic acid	mg	63.8	5.600	5	19.9	81.0	
Thiamin	mg	0.044	0.000	18	0.014	0.056	
Riboflavin	mg	0.120	0.005	18	0.037	0.152	
Niacin	mg	0.396	0.036	18	0.124	0.503	
Pantothenic acid	mg	0.137		0	0.043	0.174	
Vitamin B-6	mg	0.061	0.000	6	0.019	0.077	
Folate	µg	13	0.300	3	4	17	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	131		14	41	166	
Vitamin A, RE	µg	13		14	4	17	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar

NDB No. 03179 Babyfood, juice, mixed fruit

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3* 125g
Proximates:							
Water	g	87.90		14	27.42	111.63	109.88
Energy	kcal	47		0	15	60	59
Energy	kj	197		0	61	250	246
Protein (N x 5.95)	g	0.10		14	0.03	0.13	0.13
Total lipid (fat)	g	0.10		14	0.03	0.13	0.13
Carbohydrate, by difference	g	11.60		0	3.62	14.73	14.50
Fiber, total dietary	g	0.1		0	0.0	0.1	0.1
Ash	g	0.20	0.000	18	0.06	0.25	0.25
Sugars, total	g						
Minerals:							
Calcium	mg	8		8	2	10	10
Iron	mg	0.34	0.050	24	0.11	0.43	0.43
Magnesium	mg	5	0.000	2	2	6	6
Phosphorus	mg	5	0.000	2	2	6	6
Potassium	mg	101	2.000	15	32	128	126
Sodium	mg	4	0.000	13	1	5	5
Zinc	mg	0.03		2	0.01	0.04	0.04
Copper	mg	0.040		0	0.012	0.051	0.050
Manganese	mg						
Selenium	µg	0.5		0	0.2	0.6	0.6
Vitamins:							
Ascorbic acid	mg	63.6		12	19.8	80.8	79.5
Thiamin	mg	0.023		12	0.007	0.029	0.029
Riboflavin	mg	0.014		12	0.004	0.018	0.018
Niacin	mg	0.123		13	0.038	0.156	0.154
Pantothenic acid	mg	0.115		0	0.036	0.146	0.144
Vitamin B-6	mg	0.043	0.000	6	0.013	0.055	0.054
Folate	µg	7	0.500	9	2	9	8
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	42		7	13	53	53
Vitamin A, RE	µg	4		7	1	5	5
Vitamin E, α-TE	mg	0.200		0	0.062	0.254	0.250
Lipids:							
Saturated, total	g	0.015		0	0.005	0.019	0.019
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.013		0	0.004	0.017	0.016
17:0	g						
18:0	g	0.002		0	0.001	0.003	0.003
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.006	0	0.002	0.008	0.008
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.006	0	0.002	0.008	0.008
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.039	0	0.012	0.050	0.049
18:2	g	0.036	0	0.011	0.046	0.045
18:3	g	0.003	0	0.001	0.004	0.004
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar
Measure 3: 1 bottle (4 fl oz)

NDB No. 03181 Babyfood, cereal, barley, dry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 2g	Measure 2* 15g	Measure 3*
Proximates:							
Water	g	6.80	0.200	22	0.16	1.02	
Energy	kcal	365		0	9	55	
Energy	kj	1527		0	37	229	
Protein (N x 5.95)	g	11.10	0.100	23	0.27	1.67	
Total lipid (fat)	g	3.40	0.100	23	0.08	0.51	
Carbohydrate, by difference	g	75.30		0	1.81	11.29	
Fiber, total dietary	g	8.2		0	0.2	1.2	
Ash	g	3.40	0.100	22	0.08	0.51	
Sugars, total	g						
Minerals:							
Calcium	mg	795	8.000	19	19	119	
Iron	mg	47.50		0	1.14	7.13	
Magnesium	mg	115	5.000	3	3	17	
Phosphorus	mg	439	3.000	6	11	66	
Potassium	mg	395		16	9	59	
Sodium	mg	47		17	1	7	
Zinc	mg	3.13	0.185	3	0.08	0.47	
Copper	mg	0.467		5	0.011	0.070	
Manganese	mg						
Selenium	µg	30.2	4.400	3	0.7	4.5	
Vitamins:							
Ascorbic acid	mg	2.2		15	0.1	0.3	
Thiamin	mg	2.737		18	0.066	0.411	
Riboflavin	mg	2.699	0.100	17	0.065	0.405	
Niacin	mg	35.988	1.784	17	0.864	5.398	
Pantothenic acid	mg	0.527		0	0.013	0.079	
Vitamin B-6	mg	0.374		5	0.009	0.056	
Folate	µg	29	2.800	6	1	4	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	16		0	0	2	
Vitamin A, RE	µg	2		0	0	0	
Vitamin E, α-TE	mg	0.270		0	0.006	0.041	
Lipids:							
Saturated, total	g	0.418		0	0.010	0.063	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.001		0	0.000	0.000	
14:0	g	0.003		0	0.000	0.000	
15.0	g						
16:0	g	0.274		0	0.007	0.041	
17:0	g						
18:0	g	0.129		0	0.003	0.019	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.666	0	0.016	0.100
14:1	g				
16:1	g	0.100	0	0.002	0.015
18:1	g	0.558	0	0.013	0.084
20:1	g	0.002	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	1.759	0	0.042	0.264
18:2	g	1.612	0	0.039	0.242
18:3	g	0.144	0	0.003	0.022
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.136	0	0.003	0.020
Threonine	g	0.375	0	0.009	0.056
Isoleucine	g	0.419	0	0.010	0.063
Leucine	g	0.810	0	0.019	0.122
Lysine	g	0.365	0	0.009	0.055
Methionine	g	0.208	0	0.005	0.031
Cystine	g	0.264	0	0.006	0.040
Phenylalanine	g	0.657	0	0.016	0.099
Tyrosine	g	0.409	0	0.010	0.061
Valine	g	0.592	0	0.014	0.089
Arginine	g	0.566	0	0.014	0.085
Histidine	g	0.250	0	0.006	0.038
Alanine	g	0.422	0	0.010	0.063
Aspartic acid	g	0.640	0	0.015	0.096
Glutamic acid	g	3.184	0	0.076	0.478
Glycine	g	0.422	0	0.010	0.063
Proline	g	1.445	0	0.035	0.217
Serine	g	0.478	0	0.011	0.072
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1/2 oz

NDB No. 03182 Babyfood, cereal, high protein, dry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 2g	Measure 2* 15g	Measure 3*
Proximates:							
Water	g	6.10		33	0.15	0.92	
Energy	kcal	362		0	9	54	
Energy	kj	1515		0	36	227	
Protein (N x 5.95)	g	36.00	0.300	21	0.86	5.40	
Total lipid (fat)	g	5.90	0.200	21	0.14	0.89	
Carbohydrate, by difference	g	46.70		0	1.12	7.00	
Fiber, total dietary	g	7.1		0	0.2	1.1	
Ash	g	5.30	0.300	22	0.13	0.80	
Sugars, total	g						
Minerals:							
Calcium	mg	724		15	17	109	
Iron	mg	47.50		0	1.14	7.13	
Magnesium	mg	228	11.000	3	5	34	
Phosphorus	mg	607	10.000	15	15	91	
Potassium	mg	1353	26.000	13	32	203	
Sodium	mg	47		17	1	7	
Zinc	mg	4.42	0.152	19	0.11	0.66	
Copper	mg	1.275	0.005	21	0.031	0.191	
Manganese	mg						
Selenium	µg	28.3	6.200	3	0.7	4.2	
Vitamins:							
Ascorbic acid	mg	2.2		15	0.1	0.3	
Thiamin	mg	2.668		20	0.064	0.400	
Riboflavin	mg	2.701	0.142	19	0.065	0.405	
Niacin	mg	34.063	1.077	15	0.818	5.109	
Pantothenic acid	mg	1.238		0	0.030	0.186	
Vitamin B-6	mg	0.475		5	0.011	0.071	
Folate	µg	190	10.400	6	5	29	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	15		0	0	2	
Vitamin A, RE	µg	2		0	0	0	
Vitamin E, α-TE	mg	0.270		0	0.006	0.041	
Lipids:							
Saturated, total	g	0.876		0	0.021	0.131	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.003		0	0.000	0.000	
14:0	g	0.008		0	0.000	0.001	
15.0	g						
16:0	g	0.674		0	0.016	0.101	
17:0	g						
18:0	g	0.166		0	0.004	0.025	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.152	0	0.028	0.173
14:1	g				
16:1	g	0.016	0	0.000	0.002
18:1	g	1.131	0	0.027	0.170
20:1	g	0.004	0	0.000	0.001
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	2.812	0	0.067	0.422
18:2	g	2.512	0	0.060	0.377
18:3	g	0.282	0	0.007	0.042
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.552	0	0.013	0.083
Threonine	g	1.461	0	0.035	0.219
Isoleucine	g	1.755	0	0.042	0.263
Leucine	g	2.940	0	0.071	0.441
Lysine	g	2.370	0	0.057	0.356
Methionine	g	0.608	0	0.015	0.091
Cystine	g	0.727	0	0.017	0.109
Phenylalanine	g	1.893	0	0.045	0.284
Tyrosine	g	1.404	0	0.034	0.211
Valine	g	1.856	0	0.045	0.278
Arginine	g	2.796	0	0.067	0.419
Histidine	g	1.016	0	0.024	0.152
Alanine	g	1.642	0	0.039	0.246
Aspartic acid	g	4.413	0	0.106	0.662
Glutamic acid	g	7.397	0	0.178	1.110
Glycine	g	1.674	0	0.040	0.251
Proline	g	2.081	0	0.050	0.312
Serine	g	1.925	0	0.046	0.289
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1/2 oz

NDB No. 03185 Babyfood, cereal, mixed, dry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 3g	Measure 2* 15g	Measure 3*
Proximates:							
Water	g	6.70	0.200	22	0.17	1.00	
Energy	kcal	379		0	9	57	
Energy	kj	1586		0	40	238	
Protein (N x 5.95)	g	12.20	0.100	23	0.31	1.83	
Total lipid (fat)	g	4.40	0.100	23	0.11	0.66	
Carbohydrate, by difference	g	73.30		0	1.83	10.99	
Fiber, total dietary	g	7.5		0	0.2	1.1	
Ash	g	3.30	0.100	22	0.08	0.50	
Sugars, total	g						
Minerals:							
Calcium	mg	733		14	18	110	
Iron	mg	47.50		0	1.19	7.13	
Magnesium	mg	100	4.000	3	3	15	
Phosphorus	mg	392	8.000	15	10	59	
Potassium	mg	437	11.000	15	11	66	
Sodium	mg	39		17	1	6	
Zinc	mg	2.40	0.173	3	0.06	0.36	
Copper	mg	0.334		5	0.008	0.050	
Manganese	mg						
Selenium	µg	25.9	3.500	4	0.6	3.9	
Vitamins:							
Ascorbic acid	mg	2.3		15	0.1	0.3	
Thiamin	mg	2.438		19	0.061	0.366	
Riboflavin	mg	2.717	0.127	18	0.068	0.408	
Niacin	mg	34.714	1.840	18	0.868	5.207	
Pantothenic acid	mg	1.074		0	0.027	0.161	
Vitamin B-6	mg	0.189		5	0.005	0.028	
Folate	µg	43	2.400	6	1	6	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	20		0	1	3	
Vitamin A, RE	µg	2		0	0	0	
Vitamin E, α-TE	mg	0.390		0	0.010	0.059	
Lipids:							
Saturated, total	g	0.769		0	0.019	0.115	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.006		0	0.000	0.001	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.009		0	0.000	0.001	
14:0	g	0.007		0	0.000	0.001	
15.0	g						
16:0	g	0.654		0	0.016	0.098	
17:0	g						
18:0	g	0.046		0	0.001	0.007	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.206	0	0.030	0.181
14:1	g				
16:1	g	0.010	0	0.000	0.002
18:1	g	1.192	0	0.030	0.179
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	1.697	0	0.042	0.255
18:2	g	1.616	0	0.040	0.242
18:3	g	0.040	0	0.001	0.006
18:4	g	0.000	0	0.000	0.000
20:4	g	0.001	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.158	0	0.004	0.024
Threonine	g	0.400	0	0.010	0.060
Isoleucine	g	0.477	0	0.012	0.072
Leucine	g	1.041	0	0.026	0.156
Lysine	g	0.404	0	0.010	0.061
Methionine	g	0.240	0	0.006	0.036
Cystine	g	0.346	0	0.009	0.052
Phenylalanine	g	0.672	0	0.017	0.101
Tyrosine	g	0.491	0	0.012	0.074
Valine	g	0.653	0	0.016	0.098
Arginine	g	0.703	0	0.018	0.105
Histidine	g	0.286	0	0.007	0.043
Alanine	g	0.583	0	0.015	0.087
Aspartic acid	g	0.726	0	0.018	0.109
Glutamic acid	g	3.184	0	0.080	0.478
Glycine	g	0.551	0	0.014	0.083
Proline	g	1.047	0	0.026	0.157
Serine	g	0.570	0	0.014	0.086
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1/2 oz

NDB No. 03186 Babyfood, cereal, mixed, with bananas, dry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 3g	Measure 2* 15g	Measure 3*
Proximates:							
Water	g	4.50	0.200	6	0.11	0.68	
Energy	kcal	391		0	10	59	
Energy	kj	1636		0	41	245	
Protein (N x 5.95)	g	10.70	0.100	7	0.27	1.61	
Total lipid (fat)	g	4.60	0.000	7	0.12	0.69	
Carbohydrate, by difference	g	77.10		0	1.93	11.56	
Fiber, total dietary	g	7.8		0	0.2	1.2	
Ash	g	3.10	0.200	6	0.08	0.47	
Sugars, total	g						
Minerals:							
Calcium	mg	696		1	17	104	
Iron	mg	47.50		0	1.19	7.13	
Magnesium	mg	90	4.000	2	2	14	
Phosphorus	mg	367	4.000	2	9	55	
Potassium	mg	668	8.000	2	17	100	
Sodium	mg	118		3	3	18	
Zinc	mg	1.40	0.099	2	0.04	0.21	
Copper	mg	0.256		0	0.006	0.038	
Manganese	mg						
Selenium	µg	20.0		2	0.5	3.0	
Vitamins:							
Ascorbic acid	mg	3.6	0.500	5	0.1	0.5	
Thiamin	mg	3.780		1	0.094	0.567	
Riboflavin	mg	3.560	0.110	4	0.089	0.534	
Niacin	mg	20.560	0.390	4	0.514	3.084	
Pantothenic acid	mg						
Vitamin B-6	mg	0.408	0.031	6	0.010	0.061	
Folate	µg	17		0	0	3	
Vitamin B-12	µg	0.24	0.020	2	0.01	0.04	
Vitamin A	IU	125	33.000	5	3	19	
Vitamin A, RE	µg	12	3.000	5	0	2	
Vitamin E, α-TE	mg	0.390		0	0.010	0.059	
Lipids:							
Saturated, total	g	0.846		0	0.021	0.127	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.006		0	0.000	0.001	
10:0	g	0.001		0	0.000	0.000	
12:0	g	0.010		0	0.000	0.002	
14:0	g	0.008		0	0.000	0.001	
15.0	g						
16:0	g	0.706		0	0.018	0.106	
17:0	g						
18:0	g	0.049		0	0.001	0.007	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.223	0	0.031	0.183
14:1	g				
16:1	g	0.015	0	0.000	0.002
18:1	g	1.203	0	0.030	0.180
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	1.734	0	0.043	0.260
18:2	g	1.639	0	0.041	0.246
18:3	g	0.054	0	0.001	0.008
18:4	g	0.000	0	0.000	0.000
20:4	g	0.001	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.126	0	0.003	0.019
Threonine	g	0.363	0	0.009	0.054
Isoleucine	g	0.430	0	0.011	0.065
Leucine	g	0.956	0	0.024	0.143
Lysine	g	0.460	0	0.012	0.069
Methionine	g	0.218	0	0.005	0.033
Cystine	g	0.205	0	0.005	0.031
Phenylalanine	g	0.546	0	0.014	0.082
Tyrosine	g	0.439	0	0.011	0.066
Valine	g	0.604	0	0.015	0.091
Arginine	g	0.505	0	0.013	0.076
Histidine	g	0.319	0	0.008	0.048
Alanine	g	0.437	0	0.011	0.066
Aspartic acid	g	0.783	0	0.020	0.117
Glutamic acid	g	2.478	0	0.062	0.372
Glycine	g	0.369	0	0.009	0.055
Proline	g	0.863	0	0.022	0.129
Serine	g	0.505	0	0.013	0.076
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1/2 oz

NDB No. 03187 Babyfood, cereal, mixed, with applesauce and bananas, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	80.00	0.100	27	22.68	90.40	
Energy	kcal	82		0	23	93	
Energy	kj	343		0	97	388	
Protein (N x 5.95)	g	1.20	0.000	27	0.34	1.36	
Total lipid (fat)	g	0.50	0.000	27	0.14	0.56	
Carbohydrate, by difference	g	17.90		0	5.07	20.23	
Fiber, total dietary	g	1.2		0	0.3	1.4	
Ash	g	0.30	0.000	23	0.09	0.34	
Sugars, total	g						
Minerals:							
Calcium	mg	6	0.000	23	2	7	
Iron	mg	6.62	0.620	23	1.88	7.48	
Magnesium	mg	8		1	2	9	
Phosphorus	mg	23	3.000	2	7	26	
Potassium	mg	41		14	12	46	
Sodium	mg	2		18	1	2	
Zinc	mg	0.19		1	0.05	0.21	
Copper	mg	0.054		0	0.015	0.061	
Manganese	mg						
Selenium	µg	2.6		0	0.7	2.9	
Vitamins:							
Ascorbic acid	mg	25.5	3.300	22	7.2	28.8	
Thiamin	mg	0.280		18	0.079	0.316	
Riboflavin	mg	0.350		18	0.099	0.395	
Niacin	mg	3.963		18	1.124	4.478	
Pantothenic acid	mg	0.195		0	0.055	0.220	
Vitamin B-6	mg	0.137		3	0.039	0.155	
Folate	µg	4	0.100	9	1	4	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	18	2.000	23	5	20	
Vitamin A, RE	µg	2	0.000	23	1	2	
Vitamin E, α-TE	mg	0.390		0	0.111	0.441	
Lipids:							
Saturated, total	g	0.090		0	0.026	0.102	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.001		0	0.000	0.001	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.001		0	0.000	0.001	
14:0	g	0.001		0	0.000	0.001	
15.0	g						
16:0	g	0.076		0	0.022	0.086	
17:0	g						
18:0	g	0.005		0	0.001	0.006	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.135	0	0.038	0.153
14:1	g				
16:1	g	0.001	0	0.000	0.001
18:1	g	0.133	0	0.038	0.150
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.191	0	0.054	0.216
18:2	g	0.181	0	0.051	0.205
18:3	g	0.005	0	0.001	0.006
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.013	0	0.004	0.015
Threonine	g	0.035	0	0.010	0.040
Isoleucine	g	0.044	0	0.012	0.050
Leucine	g	0.088	0	0.025	0.099
Lysine	g	0.036	0	0.010	0.041
Methionine	g	0.025	0	0.007	0.028
Cystine	g	0.027	0	0.008	0.031
Phenylalanine	g	0.063	0	0.018	0.071
Tyrosine	g	0.044	0	0.012	0.050
Valine	g	0.059	0	0.017	0.067
Arginine	g	0.067	0	0.019	0.076
Histidine	g	0.028	0	0.008	0.032
Alanine	g	0.047	0	0.013	0.053
Aspartic acid	g	0.083	0	0.024	0.094
Glutamic acid	g	0.310	0	0.088	0.350
Glycine	g	0.052	0	0.015	0.059
Proline	g	0.086	0	0.024	0.097
Serine	g	0.051	0	0.014	0.058
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03188 Babyfood, cereal, mixed, with applesauce and bananas, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	79.60	0.200	5	22.57	135.32	
Energy	kcal	83		0	24	141	
Energy	kj	347		0	98	590	
Protein (N x 5.95)	g	1.20	0.000	6	0.34	2.04	
Total lipid (fat)	g	0.40	0.000	5	0.11	0.68	
Carbohydrate, by difference	g	18.40		0	5.22	31.28	
Fiber, total dietary	g	1.2		0	0.3	2.0	
Ash	g	0.40	0.000	5	0.11	0.68	
Sugars, total	g						
Minerals:							
Calcium	mg	4	0.000	5	1	7	
Iron	mg	5.61	0.130	5	1.59	9.54	
Magnesium	mg	7		1	2	12	
Phosphorus	mg	29		1	8	49	
Potassium	mg	32		1	9	54	
Sodium	mg	36		5	10	61	
Zinc	mg	0.22		1	0.06	0.37	
Copper	mg	0.055		0	0.016	0.094	
Manganese	mg						
Selenium	µg	2.6		0	0.7	4.4	
Vitamins:							
Ascorbic acid	mg	9.1		1	2.6	15.5	
Thiamin	mg	0.285		0	0.081	0.484	
Riboflavin	mg	0.356		0	0.101	0.605	
Niacin	mg	4.039		0	1.145	6.866	
Pantothenic acid	mg	0.195		0	0.055	0.331	
Vitamin B-6	mg	0.139		0	0.039	0.236	
Folate	µg	4		0	1	6	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	19	3.000	5	5	32	
Vitamin A, RE	µg	2	0.000	5	1	3	
Vitamin E, α-TE	mg	0.270		0	0.077	0.459	
Lipids:							
Saturated, total	g	0.072		0	0.020	0.122	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.001		0	0.000	0.002	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.001		0	0.000	0.002	
14:0	g	0.001		0	0.000	0.002	
15.0	g						
16:0	g	0.060		0	0.017	0.102	
17:0	g						
18:0	g	0.004		0	0.001	0.007	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.108	0	0.031	0.184
14:1	g				
16:1	g	0.001	0	0.000	0.002
18:1	g	0.106	0	0.030	0.180
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.152	0	0.043	0.258
18:2	g	0.145	0	0.041	0.247
18:3	g	0.004	0	0.001	0.007
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.013	0	0.004	0.022
Threonine	g	0.034	0	0.010	0.058
Isoleucine	g	0.043	0	0.012	0.073
Leucine	g	0.086	0	0.024	0.146
Lysine	g	0.035	0	0.010	0.060
Methionine	g	0.024	0	0.007	0.041
Cystine	g	0.026	0	0.007	0.044
Phenylalanine	g	0.062	0	0.018	0.105
Tyrosine	g	0.043	0	0.012	0.073
Valine	g	0.058	0	0.016	0.099
Arginine	g	0.065	0	0.018	0.111
Histidine	g	0.027	0	0.008	0.046
Alanine	g	0.046	0	0.013	0.078
Aspartic acid	g	0.081	0	0.023	0.138
Glutamic acid	g	0.302	0	0.086	0.513
Glycine	g	0.051	0	0.014	0.087
Proline	g	0.084	0	0.024	0.143
Serine	g	0.050	0	0.014	0.085
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03189 Babyfood, cereal, oatmeal, dry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 3g	Measure 2* 15g	Measure 3*
Proximates:							
Water	g	6.20	0.200	24	0.16	0.93	
Energy	kcal	398		0	10	60	
Energy	kj	1665		0	42	250	
Protein (N x 5.95)	g	13.60	0.300	10	0.34	2.04	
Total lipid (fat)	g	7.80	0.100	10	0.20	1.17	
Carbohydrate, by difference	g	69.20		0	1.73	10.38	
Fiber, total dietary	g	6.6		0	0.2	1.0	
Ash	g	3.20	0.100	9	0.08	0.48	
Sugars, total	g						
Minerals:							
Calcium	mg	733		15	18	110	
Iron	mg	47.50		0	1.19	7.13	
Magnesium	mg	145	10.000	3	4	22	
Phosphorus	mg	499	5.000	15	12	75	
Potassium	mg	470	2.000	2	12	71	
Sodium	mg	33		9	1	5	
Zinc	mg	3.69	0.105	18	0.09	0.55	
Copper	mg	0.527		20	0.013	0.079	
Manganese	mg						
Selenium	µg	36.4	2.800	4	0.9	5.5	
Vitamins:							
Ascorbic acid	mg	3.2		2	0.1	0.5	
Thiamin	mg	2.889		19	0.072	0.433	
Riboflavin	mg	2.607	0.117	18	0.065	0.391	
Niacin	mg	35.969	2.725	17	0.899	5.395	
Pantothenic acid	mg	1.534		0	0.038	0.230	
Vitamin B-6	mg	0.153		5	0.004	0.023	
Folate	µg	35	2.700	6	1	5	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	16		0	0	2	
Vitamin A, RE	µg	2		0	0	0	
Vitamin E, α-TE	mg	0.380		0	0.010	0.057	
Lipids:							
Saturated, total	g	1.353		0	0.034	0.203	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.024		0	0.001	0.004	
14:0	g	0.012		0	0.000	0.002	
15.0	g						
16:0	g	1.138		0	0.028	0.171	
17:0	g						
18:0	g	0.082		0	0.002	0.012	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.442	0	0.061	0.366
14:1	g				
16:1	g	0.027	0	0.001	0.004
18:1	g	2.415	0	0.060	0.362
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	2.876	0	0.072	0.431
18:2	g	2.753	0	0.069	0.413
18:3	g	0.014	0	0.000	0.002
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.177	0	0.004	0.027
Threonine	g	0.471	0	0.012	0.071
Isoleucine	g	0.550	0	0.014	0.083
Leucine	g	1.072	0	0.027	0.161
Lysine	g	0.571	0	0.014	0.086
Methionine	g	0.263	0	0.007	0.039
Cystine	g	0.485	0	0.012	0.073
Phenylalanine	g	0.545	0	0.014	0.082
Tyrosine	g	0.550	0	0.014	0.083
Valine	g	0.771	0	0.019	0.116
Arginine	g	1.035	0	0.026	0.155
Histidine	g	0.240	0	0.006	0.036
Alanine	g	0.662	0	0.017	0.099
Aspartic acid	g	1.156	0	0.029	0.173
Glutamic acid	g	3.206	0	0.080	0.481
Glycine	g	0.725	0	0.018	0.109
Proline	g	0.697	0	0.017	0.105
Serine	g	0.678	0	0.017	0.102
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1/2 oz

NDB No. 03190 Babyfood, cereal, oatmeal, with bananas, dry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 3g	Measure 2* 15g	Measure 3*
Proximates:							
Water	g	4.70		1	0.12	0.71	
Energy	kcal	393		0	10	59	
Energy	kj	1644		0	41	247	
Protein (N x 5.95)	g	12.00		5	0.30	1.80	
Total lipid (fat)	g	6.00		5	0.15	0.90	
Carbohydrate, by difference	g	73.40		0	1.84	11.01	
Fiber, total dietary	g	5.2		0	0.1	0.8	
Ash	g	3.90		1	0.10	0.59	
Sugars, total	g						
Minerals:							
Calcium	mg	651		1	16	98	
Iron	mg	47.50		0	1.19	7.13	
Magnesium	mg	118	6.000	2	3	18	
Phosphorus	mg	444	5.000	2	11	67	
Potassium	mg	731	12.000	2	18	110	
Sodium	mg	119		3	3	18	
Zinc	mg	1.90		2	0.05	0.28	
Copper	mg	0.391		0	0.010	0.059	
Manganese	mg						
Selenium	µg	20.5		2	0.5	3.1	
Vitamins:							
Ascorbic acid	mg	4.7		5	0.1	0.7	
Thiamin	mg	3.600	0.305	4	0.090	0.540	
Riboflavin	mg	3.710	0.040	4	0.093	0.557	
Niacin	mg	20.110	0.330	4	0.503	3.016	
Pantothenic acid	mg						
Vitamin B-6	mg	0.423		5	0.011	0.063	
Folate	µg	19		0	0	3	
Vitamin B-12	µg	0.22	0.030	2	0.01	0.03	
Vitamin A	IU	69	24.000	5	2	10	
Vitamin A, RE	µg	7	2.000	5	0	1	
Vitamin E, α-TE	mg	0.380		0	0.010	0.057	
Lipids:							
Saturated, total	g	1.267		0	0.032	0.190	
4:0	g	0.001		0	0.000	0.000	
6.0	g	0.001		0	0.000	0.000	
8:0	g	0.001		0	0.000	0.000	
10:0	g	0.004		0	0.000	0.001	
12:0	g	0.015		0	0.000	0.002	
14:0	g	0.018		0	0.000	0.003	
15.0	g						
16:0	g	0.972		0	0.024	0.146	
17:0	g						
18:0	g	0.097		0	0.002	0.015	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.429	0	0.036	0.214
14:1	g				
16:1	g	0.039	0	0.001	0.006
18:1	g	1.384	0	0.035	0.208
20:1	g	0.001	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	2.186	0	0.055	0.328
18:2	g	1.970	0	0.049	0.296
18:3	g	0.166	0	0.004	0.025
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.157	0	0.004	0.024
Threonine	g	0.417	0	0.010	0.063
Isoleucine	g	0.501	0	0.013	0.075
Leucine	g	0.978	0	0.024	0.147
Lysine	g	0.558	0	0.014	0.084
Methionine	g	0.266	0	0.007	0.040
Cystine	g	0.272	0	0.007	0.041
Phenylalanine	g	0.624	0	0.016	0.094
Tyrosine	g	0.497	0	0.012	0.075
Valine	g	0.699	0	0.017	0.105
Arginine	g	0.711	0	0.018	0.107
Histidine	g	0.362	0	0.009	0.054
Alanine	g	0.491	0	0.012	0.074
Aspartic acid	g	0.986	0	0.025	0.148
Glutamic acid	g	2.603	0	0.065	0.390
Glycine	g	0.505	0	0.013	0.076
Proline	g	0.807	0	0.020	0.121
Serine	g	0.582	0	0.015	0.087
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1/2 oz

NDB No. 03191 Babyfood, cereal, oatmeal, with applesauce and bananas, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	82.20	0.300	37	23.30	92.89	
Energy	kcal	73		0	21	82	
Energy	kj	305		0	86	345	
Protein (N x 5.95)	g	1.30	0.000	25	0.37	1.47	
Total lipid (fat)	g	0.70	0.000	25	0.20	0.79	
Carbohydrate, by difference	g	15.40		0	4.37	17.40	
Fiber, total dietary	g	0.8		0	0.2	0.9	
Ash	g	0.40	0.000	25	0.11	0.45	
Sugars, total	g						
Minerals:							
Calcium	mg	9	1.000	18	3	10	
Iron	mg	5.65	0.180	18	1.60	6.38	
Magnesium	mg	11		1	3	12	
Phosphorus	mg	41		1	12	46	
Potassium	mg	47		14	13	53	
Sodium	mg	2		18	1	2	
Zinc	mg	0.35	0.010	4	0.10	0.40	
Copper	mg	0.073	0.005	3	0.021	0.082	
Manganese	mg						
Selenium	µg	3.0		1	0.9	3.4	
Vitamins:							
Ascorbic acid	mg	21.8	3.000	4	6.2	24.6	
Thiamin	mg	0.420	0.023	20	0.119	0.475	
Riboflavin	mg	0.365	0.009	20	0.103	0.412	
Niacin	mg	5.042	0.075	20	1.429	5.697	
Pantothenic acid	mg	0.227		0	0.064	0.257	
Vitamin B-6	mg	0.200	0.017	3	0.057	0.226	
Folate	µg	4	0.100	9	1	4	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	30	7.000	18	9	34	
Vitamin A, RE	µg	3	1.000	18	1	3	
Vitamin E, α-TE	mg	0.380		0	0.108	0.429	
Lipids:							
Saturated, total	g	0.125		0	0.035	0.141	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.002		0	0.001	0.002	
14:0	g	0.001		0	0.000	0.001	
15.0	g						
16:0	g	0.105		0	0.030	0.119	
17:0	g						
18:0	g	0.007		0	0.002	0.008	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.216	0	0.061	0.244
14:1	g				
16:1	g	0.001	0	0.000	0.001
18:1	g	0.215	0	0.061	0.243
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.253	0	0.072	0.286
18:2	g	0.242	0	0.069	0.273
18:3	g	0.002	0	0.001	0.002
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.017	0	0.005	0.019
Threonine	g	0.046	0	0.013	0.052
Isoleucine	g	0.049	0	0.014	0.055
Leucine	g	0.099	0	0.028	0.112
Lysine	g	0.053	0	0.015	0.060
Methionine	g	0.030	0	0.009	0.034
Cystine	g	0.029	0	0.008	0.033
Phenylalanine	g	0.066	0	0.019	0.075
Tyrosine	g	0.052	0	0.015	0.059
Valine	g	0.068	0	0.019	0.077
Arginine	g	0.093	0	0.026	0.105
Histidine	g	0.034	0	0.010	0.038
Alanine	g	0.059	0	0.017	0.067
Aspartic acid	g	0.111	0	0.031	0.125
Glutamic acid	g	0.287	0	0.081	0.324
Glycine	g	0.070	0	0.020	0.079
Proline	g	0.064	0	0.018	0.072
Serine	g	0.062	0	0.018	0.070
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03192 Babyfood, cereal, oatmeal, with applesauce and bananas, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	81.80	0.400	6	23.19	139.06	
Energy	kcal	75		0	21	128	
Energy	kj	314		0	89	534	
Protein (N x 5.95)	g	1.30	0.000	6	0.37	2.21	
Total lipid (fat)	g	0.70	0.100	6	0.20	1.19	
Carbohydrate, by difference	g	15.70		0	4.45	26.69	
Fiber, total dietary	g	0.8		0	0.2	1.4	
Ash	g	0.40	0.000	6	0.11	0.68	
Sugars, total	g						
Minerals:							
Calcium	mg	6	1.000	7	2	10	
Iron	mg	5.51	0.230	6	1.56	9.37	
Magnesium	mg	11		1	3	19	
Phosphorus	mg	41		1	12	70	
Potassium	mg	48		1	14	82	
Sodium	mg	31		6	9	53	
Zinc	mg	0.33		1	0.09	0.56	
Copper	mg	0.075		0	0.021	0.128	
Manganese	mg						
Selenium	µg	3.0		1	0.9	5.1	
Vitamins:							
Ascorbic acid	mg	19.1	3.500	5	5.4	32.5	
Thiamin	mg	0.242		1	0.069	0.411	
Riboflavin	mg	0.484		1	0.137	0.823	
Niacin	mg	3.350		1	0.950	5.695	
Pantothenic acid	mg	0.227		0	0.064	0.386	
Vitamin B-6	mg	0.240		1	0.068	0.408	
Folate	µg	4		0	1	6	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	28	9.000	6	8	48	
Vitamin A, RE	µg	3	1.000	6	1	5	
Vitamin E, α-TE	mg	0.270		0	0.077	0.459	
Lipids:							
Saturated, total	g	0.126		0	0.036	0.214	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.002		0	0.001	0.003	
14:0	g	0.001		0	0.000	0.002	
15.0	g						
16:0	g	0.106		0	0.030	0.180	
17:0	g						
18:0	g	0.007		0	0.002	0.012	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.216	0	0.061	0.367
14:1	g				
16:1	g	0.001	0	0.000	0.002
18:1	g	0.215	0	0.061	0.366
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.253	0	0.072	0.430
18:2	g	0.242	0	0.069	0.411
18:3	g	0.002	0	0.001	0.003
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.017	0	0.005	0.029
Threonine	g	0.046	0	0.013	0.078
Isoleucine	g	0.049	0	0.014	0.083
Leucine	g	0.100	0	0.028	0.170
Lysine	g	0.054	0	0.015	0.092
Methionine	g	0.031	0	0.009	0.053
Cystine	g	0.030	0	0.009	0.051
Phenylalanine	g	0.067	0	0.019	0.114
Tyrosine	g	0.052	0	0.015	0.088
Valine	g	0.069	0	0.020	0.117
Arginine	g	0.094	0	0.027	0.160
Histidine	g	0.034	0	0.010	0.058
Alanine	g	0.060	0	0.017	0.102
Aspartic acid	g	0.113	0	0.032	0.192
Glutamic acid	g	0.291	0	0.082	0.495
Glycine	g	0.071	0	0.020	0.121
Proline	g	0.065	0	0.018	0.111
Serine	g	0.063	0	0.018	0.107
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03193 Babyfood, cereal, oatmeal, with honey, dry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 2g	Measure 2* 14g	Measure 3*
Proximates:							
Water	g	5.80	0.300	13	0.14	0.82	
Energy	kcal	391		0	9	56	
Energy	kj	1636		0	39	232	
Protein (N x 5.95)	g	13.50	0.100	13	0.32	1.92	
Total lipid (fat)	g	7.00	0.100	13	0.17	0.99	
Carbohydrate, by difference	g	69.30		0	1.66	9.84	
Fiber, total dietary	g						
Ash	g	4.40	0.100	13	0.11	0.62	
Sugars, total	g						
Minerals:							
Calcium	mg	1154	13.000	13	28	164	
Iron	mg	67.23	1.130	13	1.61	9.55	
Magnesium	mg	146		0	4	21	
Phosphorus	mg	733	29.000	14	18	104	
Potassium	mg	259	8.000	13	6	37	
Sodium	mg	47	2.000	13	1	7	
Zinc	mg	3.70		0	0.09	0.53	
Copper	mg	0.529		0	0.013	0.075	
Manganese	mg						
Selenium	µg	36.4		0	0.9	5.2	
Vitamins:							
Ascorbic acid	mg	0.0		13	0.0	0.0	
Thiamin	mg	2.771	0.061	13	0.067	0.393	
Riboflavin	mg	2.842	0.030	13	0.068	0.404	
Niacin	mg	36.292	0.808	13	0.871	5.153	
Pantothenic acid	mg	1.540		0	0.037	0.219	
Vitamin B-6	mg	0.154		0	0.004	0.022	
Folate	µg	35		0	1	5	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	23	2.000	13	1	3	
Vitamin A, RE	µg	2	0.000	13	0	0	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1/2 oz

NDB No. 03194 Babyfood, cereal, rice, dry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 3g	Measure 2* 15g	Measure 3*
Proximates:							
Water	g	6.70	0.100	37	0.17	1.00	
Energy	kcal	391		0	10	59	
Energy	kj	1636		0	41	245	
Protein (N x 5.95)	g	7.10	0.300	23	0.18	1.06	
Total lipid (fat)	g	4.90	0.500	23	0.12	0.74	
Carbohydrate, by difference	g	77.60		0	1.94	11.64	
Fiber, total dietary	g	0.5		0	0.0	0.1	
Ash	g	3.60	0.400	22	0.09	0.54	
Sugars, total	g						
Minerals:							
Calcium	mg	850		18	21	128	
Iron	mg	47.50		0	1.19	7.13	
Magnesium	mg	206	11.000	3	5	31	
Phosphorus	mg	590	4.000	18	15	89	
Potassium	mg	385		16	10	58	
Sodium	mg	32		17	1	5	
Zinc	mg	1.98	0.048	18	0.05	0.30	
Copper	mg	0.331		20	0.008	0.050	
Manganese	mg						
Selenium	µg	11.6	1.400	4	0.3	1.7	
Vitamins:							
Ascorbic acid	mg	2.4		15	0.1	0.4	
Thiamin	mg	2.645		22	0.066	0.397	
Riboflavin	mg	2.221	0.082	21	0.056	0.333	
Niacin	mg	31.243		0	0.781	4.686	
Pantothenic acid	mg						
Vitamin B-6	mg	0.479		5	0.012	0.072	
Folate	µg	24	0.800	6	1	4	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	13		0	0	2	
Vitamin A, RE	µg	1		0	0	0	
Vitamin E, α-TE	mg	0.320		0	0.008	0.048	
Lipids:							
Saturated, total	g	0.919		0	0.023	0.138	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.013		0	0.000	0.002	
15.0	g						
16:0	g	0.767		0	0.019	0.115	
17:0	g						
18:0	g	0.126		0	0.003	0.019	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.260	0	0.032	0.189
14:1	g				
16:1	g	0.027	0	0.001	0.004
18:1	g	1.229	0	0.031	0.184
20:1	g	0.002	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	2.016	0	0.050	0.302
18:2	g	1.799	0	0.045	0.270
18:3	g	0.215	0	0.005	0.032
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.094	0	0.002	0.014
Threonine	g	0.316	0	0.008	0.047
Isoleucine	g	0.290	0	0.007	0.044
Leucine	g	0.559	0	0.014	0.084
Lysine	g	0.304	0	0.008	0.046
Methionine	g	0.185	0	0.005	0.028
Cystine	g	0.169	0	0.004	0.025
Phenylalanine	g	0.364	0	0.009	0.055
Tyrosine	g	0.324	0	0.008	0.049
Valine	g	0.446	0	0.011	0.067
Arginine	g	0.646	0	0.016	0.097
Histidine	g	0.193	0	0.005	0.029
Alanine	g	0.425	0	0.011	0.064
Aspartic acid	g	0.696	0	0.017	0.104
Glutamic acid	g	1.291	0	0.032	0.194
Glycine	g	0.366	0	0.009	0.055
Proline	g	0.316	0	0.008	0.047
Serine	g	0.342	0	0.009	0.051
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1/2 oz

NDB No. 03195 Babyfood, cereal, rice, with applesauce and bananas, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	81.00	0.800	24	12.96	22.96	91.53
Energy	kcal	79		0	13	22	89
Energy	kj	331		0	53	94	374
Protein (N x 5.95)	g	1.20	0.000	23	0.19	0.34	1.36
Total lipid (fat)	g	0.40	0.100	23	0.06	0.11	0.45
Carbohydrate, by difference	g	17.10		0	2.74	4.85	19.32
Fiber, total dietary	g	1.0		0	0.2	0.3	1.1
Ash	g	0.30	0.000	23	0.05	0.09	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	17	0.000	19	3	5	19
Iron	mg	6.73	0.620	19	1.08	1.91	7.60
Magnesium	mg	3		1	0	1	3
Phosphorus	mg	12		1	2	3	14
Potassium	mg	28		14	4	8	32
Sodium	mg	28		19	4	8	32
Zinc	mg	0.08		1	0.01	0.02	0.09
Copper	mg	0.051		0	0.008	0.014	0.058
Manganese	mg						
Selenium	µg	2.1		1	0.3	0.6	2.4
Vitamins:							
Ascorbic acid	mg	31.6	1.000	19	5.1	9.0	35.7
Thiamin	mg	0.260		18	0.042	0.074	0.294
Riboflavin	mg	0.422		18	0.068	0.120	0.477
Niacin	mg	4.017		18	0.643	1.139	4.539
Pantothenic acid	mg						
Vitamin B-6	mg	0.234		4	0.037	0.066	0.264
Folate	µg	3	0.200	6	0	1	3
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	21	5.000	19	3	6	24
Vitamin A, RE	µg	2	0.000	19	0	1	2
Vitamin E, α-TE	mg	0.320		0	0.051	0.091	0.362
Lipids:							
Saturated, total	g	0.114		0	0.018	0.032	0.129
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.002		0	0.000	0.001	0.002
15.0	g						
16:0	g	0.096		0	0.015	0.027	0.108
17:0	g						
18:0	g	0.007		0	0.001	0.002	0.008
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.104	0	0.017	0.029	0.118
14:1	g					
16:1	g	0.003	0	0.000	0.001	0.003
18:1	g	0.101	0	0.016	0.029	0.114
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.102	0	0.016	0.029	0.115
18:2	g	0.082	0	0.013	0.023	0.093
18:3	g	0.021	0	0.003	0.006	0.024
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.012	0	0.002	0.003	0.014
Threonine	g	0.040	0	0.006	0.011	0.045
Isoleucine	g	0.048	0	0.008	0.014	0.054
Leucine	g	0.116	0	0.019	0.033	0.131
Lysine	g	0.068	0	0.011	0.019	0.077
Methionine	g	0.020	0	0.003	0.006	0.023
Cystine	g	0.014	0	0.002	0.004	0.016
Phenylalanine	g	0.058	0	0.009	0.016	0.066
Tyrosine	g	0.056	0	0.009	0.016	0.063
Valine	g	0.068	0	0.011	0.019	0.077
Arginine	g	0.040	0	0.006	0.011	0.045
Histidine	g	0.032	0	0.005	0.009	0.036
Alanine	g	0.056	0	0.009	0.016	0.063
Aspartic acid	g	0.076	0	0.012	0.022	0.086
Glutamic acid	g	0.236	0	0.038	0.067	0.267
Glycine	g	0.028	0	0.004	0.008	0.032
Proline	g	0.104	0	0.017	0.029	0.118
Serine	g	0.052	0	0.008	0.015	0.059
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03197 Babyfood, cereal, with egg yolks, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	88.80	0.100	14	25.17	100.34	
Energy	kcal	51		0	14	58	
Energy	kj	213		0	60	241	
Protein (N x 5.95)	g	1.90	0.000	11	0.54	2.15	
Total lipid (fat)	g	1.80	0.000	9	0.51	2.03	
Carbohydrate, by difference	g	7.00		0	1.98	7.91	
Fiber, total dietary	g	0.9		0	0.3	1.0	
Ash	g	0.50	0.000	7	0.14	0.56	
Sugars, total	g						
Minerals:							
Calcium	mg	24	0.000	7	7	27	
Iron	mg	0.47	0.050	12	0.13	0.53	
Magnesium	mg	3		1	1	3	
Phosphorus	mg	40		1	11	45	
Potassium	mg	39		1	11	44	
Sodium	mg	33		1	9	37	
Zinc	mg	0.28	0.014	4	0.08	0.32	
Copper	mg	0.022	0.003	3	0.006	0.025	
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	0.7	0.200	7	0.2	0.8	
Thiamin	mg	0.009	0.000	8	0.003	0.010	
Riboflavin	mg	0.044	0.000	7	0.012	0.050	
Niacin	mg	0.049	0.000	7	0.014	0.055	
Pantothenic acid	mg	0.878		0	0.249	0.992	
Vitamin B-6	mg	0.021	0.000	7	0.006	0.024	
Folate	µg	3	0.400	3	1	4	
Vitamin B-12	µg	0.07		1	0.02	0.08	
Vitamin A	IU	141	19.000	6	40	159	
Vitamin A, RE	µg	40		0	11	45	
Vitamin E, α-TE	mg	0.270		0	0.077	0.305	
Lipids:							
Saturated, total	g	0.610	0.010	2	0.173	0.689	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.010	0.000	2	0.003	0.011	
15.0	g						
16:0	g	0.440	0.010	2	0.125	0.497	
17:0	g						
18:0	g	0.150	0.000	2	0.043	0.170	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.790	0.020	2	0.224	0.893
14:1	g					
16:1	g	0.050	0.000	2	0.014	0.057
18:1	g	0.730	0.010	2	0.207	0.825
20:1	g	0.000	0.000	2	0.000	0.000
22.1	g	0.000		0	0.000	0.000
Polyunsaturated, total	g	0.300	0.010	2	0.085	0.339
18:2	g	0.260	0.010	2	0.074	0.294
18:3	g	0.010	0.000	2	0.003	0.011
18:4	g	0.000		0	0.000	0.000
20:4	g	0.030		2	0.009	0.034
20:5	g	0.000		0	0.000	0.000
22:5	g	0.000		0	0.000	0.000
22:6	g	0.000		0	0.000	0.000
Cholesterol	mg	63		1	18	72
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.027		0	0.008	0.031
Threonine	g	0.082		0	0.023	0.093
Isoleucine	g	0.100		0	0.028	0.113
Leucine	g	0.172		0	0.049	0.194
Lysine	g	0.127		0	0.036	0.144
Methionine	g	0.051		0	0.014	0.058
Cystine	g	0.028		0	0.008	0.032
Phenylalanine	g	0.092		0	0.026	0.104
Tyrosine	g	0.084		0	0.024	0.095
Valine	g	0.122		0	0.035	0.138
Arginine	g	0.104		0	0.029	0.118
Histidine	g	0.045		0	0.013	0.051
Alanine	g	0.084		0	0.024	0.095
Aspartic acid	g	0.149		0	0.042	0.168
Glutamic acid	g	0.421		0	0.119	0.476
Glycine	g	0.056		0	0.016	0.063
Proline	g	0.161		0	0.046	0.182
Serine	g	0.118		0	0.033	0.133
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03198 Babyfood, cereal, with egg yolks, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	88.70	0.100	7	25.15	150.79	
Energy	kcal	52		0	15	88	
Energy	kj	218		0	62	371	
Protein (N x 5.95)	g	1.90	0.000	7	0.54	3.23	
Total lipid (fat)	g	1.80	0.000	7	0.51	3.06	
Carbohydrate, by difference	g	7.10		0	2.01	12.07	
Fiber, total dietary	g	0.9		0	0.3	1.5	
Ash	g	0.40	0.000	7	0.11	0.68	
Sugars, total	g						
Minerals:							
Calcium	mg	24	0.000	7	7	41	
Iron	mg	0.51	0.070	7	0.14	0.87	
Magnesium	mg	3		1	1	5	
Phosphorus	mg	40		1	11	68	
Potassium	mg	35		1	10	60	
Sodium	mg	33		0	9	56	
Zinc	mg	0.29		1	0.08	0.49	
Copper	mg	0.022		0	0.006	0.037	
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	0.7	0.200	7	0.2	1.2	
Thiamin	mg	0.008	0.000	7	0.002	0.014	
Riboflavin	mg	0.045	0.000	7	0.013	0.077	
Niacin	mg	0.048	0.000	7	0.014	0.082	
Pantothenic acid	mg	0.878		0	0.249	1.493	
Vitamin B-6	mg	0.020	0.000	7	0.006	0.034	
Folate	µg	3		0	1	6	
Vitamin B-12	µg	0.06		1	0.02	0.10	
Vitamin A	IU	144	17.000	6	41	245	
Vitamin A, RE	µg	41		0	12	70	
Vitamin E, α-TE	mg	0.270		0	0.077	0.459	
Lipids:							
Saturated, total	g	0.610	0.010	2	0.173	1.037	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.010	0.000	2	0.003	0.017	
15.0	g						
16:0	g	0.440	0.010	2	0.125	0.748	
17:0	g						
18:0	g	0.150	0.000	2	0.043	0.255	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.790	0.020	2	0.224	1.343
14:1	g					
16:1	g	0.050	0.000	2	0.014	0.085
18:1	g	0.740	0.010	2	0.210	1.258
20:1	g	0.000	0.000	2	0.000	0.000
22.1	g	0.000		0	0.000	0.000
Polyunsaturated, total	g	0.300	0.010	2	0.085	0.510
18:2	g	0.260	0.010	2	0.074	0.442
18:3	g	0.010	0.000	2	0.003	0.017
18:4	g	0.000		0	0.000	0.000
20:4	g	0.030		2	0.009	0.051
20:5	g	0.000		0	0.000	0.000
22:5	g	0.000		0	0.000	0.000
22:6	g	0.000		0	0.000	0.000
Cholesterol	mg	63		0	18	107
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.027		0	0.008	0.046
Threonine	g	0.082		0	0.023	0.139
Isoleucine	g	0.100		0	0.028	0.170
Leucine	g	0.172		0	0.049	0.292
Lysine	g	0.127		0	0.036	0.216
Methionine	g	0.051		0	0.014	0.087
Cystine	g	0.028		0	0.008	0.048
Phenylalanine	g	0.092		0	0.026	0.156
Tyrosine	g	0.084		0	0.024	0.143
Valine	g	0.122		0	0.035	0.207
Arginine	g	0.104		0	0.029	0.177
Histidine	g	0.045		0	0.013	0.077
Alanine	g	0.084		0	0.024	0.143
Aspartic acid	g	0.149		0	0.042	0.253
Glutamic acid	g	0.421		0	0.119	0.716
Glycine	g	0.056		0	0.016	0.095
Proline	g	0.161		0	0.046	0.274
Serine	g	0.118		0	0.033	0.201
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03199 Babyfood, cereal, with eggs, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	87.20	0.100	4	24.72	98.54	
Energy	kcal	58		0	16	66	
Energy	kj	243		0	69	275	
Protein (N x 5.95)	g	2.20		0	0.62	2.49	
Total lipid (fat)	g	1.50		1	0.43	1.70	
Carbohydrate, by difference	g	8.00		0	2.27	9.04	
Fiber, total dietary	g						
Ash	g	0.60		0	0.17	0.68	
Sugars, total	g						
Minerals:							
Calcium	mg	27		0	8	31	
Iron	mg	0.54		0	0.15	0.61	
Magnesium	mg	3		0	1	3	
Phosphorus	mg	46		0	13	52	
Potassium	mg	44		0	12	50	
Sodium	mg	38		0	11	43	
Zinc	mg	0.33		0	0.09	0.37	
Copper	mg	0.025		0	0.007	0.028	
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	0.8		0	0.2	0.9	
Thiamin	mg	0.010		0	0.003	0.011	
Riboflavin	mg	0.050		0	0.014	0.057	
Niacin	mg	0.056		0	0.016	0.063	
Pantothenic acid	mg	1.003		0	0.284	1.133	
Vitamin B-6	mg	0.024		0	0.007	0.027	
Folate	µg	9	0.200	3	3	11	
Vitamin B-12	µg	0.08		0	0.02	0.09	
Vitamin A	IU	161		0	46	182	
Vitamin A, RE	µg						
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g	0.490		1	0.139	0.554	
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g	0.010		1	0.003	0.011	
15.0	g						
16:0	g	0.350		1	0.099	0.395	
17:0	g						
18:0	g	0.120		1	0.034	0.136	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.610	1	0.173	0.689
14:1	g				
16:1	g	0.040	1	0.011	0.045
18:1	g	0.570	1	0.162	0.644
20:1	g	0.000	1	0.000	0.000
22.1	g				
Polyunsaturated, total	g	0.330	1	0.094	0.373
18:2	g	0.290	1	0.082	0.328
18:3	g	0.020	1	0.006	0.023
18:4	g				
20:4	g	0.020	1	0.006	0.023
20:5	g				
22:5	g				
22:6	g				
Cholesterol	mg	51	1	15	58
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03201 Babyfood, cereal, egg yolks and bacon, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	85.90	0.100	19	24.35	146.03	
Energy	kcal	79		0	22	134	
Energy	kj	331		0	94	563	
Protein (N x 5.95)	g	2.50	0.000	16	0.71	4.25	
Total lipid (fat)	g	5.00	0.000	16	1.42	8.50	
Carbohydrate, by difference	g	6.20		0	1.76	10.54	
Fiber, total dietary	g	0.9		0	0.3	1.5	
Ash	g	0.40	0.000	16	0.11	0.68	
Sugars, total	g						
Minerals:							
Calcium	mg	28	4.000	17	8	48	
Iron	mg	0.47		17	0.13	0.80	
Magnesium	mg	5		1	1	9	
Phosphorus	mg	50		0	14	85	
Potassium	mg	35	1.000	13	10	60	
Sodium	mg	48	2.000	13	14	82	
Zinc	mg	0.27		1	0.08	0.46	
Copper	mg	0.020		1	0.006	0.034	
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	0.9	0.000	15	0.3	1.5	
Thiamin	mg	0.050	0.000	16	0.014	0.085	
Riboflavin	mg	0.077	0.000	16	0.022	0.131	
Niacin	mg	0.266	0.008	16	0.075	0.452	
Pantothenic acid	mg	1.105		0	0.313	1.878	
Vitamin B-6	mg	0.026		0	0.007	0.044	
Folate	µg	4	0.100	3	1	7	
Vitamin B-12	µg	0.09		0	0.03	0.15	
Vitamin A	IU	94	13.000	13	27	160	
Vitamin A, RE	µg	28		0	8	48	
Vitamin E, α-TE	mg	0.270		0	0.077	0.459	
Lipids:							
Saturated, total	g	1.640		0	0.465	2.788	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.005		0	0.001	0.009	
12:0	g	0.004		0	0.001	0.007	
14:0	g	0.042		0	0.012	0.071	
15.0	g						
16:0	g	1.104		0	0.313	1.877	
17:0	g						
18:0	g	0.483		0	0.137	0.821	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.207	0	0.626	3.752
14:1	g				
16:1	g	0.168	0	0.048	0.286
18:1	g	2.038	0	0.578	3.465
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.641	0	0.182	1.090
18:2	g	0.546	0	0.155	0.928
18:3	g	0.051	0	0.014	0.087
18:4	g	0.000	0	0.000	0.000
20:4	g	0.025	0	0.007	0.043
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	94	0	27	160
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03205 Babyfood, oatmeal cereal with fruit, dry, instant, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 5g	Measure 2* 21g	Measure 3*
Proximates:							
Water	g	5.40		0	0.29	1.13	
Energy	kcal	402		0	21	84	
Energy	kj	1682		0	89	353	
Protein (N x 5.95)	g	10.50		0	0.56	2.21	
Total lipid (fat)	g	7.05		0	0.37	1.48	
Carbohydrate, by difference	g	74.15		0	3.93	15.57	
Fiber, total dietary	g	7.8		0	0.4	1.6	
Ash	g	2.95		0	0.16	0.62	
Sugars, total	g						
Minerals:							
Calcium	mg	286		0	15	60	
Iron	mg	14.30		0	0.76	3.00	
Magnesium	mg	107		0	6	22	
Phosphorus	mg	429		0	23	90	
Potassium	mg	346		0	18	73	
Sodium	mg	200		0	11	42	
Zinc	mg	5.70		0	0.30	1.20	
Copper	mg	0.340		0	0.018	0.071	
Manganese	mg	2.800		0	0.148	0.588	
Selenium	µg	20.5		0	1.1	4.3	
Vitamins:							
Ascorbic acid	mg	2.7		0	0.1	0.6	
Thiamin	mg	0.750		0	0.040	0.158	
Riboflavin	mg	0.860		0	0.046	0.181	
Niacin	mg	9.600		0	0.509	2.016	
Pantothenic acid	mg						
Vitamin B-6	mg	0.380		0	0.020	0.080	
Folate	µg	18		0	1	4	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	89		0	5	19	
Vitamin A, RE	µg	9		0	0	2	
Vitamin E, α-TE	mg	4.000		0	0.212	0.840	
Lipids:							
Saturated, total	g	1.572		0	0.083	0.330	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.023		0	0.001	0.005	
14:0	g	0.015		0	0.001	0.003	
15.0	g						
16:0	g	1.335		0	0.071	0.280	
17:0	g						
18:0	g	0.199		0	0.011	0.042	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	3.008	0	0.159	0.632
14:1	g				
16:1	g	0.013	0	0.001	0.003
18:1	g	2.995	0	0.159	0.629
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	2.290	0	0.121	0.481
18:2	g	2.197	0	0.116	0.461
18:3	g	0.093	0	0.005	0.020
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 packet (.75 oz)

NDB No. 03210 Babyfood, cereal, rice, with mixed fruit, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	80.40		0	12.06	22.79	136.68
Energy	kcal	79		0	12	22	134
Energy	kj	331		0	50	94	563
Protein (N x 5.95)	g	0.90		0	0.14	0.26	1.53
Total lipid (fat)	g	0.20	0.000	6	0.03	0.06	0.34
Carbohydrate, by difference	g	18.30		0	2.75	5.19	31.11
Fiber, total dietary	g	0.6		0	0.1	0.2	1.0
Ash	g	0.40	0.000	6	0.06	0.11	0.68
Sugars, total	g						
Minerals:							
Calcium	mg	16		0	2	5	27
Iron	mg	2.60		0	0.39	0.74	4.42
Magnesium	mg	5		1	1	1	9
Phosphorus	mg	21		0	3	6	36
Potassium	mg	50		0	8	14	85
Sodium	mg	10		0	2	3	17
Zinc	mg	0.14		0	0.02	0.04	0.24
Copper	mg	0.025		0	0.004	0.007	0.043
Manganese	mg						
Selenium	µg	2.1		0	0.3	0.6	3.6
Vitamins:							
Ascorbic acid	mg	9.3		0	1.4	2.6	15.8
Thiamin	mg	0.130		0	0.020	0.037	0.221
Riboflavin	mg	0.160		0	0.024	0.045	0.272
Niacin	mg	2.120		0	0.318	0.601	3.604
Pantothenic acid	mg	0.272		0	0.041	0.077	0.462
Vitamin B-6	mg	0.110		0	0.017	0.031	0.187
Folate	µg	1		0	0	0	2
Vitamin B-12	µg	0.02		0	0.00	0.01	0.03
Vitamin A	IU	15	2.000	5	2	4	26
Vitamin A, RE	µg	2	0.000	5	0	1	3
Vitamin E, α-TE	mg	0.073		0	0.011	0.021	0.124
Lipids:							
Saturated, total	g	0.060		0	0.009	0.017	0.102
4:0	g	0.001		0	0.000	0.000	0.002
6.0	g	0.001		0	0.000	0.000	0.002
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.000	0.000	0.002
14:0	g	0.003		0	0.000	0.001	0.005
15.0	g						
16:0	g	0.042		0	0.006	0.012	0.071
17:0	g						
18:0	g	0.006		0	0.001	0.002	0.010
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.040	0	0.006	0.011	0.068
14:1	g					
16:1	g	0.001	0	0.000	0.000	0.002
18:1	g	0.041	0	0.006	0.012	0.070
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.050	0	0.008	0.014	0.085
18:2	g	0.042	0	0.006	0.012	0.071
18:3	g	0.009	0	0.001	0.003	0.015
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03211 Babyfood, cereal, high protein, with apple and orange, dry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 2g	Measure 2* 14g	Measure 3*
Proximates:							
Water	g	5.30		1	0.13	0.75	
Energy	kcal	374		0	9	53	
Energy	kj	1565		0	38	222	
Protein (N x 5.95)	g	25.40		4	0.61	3.61	
Total lipid (fat)	g	6.50		4	0.16	0.92	
Carbohydrate, by difference	g	57.60		0	1.38	8.18	
Fiber, total dietary	g	7.1		0	0.2	1.0	
Ash	g	5.20		1	0.12	0.74	
Sugars, total	g						
Minerals:							
Calcium	mg	751		3	18	107	
Iron	mg	47.50		0	1.14	6.75	
Magnesium	mg	159		1	4	23	
Phosphorus	mg	539		1	13	77	
Potassium	mg	1330		1	32	189	
Sodium	mg	104		2	2	15	
Zinc	mg	2.70		1	0.06	0.38	
Copper	mg	0.964		0	0.023	0.137	
Manganese	mg						
Selenium	µg	28.3		0	0.7	4.0	
Vitamins:							
Ascorbic acid	mg	3.1		3	0.1	0.4	
Thiamin	mg	3.790	0.210	5	0.091	0.538	
Riboflavin	mg	4.330	0.268	5	0.104	0.615	
Niacin	mg	23.830	1.288	5	0.572	3.384	
Pantothenic acid	mg						
Vitamin B-6	mg	0.351		3	0.008	0.050	
Folate	µg	190		0	5	27	
Vitamin B-12	µg	0.30	0.000	2	0.01	0.04	
Vitamin A	IU	54	17.000	4	1	8	
Vitamin A, RE	µg	5	2.000	4	0	1	
Vitamin E, α-TE	mg	0.270		0	0.006	0.038	
Lipids:							
Saturated, total	g	0.960		0	0.023	0.136	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.001		0	0.000	0.000	
14:0	g	0.013		0	0.000	0.002	
15.0	g						
16:0	g	0.716		0	0.017	0.102	
17:0	g						
18:0	g	0.220		0	0.005	0.031	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.231	0	0.030	0.175
14:1	g				
16:1	g	0.019	0	0.000	0.003
18:1	g	1.207	0	0.029	0.171
20:1	g	0.003	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	3.429	0	0.082	0.487
18:2	g	3.022	0	0.073	0.429
18:3	g	0.403	0	0.010	0.057
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1/2 oz

NDB No. 03212 Babyfood, cereal, rice, with bananas, dry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 3g	Measure 2* 15g	Measure 3*
Proximates:							
Water	g	4.70		1	0.12	0.71	
Energy	kcal	404		0	10	61	
Energy	kj	1690		0	42	254	
Protein (N x 5.95)	g	8.70		4	0.22	1.30	
Total lipid (fat)	g	4.20		4	0.11	0.63	
Carbohydrate, by difference	g	79.90		0	2.00	11.98	
Fiber, total dietary	g	1.0		0	0.0	0.2	
Ash	g	2.50		1	0.06	0.38	
Sugars, total	g						
Minerals:							
Calcium	mg	691		1	17	104	
Iron	mg	47.50		0	1.19	7.13	
Magnesium	mg	141		1	4	21	
Phosphorus	mg	410		1	10	62	
Potassium	mg	769		1	19	115	
Sodium	mg	96		2	2	14	
Zinc	mg	1.50		1	0.04	0.23	
Copper	mg	0.254		0	0.006	0.038	
Manganese	mg						
Selenium	µg	11.6		0	0.3	1.7	
Vitamins:							
Ascorbic acid	mg	2.0		2	0.1	0.3	
Thiamin	mg	3.970	0.335	4	0.099	0.596	
Riboflavin	mg	3.800	0.110	4	0.095	0.570	
Niacin	mg	23.320	0.500	4	0.583	3.498	
Pantothenic acid	mg						
Vitamin B-6	mg	0.686	0.037	3	0.017	0.103	
Folate	µg	12		0	0	2	
Vitamin B-12	µg	0.21	0.000	2	0.01	0.03	
Vitamin A	IU	29	22.000	4	1	4	
Vitamin A, RE	µg	3	2.000	4	0	0	
Vitamin E, α-TE	mg	0.320		0	0.008	0.048	
Lipids:							
Saturated, total	g	0.978		0	0.024	0.147	
4:0	g	0.001		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.002		0	0.000	0.000	
12:0	g	0.002		0	0.000	0.000	
14:0	g	0.018		0	0.000	0.003	
15.0	g						
16:0	g	0.790		0	0.020	0.119	
17:0	g						
18:0	g	0.098		0	0.002	0.015	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.986	0	0.025	0.148
14:1	g				
16:1	g	0.026	0	0.001	0.004
18:1	g	0.955	0	0.024	0.143
20:1	g	0.002	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	1.503	0	0.038	0.225
18:2	g	1.288	0	0.032	0.193
18:3	g	0.214	0	0.005	0.032
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.154	0	0.004	0.023
Threonine	g	0.444	0	0.011	0.067
Isoleucine	g	0.464	0	0.012	0.070
Leucine	g	0.821	0	0.021	0.123
Lysine	g	0.452	0	0.011	0.068
Methionine	g	0.229	0	0.006	0.034
Cystine	g	0.184	0	0.005	0.028
Phenylalanine	g	0.400	0	0.010	0.060
Tyrosine	g	0.368	0	0.009	0.055
Valine	g	0.547	0	0.014	0.082
Arginine	g	0.603	0	0.015	0.090
Histidine	g	0.273	0	0.007	0.041
Alanine	g	0.496	0	0.012	0.074
Aspartic acid	g	0.857	0	0.021	0.129
Glutamic acid	g	1.523	0	0.038	0.228
Glycine	g	0.364	0	0.009	0.055
Proline	g	0.418	0	0.010	0.063
Serine	g	0.467	0	0.012	0.070
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1/2 oz

NDB No. 03213 Babyfood, cookies

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 7g	Measure 3*
Proximates:							
Water	g	5.90	0.700	7	1.67	0.38	
Energy	kcal	433		0	123	28	
Energy	kj	1812		0	514	118	
Protein (N x 5.95)	g	11.80	0.200	11	3.35	0.77	
Total lipid (fat)	g	13.20	0.300	8	3.74	0.86	
Carbohydrate, by difference	g	67.10		0	19.02	4.36	
Fiber, total dietary	g	0.2		0	0.1	0.0	
Ash	g	2.00	0.200	7	0.57	0.13	
Sugars, total	g						
Minerals:							
Calcium	mg	101	4.000	11	29	7	
Iron	mg	4.18	0.600	5	1.19	0.27	
Magnesium	mg	49	3.000	2	14	3	
Phosphorus	mg	179	7.000	2	51	12	
Potassium	mg	501	4.000	2	142	33	
Sodium	mg	192		3	54	12	
Zinc	mg	1.10		2	0.31	0.07	
Copper	mg	0.074		0	0.021	0.005	
Manganese	mg						
Selenium	µg	17.2		0	4.9	1.1	
Vitamins:							
Ascorbic acid	mg	7.0	0.000	4	2.0	0.5	
Thiamin	mg	1.459	0.000	4	0.414	0.095	
Riboflavin	mg	3.229	0.000	4	0.915	0.210	
Niacin	mg	15.966	0.797	5	4.526	1.038	
Pantothenic acid	mg	0.529		0	0.150	0.034	
Vitamin B-6	mg	5.899	0.286	11	1.672	0.383	
Folate	µg	10		0	3	1	
Vitamin B-12	µg	4.59	1.070	2	1.30	0.30	
Vitamin A	IU	23	4.000	5	7	1	
Vitamin A, RE	µg	2	0.000	5	1	0	
Vitamin E, α-TE	mg	0.460		0	0.130	0.030	
Lipids:							
Saturated, total	g	3.700	0.050	3	1.049	0.241	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.010	0.000	3	0.003	0.001	
14:0	g	0.040	0.000	3	0.011	0.003	
15.0	g						
16:0	g	2.420	0.030	3	0.686	0.157	
17:0	g						
18:0	g	1.140	0.020	3	0.323	0.074	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	7.380	0.110	3	2.092	0.480
14:1	g					
16:1	g	0.010		1	0.003	0.001
18:1	g	7.370	0.110	3	2.089	0.479
20:1	g	0.000		0	0.000	0.000
22.1	g	0.000		0	0.000	0.000
Polyunsaturated, total	g	1.110	0.030	3	0.315	0.072
18:2	g	0.990	0.020	3	0.281	0.064
18:3	g	0.040	0.000	3	0.011	0.003
18:4	g	0.000		0	0.000	0.000
20:4	g	0.000		0	0.000	0.000
20:5	g	0.000		0	0.000	0.000
22:5	g	0.000		0	0.000	0.000
22:6	g	0.000		0	0.000	0.000
Cholesterol	mg	0		0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 cookie

NDB No. 03214 Babyfood, cookies, arrowroot

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 5g	Measure 3*
Proximates:							
Water	g	5.60	0.900	4	1.59	0.28	
Energy	kcal	442		0	125	22	
Energy	kj	1849		0	524	92	
Protein (N x 5.95)	g	7.60		1	2.15	0.38	
Total lipid (fat)	g	14.30	0.000	4	4.05	0.72	
Carbohydrate, by difference	g	71.20		0	20.19	3.56	
Fiber, total dietary	g	0.2		0	0.1	0.0	
Ash	g	1.40		1	0.40	0.07	
Sugars, total	g						
Minerals:							
Calcium	mg	32		1	9	2	
Iron	mg	3.00		1	0.85	0.15	
Magnesium	mg	22		1	6	1	
Phosphorus	mg	116		1	33	6	
Potassium	mg	156		1	44	8	
Sodium	mg	370		2	105	19	
Zinc	mg	0.53		1	0.15	0.03	
Copper	mg	0.074		0	0.021	0.004	
Manganese	mg						
Selenium	µg	17.2		0	4.9	0.9	
Vitamins:							
Ascorbic acid	mg	5.5		1	1.6	0.3	
Thiamin	mg	0.499		1	0.141	0.025	
Riboflavin	mg	0.429		1	0.122	0.021	
Niacin	mg	5.739		1	1.627	0.287	
Pantothenic acid	mg	0.531		0	0.151	0.027	
Vitamin B-6	mg	0.040		1	0.011	0.002	
Folate	µg	35		0	10	2	
Vitamin B-12	µg	0.07		1	0.02	0.00	
Vitamin A	IU	0		0	0	0	
Vitamin A, RE	µg						
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g	3.330	0.040	3	0.944	0.166	
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g	0.020		3	0.006	0.001	
15.0	g						
16:0	g	1.540	0.030	3	0.437	0.077	
17:0	g						
18:0	g	1.670	0.010	3	0.473	0.083	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	8.980	0.090	3	2.546	0.449
14:1	g					
16:1	g					
18:1	g	8.980	0.090	3	2.546	0.449
20:1	g					
22.1	g					
Polyunsaturated, total	g	0.840	0.020	3	0.238	0.042
18:2	g	0.780	0.020	3	0.221	0.039
18:3	g	0.040	0.000	3	0.011	0.002
18:4	g					
20:4	g					
20:5	g					
22:5	g					
22:6	g					
Cholesterol	mg	1	0.290	3	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 cookie

NDB No. 03215 Babyfood, pretzels

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 6g	Measure 3*
Proximates:							
Water	g	4.00	0.900	2	1.13	0.24	
Energy	kcal	397		0	113	24	
Energy	kj	1661		0	471	100	
Protein (N x 5.95)	g	10.80	0.200	2	3.06	0.65	
Total lipid (fat)	g	2.00	0.300	2	0.57	0.12	
Carbohydrate, by difference	g	82.20		0	23.30	4.93	
Fiber, total dietary	g	2.3		0	0.7	0.1	
Ash	g	1.00	0.200	2	0.28	0.06	
Sugars, total	g						
Minerals:							
Calcium	mg	25	0.000	2	7	2	
Iron	mg	3.77	0.030	2	1.07	0.23	
Magnesium	mg	28	2.000	2	8	2	
Phosphorus	mg	110	1.000	2	31	7	
Potassium	mg	137	9.000	2	39	8	
Sodium	mg	269		3	76	16	
Zinc	mg	0.78	0.050	3	0.22	0.05	
Copper	mg	0.145		2	0.041	0.009	
Manganese	mg						
Selenium	µg	7.6		0	2.2	0.5	
Vitamins:							
Ascorbic acid	mg	3.8		1	1.1	0.2	
Thiamin	mg	0.463	0.022	2	0.131	0.028	
Riboflavin	mg	0.357	0.017	2	0.101	0.021	
Niacin	mg	3.560	0.359	2	1.009	0.214	
Pantothenic acid	mg	0.540		0	0.153	0.032	
Vitamin B-6	mg	0.083	0.008	2	0.024	0.005	
Folate	µg	85		0	24	5	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	8	8.000	2	2	0	
Vitamin A, RE	µg	1	1.000	2	0	0	
Vitamin E, α-TE	mg	0.210		0	0.060	0.013	
Lipids:							
Saturated, total	g	0.316		0	0.090	0.019	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.000		0	0.000	0.000	
15.0	g						
16:0	g	0.300		0	0.085	0.018	
17:0	g						
18:0	g	0.023		0	0.007	0.001	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.188	0	0.053	0.011
14:1	g				
16:1	g	0.003	0	0.001	0.000
18:1	g	0.185	0	0.052	0.011
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.833	0	0.236	0.050
18:2	g	0.789	0	0.224	0.047
18:3	g	0.044	0	0.012	0.003
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 pretzel

NDB No. 03216 Babyfood, teething biscuits

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 11g	Measure 3*
Proximates:							
Water	g	6.40	0.800	2	1.81	0.70	
Energy	kcal	392		0	111	43	
Energy	kj	1640		0	465	180	
Protein (N x 5.95)	g	10.70	0.100	6	3.03	1.18	
Total lipid (fat)	g	4.20	0.200	3	1.19	0.46	
Carbohydrate, by difference	g	76.40		0	21.66	8.40	
Fiber, total dietary	g	1.4		0	0.4	0.2	
Ash	g	2.30	0.100	5	0.65	0.25	
Sugars, total	g						
Minerals:							
Calcium	mg	263	11.000	6	75	29	
Iron	mg	3.55	0.560	2	1.01	0.39	
Magnesium	mg	35	0.000	2	10	4	
Phosphorus	mg	164	5.000	2	46	18	
Potassium	mg	323	10.000	2	92	36	
Sodium	mg	362	19.000	4	103	40	
Zinc	mg	0.93	0.014	2	0.26	0.10	
Copper	mg	0.142		0	0.040	0.016	
Manganese	mg						
Selenium	µg	23.5		0	6.7	2.6	
Vitamins:							
Ascorbic acid	mg	9.1		1	2.6	1.0	
Thiamin	mg	0.233	0.041	3	0.066	0.026	
Riboflavin	mg	0.537	0.019	2	0.152	0.059	
Niacin	mg	4.330	0.070	2	1.228	0.476	
Pantothenic acid	mg	0.526		0	0.149	0.058	
Vitamin B-6	mg	0.111	0.013	6	0.031	0.012	
Folate	µg	49		0	14	5	
Vitamin B-12	µg	0.07		1	0.02	0.01	
Vitamin A	IU	116	3.000	2	33	13	
Vitamin A, RE	µg	12	0.000	2	3	1	
Vitamin E, α-TE	mg	0.430		0	0.122	0.047	
Lipids:							
Saturated, total	g	1.534		0	0.435	0.169	
4:0	g	0.049		0	0.014	0.005	
6.0	g	0.013		0	0.004	0.001	
8:0	g	0.015		0	0.004	0.002	
10:0	g	0.032		0	0.009	0.004	
12:0	g	0.033		0	0.009	0.004	
14:0	g	0.161		0	0.046	0.018	
15.0	g						
16:0	g	0.801		0	0.227	0.088	
17:0	g						
18:0	g	0.379		0	0.107	0.042	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.425	0	0.404	0.157
14:1	g				
16:1	g	0.065	0	0.018	0.007
18:1	g	1.331	0	0.377	0.146
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.863	0	0.245	0.095
18:2	g	0.805	0	0.228	0.089
18:3	g	0.058	0	0.016	0.006
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.189	0	0.054	0.021
Threonine	g	0.568	0	0.161	0.062
Isoleucine	g	0.845	0	0.240	0.093
Leucine	g	1.460	0	0.414	0.161
Lysine	g	0.351	0	0.100	0.039
Methionine	g	0.275	0	0.078	0.030
Cystine	g	0.151	0	0.043	0.017
Phenylalanine	g	0.526	0	0.149	0.058
Tyrosine	g	0.665	0	0.189	0.073
Valine	g	0.881	0	0.250	0.097
Arginine	g	0.597	0	0.169	0.066
Histidine	g	0.399	0	0.113	0.044
Alanine	g	0.665	0	0.189	0.073
Aspartic acid	g	1.005	0	0.285	0.111
Glutamic acid	g	4.618	0	1.309	0.508
Glycine	g	0.493	0	0.140	0.054
Proline	g	1.147	0	0.325	0.126
Serine	g	0.701	0	0.199	0.077
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 biscuit

NDB No. 03217 Zwieback

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 7g	Measure 3* 10g
Proximates:							
Water	g	4.50		4	1.28	0.32	0.45
Energy	kcal	426		0	121	30	43
Energy	kj	1782		0	505	125	178
Protein (N x 5.95)	g	10.10		4	2.86	0.71	1.01
Total lipid (fat)	g	9.70	0.400	7	2.75	0.68	0.97
Carbohydrate, by difference	g	74.20		0	21.04	5.19	7.42
Fiber, total dietary	g	2.5		0	0.7	0.2	0.3
Ash	g	1.50	0.000	3	0.43	0.11	0.15
Sugars, total	g						
Minerals:							
Calcium	mg	20		4	6	1	2
Iron	mg	0.60		4	0.17	0.04	0.06
Magnesium	mg	14		1	4	1	1
Phosphorus	mg	55		1	16	4	6
Potassium	mg	305		1	86	21	31
Sodium	mg	232	57.000	3	66	16	23
Zinc	mg	0.54		1	0.15	0.04	0.05
Copper	mg	0.145		0	0.041	0.010	0.015
Manganese	mg						
Selenium	µg	28.7		0	8.1	2.0	2.9
Vitamins:							
Ascorbic acid	mg	5.3		3	1.5	0.4	0.5
Thiamin	mg	0.208		4	0.059	0.015	0.021
Riboflavin	mg	0.239		4	0.068	0.017	0.024
Niacin	mg	1.319		4	0.374	0.092	0.132
Pantothenic acid	mg	0.537		0	0.152	0.038	0.054
Vitamin B-6	mg	0.082		3	0.023	0.006	0.008
Folate	µg	87		0	25	6	9
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	58	9.000	3	16	4	6
Vitamin A, RE	µg	6	1.000	3	2	0	1
Vitamin E, α-TE	mg	0.400		0	0.113	0.028	0.040
Lipids:							
Saturated, total	g	3.950	0.100	2	1.120	0.277	0.395
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.040	0.000	2	0.011	0.003	0.004
10:0	g	0.100	0.000	2	0.028	0.007	0.010
12:0	g	0.130	0.000	2	0.037	0.009	0.013
14:0	g	0.450	0.010	2	0.128	0.032	0.045
15.0	g						
16:0	g	1.980	0.060	2	0.561	0.139	0.198
17:0	g						
18:0	g	1.060	0.030	2	0.301	0.074	0.106
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	3.840	0.100	2	1.089	0.269	0.384
14:1	g						
16:1	g	0.100	0.000	2	0.028	0.007	0.010
18:1	g	3.730	0.100	2	1.057	0.261	0.373
20:1	g	0.010		1	0.003	0.001	0.001
22.1	g	0.000		0	0.000	0.000	0.000
Polyunsaturated, total	g	1.290	0.040	2	0.366	0.090	0.129
18:2	g	1.160	0.030	2	0.329	0.081	0.116
18:3	g	0.110	0.000	2	0.031	0.008	0.011
18:4	g	0.000		0	0.000	0.000	0.000
20:4	g	0.010		1	0.003	0.001	0.001
20:5	g	0.000		0	0.000	0.000	0.000
22:5	g	0.000		0	0.000	0.000	0.000
22:6	g	0.000		0	0.000	0.000	0.000
Cholesterol	mg	21		1	6	1	2
Phytosterols	mg	31		0	9	2	3
Amino acids:							
Tryptophan	g						
Threonine	g						
Isoleucine	g						
Leucine	g						
Lysine	g						
Methionine	g						
Cystine	g						
Phenylalanine	g						
Tyrosine	g						
Valine	g						
Arginine	g						
Histidine	g						
Alanine	g						
Aspartic acid	g						
Glutamic acid	g						
Glycine	g						
Proline	g						
Serine	g						
Other:							
Caffeine	mg						
Theobromine	mg						
Alcohol	g						

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 piece
Measure 3: 1 rusk

NDB No. 03220 Babyfood, dessert, dutch apple, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	82.20	0.500	4	23.30	92.89	
Energy	kcal	68		0	19	77	
Energy	kj	285		0	81	322	
Protein (N x 5.95)	g	0.00		1	0.00	0.00	
Total lipid (fat)	g	0.90		1	0.26	1.02	
Carbohydrate, by difference	g	16.70		0	4.73	18.87	
Fiber, total dietary	g	0.9		0	0.3	1.0	
Ash	g	0.10	0.000	5	0.03	0.11	
Sugars, total	g						
Minerals:							
Calcium	mg	5		1	1	6	
Iron	mg	0.20		1	0.06	0.23	
Magnesium	mg	2	0.000	2	1	2	
Phosphorus	mg	3	0.000	2	1	3	
Potassium	mg	33	3.000	2	9	37	
Sodium	mg	16		5	5	18	
Zinc	mg	0.01		2	0.00	0.01	
Copper	mg	0.059		0	0.017	0.067	
Manganese	mg						
Selenium	µg	0.2		0	0.1	0.2	
Vitamins:							
Ascorbic acid	mg	21.4		1	6.1	24.2	
Thiamin	mg	0.011		1	0.003	0.012	
Riboflavin	mg	0.013		1	0.004	0.015	
Niacin	mg	0.048		1	0.014	0.054	
Pantothenic acid	mg						
Vitamin B-6	mg	0.011		1	0.003	0.012	
Folate	µg	1	0.100	6	0	1	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	49		1	14	55	
Vitamin A, RE	µg	5		1	1	6	
Vitamin E, α-TE	mg	0.600		0	0.170	0.678	
Lipids:							
Saturated, total	g	0.580	0.000	2	0.164	0.655	
4:0	g	0.040	0.000	2	0.011	0.045	
6.0	g	0.010		2	0.003	0.011	
8:0	g	0.010		2	0.003	0.011	
10:0	g	0.030		2	0.009	0.034	
12:0	g	0.030	0.000	2	0.009	0.034	
14:0	g	0.090		2	0.026	0.102	
15.0	g						
16:0	g	0.250		2	0.071	0.282	
17:0	g						
18:0	g	0.090	0.000	2	0.026	0.102	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.240	0.000	2	0.068	0.271
14:1	g					
16:1	g	0.020		2	0.006	0.023
18:1	g	0.210	0.000	2	0.060	0.237
20:1	g	0.000		2	0.000	0.000
22.1	g	0.000		0	0.000	0.000
Polyunsaturated, total	g	0.030		2	0.009	0.034
18:2	g	0.020	0.000	2	0.006	0.023
18:3	g	0.010		2	0.003	0.011
18:4	g	0.000		0	0.000	0.000
20:4	g	0.000		2	0.000	0.000
20:5	g	0.000		0	0.000	0.000
22:5	g	0.000		0	0.000	0.000
22:6	g	0.000		0	0.000	0.000
Cholesterol	mg	0		0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03221 Babyfood, dessert, dutch apple, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	80.32		0	22.77	136.54	
Energy	kcal	79		0	22	134	
Energy	kj	331		0	94	563	
Protein (N x 5.95)	g	0.20		0	0.06	0.34	
Total lipid (fat)	g	0.16		0	0.05	0.27	
Carbohydrate, by difference	g	19.18		0	5.44	32.61	
Fiber, total dietary	g	1.4		0	0.4	2.4	
Ash	g	0.14		0	0.04	0.24	
Sugars, total	g	16.20		0	4.59	27.54	
Minerals:							
Calcium	mg	3		0	1	5	
Iron	mg	0.11		0	0.03	0.19	
Magnesium	mg	4		0	1	7	
Phosphorus	mg	7		0	2	12	
Potassium	mg	67		0	19	114	
Sodium	mg	3		0	1	5	
Zinc	mg	0.03		0	0.01	0.05	
Copper	mg	0.030		0	0.009	0.051	
Manganese	mg	0.020		0	0.006	0.034	
Selenium	µg	0.2		0	0.1	0.3	
Vitamins:							
Ascorbic acid	mg	18.0		0	5.1	30.6	
Thiamin	mg	0.010		0	0.003	0.017	
Riboflavin	mg	0.012		0	0.003	0.020	
Niacin	mg	0.048		0	0.014	0.082	
Pantothenic acid	mg	0.017		0	0.005	0.029	
Vitamin B-6	mg	0.017		0	0.005	0.029	
Folate	µg	0		0	0	0	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	18		0	5	31	
Vitamin A, RE	µg	2		0	1	3	
Vitamin E, α-TE	mg	0.100		0	0.028	0.170	
Lipids:							
Saturated, total	g	0.025		0	0.007	0.043	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.001		0	0.000	0.002	
15.0	g						
16:0	g	0.021		0	0.006	0.036	
17:0	g						
18:0	g	0.003		0	0.001	0.005	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.006	0	0.002	0.010
14:1	g				
16:1	g	0.000	0	0.000	0.000
18:1	g	0.006	0	0.002	0.010
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.045	0	0.013	0.077
18:2	g	0.038	0	0.011	0.065
18:3	g	0.008	0	0.002	0.014
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03222 Babyfood, cherry cobbler, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	79.80		0			
Energy	kcal	78		0			
Energy	kj	326		0			
Protein (N x 5.95)	g	0.30		0			
Total lipid (fat)	g	0.10		0			
Carbohydrate, by difference	g	19.20		0			
Fiber, total dietary	g	0.2		0			
Ash	g	0.19		0			
Sugars, total	g						
Minerals:							
Calcium	mg	5		0			
Iron	mg	0.10		0			
Magnesium	mg	2		0			
Phosphorus	mg	6		0			
Potassium	mg	45		0			
Sodium	mg	43		0			
Zinc	mg	0.05		0			
Copper	mg	0.010		0			
Manganese	mg	0.020		0			
Selenium	µg	0.9		0			
Vitamins:							
Ascorbic acid	mg	9.3		0			
Thiamin	mg	0.010		0			
Riboflavin	mg	0.010		0			
Niacin	mg	0.060		0			
Pantothenic acid	mg	0.043		0			
Vitamin B-6	mg	0.020		0			
Folate	µg	2		0			
Vitamin B-12	µg	0.00		0			
Vitamin A	IU	31		0			
Vitamin A, RE	µg	3		0			
Vitamin E, α-TE	mg	0.034		0			
Lipids:							
Saturated, total	g	0.020		0			
4:0	g	0.000		0			
6.0	g	0.000		0			
8:0	g	0.000		0			
10:0	g	0.000		0			
12:0	g	0.000		0			
14:0	g	0.001		0			
15.0	g						
16:0	g	0.014		0			
17:0	g						
18:0	g	0.005		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.020	0
14:1	g		
16:1	g	0.000	0
18:1	g	0.024	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.030	0
18:2	g	0.014	0
18:3	g	0.013	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	0	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03224 Babyfood, dessert, cherry vanilla pudding, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	81.50	0.200	4	23.11	92.09	
Energy	kcal	68		0	19	77	
Energy	kj	285		0	81	322	
Protein (N x 5.95)	g	0.20		4	0.06	0.23	
Total lipid (fat)	g	0.30		4	0.09	0.34	
Carbohydrate, by difference	g	17.80		0	5.05	20.11	
Fiber, total dietary	g	0.3		0	0.1	0.3	
Ash	g	0.20	0.000	5	0.06	0.23	
Sugars, total	g						
Minerals:							
Calcium	mg	5	1.000	5	1	6	
Iron	mg	0.19	0.030	6	0.05	0.21	
Magnesium	mg	2		1	1	2	
Phosphorus	mg	7		1	2	8	
Potassium	mg	34		1	10	38	
Sodium	mg	16		6	5	18	
Zinc	mg	0.04		1	0.01	0.05	
Copper	mg	0.050		0	0.014	0.057	
Manganese	mg						
Selenium	µg	0.6		0	0.2	0.7	
Vitamins:							
Ascorbic acid	mg	1.1	0.000	6	0.3	1.2	
Thiamin	mg	0.008	0.000	5	0.002	0.009	
Riboflavin	mg	0.011	0.000	5	0.003	0.012	
Niacin	mg	0.038	0.000	6	0.011	0.043	
Pantothenic acid	mg						
Vitamin B-6	mg	0.011	0.000	6	0.003	0.012	
Folate	µg	0		3	0	0	
Vitamin B-12	µg	0.01		0	0.00	0.01	
Vitamin A	IU	200	23.000	5	57	226	
Vitamin A, RE	µg	20	2.000	5	6	23	
Vitamin E, α-TE	mg	0.230		0	0.065	0.260	
Lipids:							
Saturated, total	g	0.087		0	0.025	0.098	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.002		0	0.001	0.002	
15.0	g						
16:0	g	0.062		0	0.018	0.070	
17:0	g						
18:0	g	0.021		0	0.006	0.024	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.105	0	0.030	0.119
14:1	g				
16:1	g	0.007	0	0.002	0.008
18:1	g	0.098	0	0.028	0.111
20:1	g	0.001	0	0.000	0.001
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.053	0	0.015	0.060
18:2	g	0.037	0	0.010	0.042
18:3	g	0.012	0	0.003	0.014
18:4	g	0.000	0	0.000	0.000
20:4	g	0.003	0	0.001	0.003
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.001	0	0.000	0.001
Cholesterol	mg	10	0	3	11
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03225 Babyfood, dessert, cherry vanilla pudding, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	81.00		1	22.96	137.70	
Energy	kcal	69		0	20	117	
Energy	kj	289		0	82	491	
Protein (N x 5.95)	g	0.20		3	0.06	0.34	
Total lipid (fat)	g	0.20		3	0.06	0.34	
Carbohydrate, by difference	g	18.40		0	5.22	31.28	
Fiber, total dietary	g	0.3		0	0.1	0.5	
Ash	g	0.20	0.000	5	0.06	0.34	
Sugars, total	g						
Minerals:							
Calcium	mg	5		6	1	9	
Iron	mg	0.17		6	0.05	0.29	
Magnesium	mg	2		1	1	3	
Phosphorus	mg	7		1	2	12	
Potassium	mg	33		1	9	56	
Sodium	mg	15		7	4	26	
Zinc	mg	0.03		1	0.01	0.05	
Copper	mg	0.051		0	0.014	0.087	
Manganese	mg						
Selenium	µg	0.6		0	0.2	1.0	
Vitamins:							
Ascorbic acid	mg	1.1		6	0.3	1.9	
Thiamin	mg	0.007		6	0.002	0.012	
Riboflavin	mg	0.011		6	0.003	0.019	
Niacin	mg	0.038		6	0.011	0.065	
Pantothenic acid	mg						
Vitamin B-6	mg	0.012		6	0.003	0.020	
Folate	µg	0		0	0	1	
Vitamin B-12	µg	0.01		0	0.00	0.02	
Vitamin A	IU	200	23.000	5	57	340	
Vitamin A, RE	µg	20	2.000	5	6	34	
Vitamin E, α-TE	mg	0.230		0	0.065	0.391	
Lipids:							
Saturated, total	g	0.058		0	0.016	0.099	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.001		0	0.000	0.002	
15.0	g						
16:0	g	0.041		0	0.012	0.070	
17:0	g						
18:0	g	0.014		0	0.004	0.024	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.070	0	0.020	0.119
14:1	g				
16:1	g	0.004	0	0.001	0.007
18:1	g	0.065	0	0.018	0.111
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.036	0	0.010	0.061
18:2	g	0.025	0	0.007	0.043
18:3	g	0.008	0	0.002	0.014
18:4	g	0.000	0	0.000	0.000
20:4	g	0.002	0	0.001	0.003
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.001	0	0.000	0.002
Cholesterol	mg	10	0	3	17
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03226 Babyfood, dessert, fruit pudding, orange, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	79.80	0.100	4	22.62	90.17	
Energy	kcal	80		0	23	90	
Energy	kj	335		0	95	379	
Protein (N x 5.95)	g	1.10		3	0.31	1.24	
Total lipid (fat)	g	0.90		3	0.26	1.02	
Carbohydrate, by difference	g	17.70		0	5.02	20.00	
Fiber, total dietary	g	0.6		0	0.2	0.7	
Ash	g	0.60	0.000	5	0.17	0.68	
Sugars, total	g						
Minerals:							
Calcium	mg	32		1	9	36	
Iron	mg	0.10		1	0.03	0.11	
Magnesium	mg	5		1	1	6	
Phosphorus	mg	28		1	8	32	
Potassium	mg	86		1	24	97	
Sodium	mg	20		0	6	23	
Zinc	mg	0.17		1	0.05	0.19	
Copper	mg	0.050		0	0.014	0.057	
Manganese	mg						
Selenium	µg	0.6		0	0.2	0.7	
Vitamins:							
Ascorbic acid	mg	9.1		1	2.6	10.3	
Thiamin	mg	0.040		1	0.011	0.045	
Riboflavin	mg	0.057		1	0.016	0.064	
Niacin	mg	0.119		1	0.034	0.134	
Pantothenic acid	mg	0.251		0	0.071	0.284	
Vitamin B-6	mg	0.027		1	0.008	0.031	
Folate	µg	8	0.500	3	2	9	
Vitamin B-12	µg	0.01		0	0.00	0.01	
Vitamin A	IU	115		1	33	130	
Vitamin A, RE	µg	12		1	3	14	
Vitamin E, α-TE	mg	0.230		0	0.065	0.260	
Lipids:							
Saturated, total	g	0.545		0	0.155	0.616	
4:0	g	0.029		0	0.008	0.033	
6.0	g	0.015		0	0.004	0.017	
8:0	g	0.010		0	0.003	0.011	
10:0	g	0.021		0	0.006	0.024	
12:0	g	0.023		0	0.007	0.026	
14:0	g	0.088		0	0.025	0.099	
15.0	g						
16:0	g	0.233		0	0.066	0.263	
17:0	g						
18:0	g	0.104		0	0.029	0.118	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.257	0	0.073	0.290
14:1	g				
16:1	g	0.022	0	0.006	0.025
18:1	g	0.225	0	0.064	0.254
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.038	0	0.011	0.043
18:2	g	0.027	0	0.008	0.031
18:3	g	0.014	0	0.004	0.016
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	3	0	1	3
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g	0.045	0	0.013	0.051
Isoleucine	g	0.057	0	0.016	0.064
Leucine	g	0.113	0	0.032	0.128
Lysine	g	0.090	0	0.026	0.102
Methionine	g	0.015	0	0.004	0.017
Cystine	g				
Phenylalanine	g	0.042	0	0.012	0.047
Tyrosine	g	0.045	0	0.013	0.051
Valine	g	0.070	0	0.020	0.079
Arginine	g	0.085	0	0.024	0.096
Histidine	g	0.031	0	0.009	0.035
Alanine	g	0.044	0	0.012	0.050
Aspartic acid	g	0.132	0	0.037	0.149
Glutamic acid	g	0.225	0	0.064	0.254
Glycine	g	0.027	0	0.008	0.031
Proline	g	0.118	0	0.033	0.133
Serine	g	0.062	0	0.018	0.070
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03227 Babyfood, dessert, peach cobbler, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	81.80	0.400	4	12.27	23.19	92.43
Energy	kcal	65		0	10	18	73
Energy	kj	272		0	41	77	307
Protein (N x 5.95)	g	0.30		1	0.05	0.09	0.34
Total lipid (fat)	g	0.00		1	0.00	0.00	0.00
Carbohydrate, by difference	g	17.80		0	2.67	5.05	20.11
Fiber, total dietary	g	0.7		0	0.1	0.2	0.8
Ash	g	0.20	0.000	5	0.03	0.06	0.23
Sugars, total	g						
Minerals:							
Calcium	mg	4		1	1	1	5
Iron	mg	0.10		0	0.02	0.03	0.11
Magnesium	mg	2		0	0	1	2
Phosphorus	mg	5		1	1	1	6
Potassium	mg	54		1	8	15	61
Sodium	mg	7		4	1	2	8
Zinc	mg	0.30		1	0.05	0.09	0.34
Copper	mg	0.190		1	0.029	0.054	0.215
Manganese	mg						
Selenium	µg	1.0		0	0.2	0.3	1.1
Vitamins:							
Ascorbic acid	mg	20.5		1	3.1	5.8	23.2
Thiamin	mg	0.009		1	0.001	0.003	0.010
Riboflavin	mg	0.014		1	0.002	0.004	0.016
Niacin	mg	0.259		1	0.039	0.073	0.293
Pantothenic acid	mg						
Vitamin B-6	mg	0.007		1	0.001	0.002	0.008
Folate	µg	1		6	0	0	1
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	142		1	21	40	160
Vitamin A, RE	µg	14		1	2	4	16
Vitamin E, α-TE	mg	0.230		0	0.035	0.065	0.260
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	0.000
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.000		0	0.000	0.000	0.000
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000	0.000
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.000	0	0.000	0.000	0.000
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000	0.000
18:2	g	0.000	0	0.000	0.000	0.000
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03228 Babyfood, dessert, peach cobbler, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 220g
Proximates:							
Water	g	81.20		1	12.18	23.02	178.64
Energy	kcal	67		0	10	19	147
Energy	kj	280		0	42	79	616
Protein (N x 5.95)	g	0.30		1	0.05	0.09	0.66
Total lipid (fat)	g	0.00		1	0.00	0.00	0.00
Carbohydrate, by difference	g	18.30		0	2.75	5.19	40.26
Fiber, total dietary	g	0.7		0	0.1	0.2	1.5
Ash	g	0.20	0.000	5	0.03	0.06	0.44
Sugars, total	g						
Minerals:							
Calcium	mg	4		1	1	1	9
Iron	mg	0.10		1	0.02	0.03	0.22
Magnesium	mg	2		0	0	1	4
Phosphorus	mg	6		1	1	2	13
Potassium	mg	56		1	8	16	123
Sodium	mg	9		6	1	3	20
Zinc	mg	0.03		1	0.00	0.01	0.07
Copper	mg	0.196		0	0.029	0.056	0.431
Manganese	mg						
Selenium	µg	1.0		0	0.2	0.3	2.2
Vitamins:							
Ascorbic acid	mg	20.5		1	3.1	5.8	45.1
Thiamin	mg	0.010		1	0.002	0.003	0.022
Riboflavin	mg	0.015		1	0.002	0.004	0.033
Niacin	mg	0.259		1	0.039	0.073	0.570
Pantothenic acid	mg						
Vitamin B-6	mg	0.007		1	0.001	0.002	0.015
Folate	µg	1		0	0	0	2
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	142		1	21	40	312
Vitamin A, RE	µg	14		1	2	4	31
Vitamin E, α-TE	mg	0.230		0	0.035	0.065	0.506
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	0.000
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.000		0	0.000	0.000	0.000
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000	0.000
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.000	0	0.000	0.000	0.000
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000	0.000
18:2	g	0.000	0	0.000	0.000	0.000
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03233 Babyfood, dessert, fruit pudding, pineapple, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	77.60	1.300	17	11.64	22.00	87.69
Energy	kcal	81		0	12	23	92
Energy	kj	339		0	51	96	383
Protein (N x 5.95)	g	1.30	0.000	17	0.20	0.37	1.47
Total lipid (fat)	g	0.30	0.100	17	0.05	0.09	0.34
Carbohydrate, by difference	g	20.30		0	3.04	5.76	22.94
Fiber, total dietary	g	0.7		0	0.1	0.2	0.8
Ash	g	0.50	0.000	16	0.08	0.14	0.56
Sugars, total	g						
Minerals:							
Calcium	mg	31	4.000	16	5	9	35
Iron	mg	0.18	0.020	16	0.03	0.05	0.20
Magnesium	mg	9		1	1	3	10
Phosphorus	mg	31		1	5	9	35
Potassium	mg	81		14	12	23	92
Sodium	mg	19	1.000	15	3	5	21
Zinc	mg	0.20		1	0.03	0.06	0.23
Copper	mg	0.023		0	0.003	0.007	0.026
Manganese	mg						
Selenium	µg	1.2		0	0.2	0.3	1.4
Vitamins:							
Ascorbic acid	mg	27.2	0.900	16	4.1	7.7	30.7
Thiamin	mg	0.038	0.007	16	0.006	0.011	0.043
Riboflavin	mg	0.046	0.000	16	0.007	0.013	0.052
Niacin	mg	0.107	0.000	16	0.016	0.030	0.121
Pantothenic acid	mg	0.192		0	0.029	0.054	0.217
Vitamin B-6	mg	0.040	0.000	3	0.006	0.011	0.045
Folate	µg	5	0.200	3	1	1	6
Vitamin B-12	µg	0.06		1	0.01	0.02	0.07
Vitamin A	IU	40	13.000	16	6	11	45
Vitamin A, RE	µg	4	1.000	16	1	1	5
Vitamin E, α-TE	mg	0.230		0	0.035	0.065	0.260
Lipids:							
Saturated, total	g	0.099		0	0.015	0.028	0.112
4:0	g	0.001		0	0.000	0.000	0.001
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.000	0.000	0.001
12:0	g	0.001		0	0.000	0.000	0.001
14:0	g	0.003		0	0.000	0.001	0.003
15.0	g						
16:0	g	0.067		0	0.010	0.019	0.076
17:0	g						
18:0	g	0.024		0	0.004	0.007	0.027
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.109	0	0.016	0.031	0.123
14:1	g					
16:1	g	0.009	0	0.001	0.003	0.010
18:1	g	0.098	0	0.015	0.028	0.111
20:1	g	0.001	0	0.000	0.000	0.001
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.041	0	0.006	0.012	0.046
18:2	g	0.033	0	0.005	0.009	0.037
18:3	g	0.003	0	0.000	0.001	0.003
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.004	0	0.001	0.001	0.005
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.001	0	0.000	0.000	0.001
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03234 Babyfood, dessert, fruit pudding, pineapple, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	76.10		1	11.41	21.57	129.37
Energy	kcal	87		0	13	25	148
Energy	kj	364		0	55	103	619
Protein (N x 5.95)	g	1.40		3	0.21	0.40	2.38
Total lipid (fat)	g	0.40		3	0.06	0.11	0.68
Carbohydrate, by difference	g	21.60		0	3.24	6.12	36.72
Fiber, total dietary	g	0.8		0	0.1	0.2	1.4
Ash	g	0.50	0.000	3	0.08	0.14	0.85
Sugars, total	g						
Minerals:							
Calcium	mg	34	4.000	4	5	10	58
Iron	mg	0.19	0.020	4	0.03	0.05	0.32
Magnesium	mg	9		1	1	3	15
Phosphorus	mg	30		1	5	9	51
Potassium	mg	90		1	14	26	153
Sodium	mg	22		1	3	6	37
Zinc	mg	0.19		1	0.03	0.05	0.32
Copper	mg	0.024		0	0.004	0.007	0.041
Manganese	mg						
Selenium	µg	1.2		0	0.2	0.3	2.0
Vitamins:							
Ascorbic acid	mg	26.7	1.100	4	4.0	7.6	45.4
Thiamin	mg	0.042	0.006	4	0.006	0.012	0.071
Riboflavin	mg	0.048	0.000	4	0.007	0.014	0.082
Niacin	mg	0.123	0.005	4	0.018	0.035	0.209
Pantothenic acid	mg	0.205		0	0.031	0.058	0.349
Vitamin B-6	mg	0.040	0.000	4	0.006	0.011	0.068
Folate	µg	6		0	1	2	10
Vitamin B-12	µg	0.06		1	0.01	0.02	0.10
Vitamin A	IU	37	15.000	4	6	10	63
Vitamin A, RE	µg	4	1.000	4	1	1	7
Vitamin E, α-TE	mg	0.230		0	0.035	0.065	0.391
Lipids:							
Saturated, total	g	0.130		0	0.020	0.037	0.221
4:0	g	0.001		0	0.000	0.000	0.002
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.000	0.000	0.002
12:0	g	0.001		0	0.000	0.000	0.002
14:0	g	0.004		0	0.001	0.001	0.007
15.0	g						
16:0	g	0.089		0	0.013	0.025	0.151
17:0	g						
18:0	g	0.032		0	0.005	0.009	0.054
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.146	0	0.022	0.041	0.248
14:1	g					
16:1	g	0.012	0	0.002	0.003	0.020
18:1	g	0.133	0	0.020	0.038	0.226
20:1	g	0.001	0	0.000	0.000	0.002
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.054	0	0.008	0.015	0.092
18:2	g	0.045	0	0.007	0.013	0.077
18:3	g	0.003	0	0.000	0.001	0.005
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.005	0	0.001	0.001	0.009
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.001	0	0.000	0.000	0.002
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03235 Babyfood, dessert, fruit dessert, without ascorbic acid, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 113g
Proximates:							
Water	g	83.40	0.400	17	12.51	23.64	94.24
Energy	kcal	59		0	9	17	67
Energy	kj	247		0	37	70	279
Protein (N x 5.95)	g	0.30	0.000	15	0.05	0.09	0.34
Total lipid (fat)	g	0.00		15	0.00	0.00	0.00
Carbohydrate, by difference	g	16.00		0	2.40	4.54	18.08
Fiber, total dietary	g	0.6		0	0.1	0.2	0.7
Ash	g	0.30	0.000	42	0.05	0.09	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	9	2.000	7	1	3	10
Iron	mg	0.22	0.010	35	0.03	0.06	0.25
Magnesium	mg	5		1	1	1	6
Phosphorus	mg	7		1	1	2	8
Potassium	mg	94		14	14	27	106
Sodium	mg	14		20	2	4	16
Zinc	mg	0.04		1	0.01	0.01	0.05
Copper	mg	0.030		1	0.004	0.009	0.034
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.1	0.5
Vitamins:							
Ascorbic acid	mg	2.5	0.200	29	0.4	0.7	2.8
Thiamin	mg	0.016	0.000	38	0.002	0.005	0.018
Riboflavin	mg	0.009	0.000	38	0.001	0.003	0.010
Niacin	mg	0.143	0.007	10	0.021	0.041	0.162
Pantothenic acid	mg	0.104		0	0.016	0.029	0.118
Vitamin B-6	mg	0.037	0.000	29	0.006	0.010	0.042
Folate	µg	3	0.200	9	0	1	4
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	251	15.000	38	38	71	284
Vitamin A, RE	µg	25	1.000	38	4	7	28
Vitamin E, α-TE	mg	0.230		0	0.035	0.065	0.260
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	0.000
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.000		0	0.000	0.000	0.000
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000	0.000
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.000	0	0.000	0.000	0.000
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000	0.000
18:2	g	0.000	0	0.000	0.000	0.000
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03236 Babyfood, dessert, fruit dessert, without ascorbic acid, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	82.20		14	12.33	23.30	139.74
Energy	kcal	63		0	9	18	107
Energy	kj	264		0	40	75	449
Protein (N x 5.95)	g	0.30	0.000	15	0.05	0.09	0.51
Total lipid (fat)	g	0.00		15	0.00	0.00	0.00
Carbohydrate, by difference	g	17.20		0	2.58	4.88	29.24
Fiber, total dietary	g	0.6		0	0.1	0.2	1.0
Ash	g	0.30	0.000	42	0.05	0.09	0.51
Sugars, total	g						
Minerals:							
Calcium	mg	9	2.000	7	1	3	15
Iron	mg	0.21	0.040	7	0.03	0.06	0.36
Magnesium	mg	5		1	1	1	9
Phosphorus	mg	8		1	1	2	14
Potassium	mg	95		14	14	27	162
Sodium	mg	13		19	2	4	22
Zinc	mg	0.05		1	0.01	0.01	0.09
Copper	mg	0.030		1	0.004	0.009	0.051
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.1	0.7
Vitamins:							
Ascorbic acid	mg	3.0	0.200	2	0.5	0.9	5.1
Thiamin	mg	0.021	0.000	11	0.003	0.006	0.036
Riboflavin	mg	0.012	0.000	11	0.002	0.003	0.020
Niacin	mg	0.144	0.007	10	0.022	0.041	0.245
Pantothenic acid	mg	0.100		0	0.015	0.028	0.170
Vitamin B-6	mg	0.033		2	0.005	0.009	0.056
Folate	µg	4		0	1	1	6
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	239	12.000	38	36	68	406
Vitamin A, RE	µg	24	1.000	38	4	7	41
Vitamin E, α-TE	mg	0.230		0	0.035	0.065	0.391
Lipids:							
Saturated, total	g	0.000		0	0.000	0.000	0.000
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.000		0	0.000	0.000	0.000
15.0	g						
16:0	g	0.000		0	0.000	0.000	0.000
17:0	g						
18:0	g	0.000		0	0.000	0.000	0.000
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.000	0	0.000	0.000	0.000
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.000	0	0.000	0.000	0.000
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.000	0	0.000	0.000	0.000
18:2	g	0.000	0	0.000	0.000	0.000
18:3	g	0.000	0	0.000	0.000	0.000
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03238 Babyfood, dessert, tropical fruit, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	83.20	0.300	13	23.59	94.02	
Energy	kcal	60		0	17	68	
Energy	kj	251		0	71	284	
Protein (N x 5.95)	g	0.20	0.000	13	0.06	0.23	
Total lipid (fat)	g	0.00		13	0.00	0.00	
Carbohydrate, by difference	g	16.40		0	4.65	18.53	
Fiber, total dietary	g						
Ash	g	0.20	0.000	13	0.06	0.23	
Sugars, total	g						
Minerals:							
Calcium	mg	10	1.000	13	3	11	
Iron	mg	0.26	0.040	13	0.07	0.29	
Magnesium	mg	5		0	1	6	
Phosphorus	mg	8		0	2	9	
Potassium	mg	58	2.000	13	16	66	
Sodium	mg	7	1.000	13	2	8	
Zinc	mg	0.05		0	0.01	0.05	
Copper	mg	0.028		0	0.008	0.032	
Manganese	mg						
Selenium	µg	0.4		0	0.1	0.5	
Vitamins:							
Ascorbic acid	mg	18.8	2.900	13	5.3	21.2	
Thiamin	mg	0.011	0.000	13	0.003	0.012	
Riboflavin	mg	0.031	0.003	13	0.009	0.035	
Niacin	mg	0.080	0.000	13	0.023	0.090	
Pantothenic acid	mg	0.094		0	0.027	0.106	
Vitamin B-6	mg	0.031		0	0.009	0.035	
Folate	µg	3		0	1	4	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	20	2.000	13	6	23	
Vitamin A, RE	µg	2	0.000	13	1	2	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03245 Babyfood, dessert, custard pudding, vanilla, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 229g	Measure 2* 14g	Measure 3* 28g
Proximates:							
Water	g	79.90	0.100	19	182.97	11.19	22.65
Energy	kcal	85		0	195	12	24
Energy	kj	356		0	815	50	101
Protein (N x 5.95)	g	1.60		14	3.66	0.22	0.45
Total lipid (fat)	g	2.00	0.200	16	4.58	0.28	0.57
Carbohydrate, by difference	g	16.10		0	36.87	2.25	4.56
Fiber, total dietary	g	0.0		0	0.0	0.0	0.0
Ash	g	0.50	0.000	37	1.15	0.07	0.14
Sugars, total	g						
Minerals:							
Calcium	mg	55	1.000	36	126	8	16
Iron	mg	0.24	0.010	36	0.55	0.03	0.07
Magnesium	mg	5		2	11	1	1
Phosphorus	mg	45		2	103	6	13
Potassium	mg	66		15	151	9	19
Sodium	mg	28		15	64	4	8
Zinc	mg	0.28		1	0.64	0.04	0.08
Copper	mg	0.050		1	0.115	0.007	0.014
Manganese	mg						
Selenium	µg	2.4		0	5.5	0.3	0.7
Vitamins:							
Ascorbic acid	mg	0.8	0.000	33	1.8	0.1	0.2
Thiamin	mg	0.012	0.000	36	0.027	0.002	0.003
Riboflavin	mg	0.080	0.004	36	0.183	0.011	0.023
Niacin	mg	0.040		11	0.092	0.006	0.011
Pantothenic acid	mg	0.250		4	0.573	0.035	0.071
Vitamin B-6	mg	0.020	0.000	18	0.046	0.003	0.006
Folate	µg	6	0.200	3	14	1	2
Vitamin B-12	µg	0.01		0	0.02	0.00	0.00
Vitamin A	IU	64		7	147	9	18
Vitamin A, RE	µg	6		7	14	1	2
Vitamin E, α-TE	mg	0.230		0	0.527	0.032	0.065
Lipids:							
Saturated, total	g	1.010	0.000	2	2.313	0.141	0.286
4:0	g	0.050	0.000	2	0.115	0.007	0.014
6.0	g	0.020		2	0.046	0.003	0.006
8:0	g	0.010	0.000	2	0.023	0.001	0.003
10:0	g	0.030	0.000	2	0.069	0.004	0.009
12:0	g	0.040	0.000	2	0.092	0.006	0.011
14:0	g	0.110	0.000	2	0.252	0.015	0.031
15.0	g						
16:0	g	0.520		2	1.191	0.073	0.147
17:0	g						
18:0	g	0.190	0.000	2	0.435	0.027	0.054
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.680	0.010	2	1.557	0.095	0.193
14:1	g						
16:1	g	0.050	0.000	2	0.115	0.007	0.014
18:1	g	0.620	0.010	2	1.420	0.087	0.176
20:1	g	0.000		2	0.000	0.000	0.000
22.1	g	0.000		0	0.000	0.000	0.000
Polyunsaturated, total	g	0.160		2	0.366	0.022	0.045
18:2	g	0.130	0.000	2	0.298	0.018	0.037
18:3	g	0.010	0.000	2	0.023	0.001	0.003
18:4	g	0.000		0	0.000	0.000	0.000
20:4	g	0.020	0.000	2	0.046	0.003	0.006
20:5	g	0.000		0	0.000	0.000	0.000
22:5	g	0.000		0	0.000	0.000	0.000
22:6	g	0.000		0	0.000	0.000	0.000
Cholesterol	mg	8		0	18	1	2
Phytosterols	mg						
Amino acids:							
Tryptophan	g						
Threonine	g	0.059		0	0.135	0.008	0.017
Isoleucine	g	0.075		0	0.172	0.011	0.021
Leucine	g	0.059		0	0.135	0.008	0.017
Lysine	g	0.114		0	0.261	0.016	0.032
Methionine	g	0.046		0	0.105	0.006	0.013
Cystine	g						
Phenylalanine	g	0.073		0	0.167	0.010	0.021
Tyrosine	g	0.059		0	0.135	0.008	0.017
Valine	g	0.088		0	0.202	0.012	0.025
Arginine	g	0.062		0	0.142	0.009	0.018
Histidine	g	0.041		0	0.094	0.006	0.012
Alanine	g	0.050		0	0.115	0.007	0.014
Aspartic acid	g	0.130		0	0.298	0.018	0.037
Glutamic acid	g	0.291		0	0.666	0.041	0.082
Glycine	g	0.033		0	0.076	0.005	0.009
Proline	g	0.098		0	0.224	0.014	0.028
Serine	g	0.082		0	0.188	0.011	0.023
Other:							
Caffeine	mg						
Theobromine	mg						
Alcohol	g						

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03246 Babyfood, dessert, custard pudding, vanilla, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 229g	Measure 2* 14g	Measure 3* 28g
Proximates:							
Water	g	79.31		0	181.62	11.10	22.48
Energy	kcal	86		0	197	12	24
Energy	kj	360		0	824	50	102
Protein (N x 5.95)	g	1.76		0	4.03	0.25	0.50
Total lipid (fat)	g	0.98		0	2.24	0.14	0.28
Carbohydrate, by difference	g	17.59		0	40.28	2.46	4.99
Fiber, total dietary	g	0.2		0	0.5	0.0	0.1
Ash	g	0.37		0	0.85	0.05	0.10
Sugars, total	g	11.56		0	26.47	1.62	3.28
Minerals:							
Calcium	mg	54		0	124	8	15
Iron	mg	0.22		0	0.50	0.03	0.06
Magnesium	mg	5		0	11	1	1
Phosphorus	mg	55		0	126	8	16
Potassium	mg	68		0	156	10	19
Sodium	mg	26		0	60	4	7
Zinc	mg	0.30		0	0.69	0.04	0.09
Copper	mg	0.010		0	0.023	0.001	0.003
Manganese	mg	0.010		0	0.023	0.001	0.003
Selenium	µg	2.4		0	5.5	0.3	0.7
Vitamins:							
Ascorbic acid	mg	0.4		0	0.9	0.1	0.1
Thiamin	mg	0.012		0	0.027	0.002	0.003
Riboflavin	mg	0.054		0	0.124	0.008	0.015
Niacin	mg	0.076		0	0.174	0.011	0.022
Pantothenic acid	mg	0.232		0	0.531	0.032	0.066
Vitamin B-6	mg	0.030		0	0.069	0.004	0.009
Folate	µg	6		0	14	1	2
Vitamin B-12	µg	0.23		0	0.53	0.03	0.07
Vitamin A	IU	47		0	108	7	13
Vitamin A, RE	µg	14		0	32	2	4
Vitamin E, α-TE	mg	0.103		0	0.236	0.014	0.029
Lipids:							
Saturated, total	g	0.325		0	0.744	0.046	0.092
4:0	g	0.003		0	0.007	0.000	0.001
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.001		0	0.002	0.000	0.000
10:0	g	0.002		0	0.005	0.000	0.001
12:0	g	0.001		0	0.002	0.000	0.000
14:0	g	0.009		0	0.021	0.001	0.003
15.0	g						
16:0	g	0.222		0	0.508	0.031	0.063
17:0	g						
18:0	g	0.078		0	0.179	0.011	0.022
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.364	0	0.834	0.051	0.103
14:1	g					
16:1	g	0.030	0	0.069	0.004	0.009
18:1	g	0.331	0	0.758	0.046	0.094
20:1	g	0.003	0	0.007	0.000	0.001
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.128	0	0.293	0.018	0.036
18:2	g	0.108	0	0.247	0.015	0.031
18:3	g	0.004	0	0.009	0.001	0.001
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.013	0	0.030	0.002	0.004
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.003	0	0.007	0.000	0.001
Cholesterol	mg	38	0	87	5	11
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03265 Babyfood, juice, apple and grape

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3* 131g
Proximates:							
Water	g	88.10		14	27.49	111.89	115.41
Energy	kcal	46		0	14	58	60
Energy	kj	192		0	60	244	252
Protein (N x 5.95)	g	0.10	0.000	22	0.03	0.13	0.13
Total lipid (fat)	g	0.20	0.000	22	0.06	0.25	0.26
Carbohydrate, by difference	g	11.40		0	3.56	14.48	14.93
Fiber, total dietary	g	0.1		0	0.0	0.1	0.1
Ash	g	0.20	0.000	20	0.06	0.25	0.26
Sugars, total	g						
Minerals:							
Calcium	mg	6		18	2	8	8
Iron	mg	0.39		18	0.12	0.50	0.51
Magnesium	mg	3	0.000	2	1	4	4
Phosphorus	mg	5		3	2	6	7
Potassium	mg	90		16	28	114	118
Sodium	mg	3		14	1	4	4
Zinc	mg	0.04	0.004	2	0.01	0.04	0.05
Copper	mg	0.078		0	0.024	0.099	0.102
Manganese	mg						
Selenium	µg	0.1		0	0.0	0.1	0.1
Vitamins:							
Ascorbic acid	mg	53.6		8	16.7	68.1	70.2
Thiamin	mg	0.007		27	0.002	0.009	0.009
Riboflavin	mg	0.021		10	0.007	0.027	0.028
Niacin	mg	0.109		14	0.034	0.138	0.143
Pantothenic acid	mg	0.075		0	0.023	0.095	0.098
Vitamin B-6	mg	0.034		8	0.011	0.043	0.045
Folate	µg	0		9	0	0	0
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	6	2.000	17	2	8	8
Vitamin A, RE	µg	1	0.000	17	0	1	1
Vitamin E, α-TE	mg	0.600		0	0.187	0.762	0.786
Lipids:							
Saturated, total	g	0.040		0	0.012	0.051	0.052
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.002		0	0.001	0.003	0.003
15.0	g						
16:0	g	0.032		0	0.010	0.041	0.042
17:0	g						
18:0	g	0.004		0	0.001	0.005	0.005
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.009	0	0.003	0.011	0.012
14:1	g					
16:1	g	0.000	0	0.000	0.000	0.000
18:1	g	0.007	0	0.002	0.009	0.009
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.059	0	0.018	0.075	0.077
18:2	g	0.049	0	0.015	0.062	0.064
18:3	g	0.011	0	0.003	0.014	0.014
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar
Measure 3: 1 Earth's Best bottle (4.2 fl oz)

NDB No. 03268 Babyfood, juice, apple and cherry

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2* 127g	Measure 3*
Proximates:							
Water	g	89.50		14	27.92	113.67	
Energy	kcal	41		0	13	52	
Energy	kj	172		0	54	218	
Protein (N x 5.95)	g	0.10	0.000	18	0.03	0.13	
Total lipid (fat)	g	0.20	0.000	18	0.06	0.25	
Carbohydrate, by difference	g	9.90		0	3.09	12.57	
Fiber, total dietary	g	0.1		0	0.0	0.1	
Ash	g	0.30	0.100	18	0.09	0.38	
Sugars, total	g						
Minerals:							
Calcium	mg	5		15	2	6	
Iron	mg	0.66		10	0.21	0.84	
Magnesium	mg	3		2	1	4	
Phosphorus	mg	6		3	2	8	
Potassium	mg	98		16	31	124	
Sodium	mg	3		14	1	4	
Zinc	mg	0.03		2	0.01	0.04	
Copper	mg	0.043		0	0.013	0.055	
Manganese	mg						
Selenium	µg	0.1		0	0.0	0.1	
Vitamins:							
Ascorbic acid	mg	58.3		9	18.2	74.0	
Thiamin	mg	0.008	0.000	22	0.002	0.010	
Riboflavin	mg	0.015		8	0.005	0.019	
Niacin	mg	0.094		8	0.029	0.119	
Pantothenic acid	mg	0.102		0	0.032	0.130	
Vitamin B-6	mg	0.031	0.000	6	0.010	0.039	
Folate	µg	0		6	0	0	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	5		14	2	6	
Vitamin A, RE	µg	1		14	0	1	
Vitamin E, α-TE	mg	0.010		0	0.003	0.013	
Lipids:							
Saturated, total	g	0.035		0	0.011	0.044	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.000		0	0.000	0.000	
14:0	g	0.002		0	0.001	0.003	
15.0	g						
16:0	g	0.028		0	0.009	0.036	
17:0	g						
18:0	g	0.004		0	0.001	0.005	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.011	0	0.003	0.014
14:1	g				
16:1	g	0.000	0	0.000	0.000
18:1	g	0.009	0	0.003	0.011
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.060	0	0.019	0.076
18:2	g	0.050	0	0.016	0.064
18:3	g	0.012	0	0.004	0.015
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz
Measure 2: 1 jar

NDB No. 03274 Babyfood, dinner, vegetables and chicken, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 256g	Measure 2* 16g	Measure 3* 28g
Proximates:							
Water	g	87.76		0	224.67	14.04	24.88
Energy	kcal	53		0	136	8	15
Energy	kj	222		0	568	36	63
Protein (N x 5.95)	g	2.04		0	5.22	0.33	0.58
Total lipid (fat)	g	1.12		0	2.87	0.18	0.32
Carbohydrate, by difference	g	8.66		0	22.17	1.39	2.46
Fiber, total dietary	g	1.1		0	2.8	0.2	0.3
Ash	g	0.42		0	1.08	0.07	0.12
Sugars, total	g	1.46		0	3.74	0.23	0.41
Minerals:							
Calcium	mg	27		0	69	4	8
Iron	mg	0.33		0	0.84	0.05	0.09
Magnesium	mg	8		0	20	1	2
Phosphorus	mg	32		0	82	5	9
Potassium	mg	83		0	212	13	24
Sodium	mg	76		0	195	12	22
Zinc	mg	0.30		0	0.77	0.05	0.09
Copper	mg	0.020		0	0.051	0.003	0.006
Manganese	mg	0.110		0	0.282	0.018	0.031
Selenium	µg	2.1		0	5.4	0.3	0.6
Vitamins:							
Ascorbic acid	mg	0.2		0	0.5	0.0	0.1
Thiamin	mg	0.025		0	0.064	0.004	0.007
Riboflavin	mg	0.046		0	0.118	0.007	0.013
Niacin	mg	0.628		0	1.608	0.100	0.178
Pantothenic acid	mg	0.127		0	0.325	0.020	0.036
Vitamin B-6	mg	0.046		0	0.118	0.007	0.013
Folate	µg	3		0	8	0	1
Vitamin B-12	µg	0.02		0	0.05	0.00	0.01
Vitamin A	IU	2612		0	6687	418	741
Vitamin A, RE	µg	261		0	668	42	74
Vitamin E, α-TE	mg	0.070		0	0.179	0.011	0.020
Lipids:							
Saturated, total	g	0.302		0	0.773	0.048	0.086
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.010		0	0.026	0.002	0.003
15.0	g						
16:0	g	0.191		0	0.489	0.031	0.054
17:0	g						
18:0	g	0.071		0	0.182	0.011	0.020
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.402	0	1.029	0.064	0.114
14:1	g					
16:1	g	0.047	0	0.120	0.008	0.013
18:1	g	0.340	0	0.870	0.054	0.096
20:1	g	0.004	0	0.010	0.001	0.001
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.269	0	0.689	0.043	0.076
18:2	g	0.238	0	0.609	0.038	0.067
18:3	g	0.013	0	0.033	0.002	0.004
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.009	0	0.023	0.001	0.003
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.002	0	0.005	0.000	0.001
Cholesterol	mg	7	0	18	1	2
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03278 Babyfood, dinner, mixed vegetable, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	88.70	0.200	16	25.15	100.23	
Energy	kcal	41		0	12	46	
Energy	kj	172		0	49	194	
Protein (N x 5.95)	g	1.20	0.000	13	0.34	1.36	
Total lipid (fat)	g	0.10	0.000	13	0.03	0.11	
Carbohydrate, by difference	g	9.50		0	2.69	10.73	
Fiber, total dietary	g						
Ash	g	0.50	0.000	13	0.14	0.56	
Sugars, total	g						
Minerals:							
Calcium	mg	22	2.000	13	6	25	
Iron	mg	0.33	0.030	13	0.09	0.37	
Magnesium	mg	11		0	3	12	
Phosphorus	mg	24		0	7	27	
Potassium	mg	121	4.000	13	34	137	
Sodium	mg	8	0.000	13	2	9	
Zinc	mg	0.16		0	0.05	0.18	
Copper	mg	0.044		0	0.012	0.050	
Manganese	mg						
Selenium	µg	0.7		1	0.2	0.8	
Vitamins:							
Ascorbic acid	mg	2.8	0.200	13	0.8	3.2	
Thiamin	mg	0.015	0.000	13	0.004	0.017	
Riboflavin	mg	0.031	0.000	13	0.009	0.035	
Niacin	mg	0.502	0.035	13	0.142	0.567	
Pantothenic acid	mg	0.277		0	0.079	0.313	
Vitamin B-6	mg	0.075		0	0.021	0.085	
Folate	µg	8	1.400	3	2	9	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	2728	274.000	13	773	3083	
Vitamin A, RE	µg	273	27.000	13	77	308	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03279 Babyfood, dinner, mixed vegetable, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 170g	Measure 3*
Proximates:							
Water	g	90.60	0.100	13	25.69	154.02	
Energy	kcal	33		0	9	56	
Energy	kj	138		0	39	235	
Protein (N x 5.95)	g	1.00	0.000	13	0.28	1.70	
Total lipid (fat)	g	0.00	0.000	13	0.00	0.00	
Carbohydrate, by difference	g	7.90		0	2.24	13.43	
Fiber, total dietary	g						
Ash	g	0.40	0.000	13	0.11	0.68	
Sugars, total	g						
Minerals:							
Calcium	mg	17	1.000	13	5	29	
Iron	mg	0.31	0.030	13	0.09	0.53	
Magnesium	mg	10		0	3	17	
Phosphorus	mg	22		0	6	37	
Potassium	mg	112	3.000	13	32	190	
Sodium	mg	9	1.000	13	3	15	
Zinc	mg	0.24		0	0.07	0.41	
Copper	mg	0.036		0	0.010	0.061	
Manganese	mg						
Selenium	µg	0.7		1	0.2	1.2	
Vitamins:							
Ascorbic acid	mg	3.3	0.600	13	0.9	5.6	
Thiamin	mg	0.014	0.000	13	0.004	0.024	
Riboflavin	mg	0.024	0.000	13	0.007	0.041	
Niacin	mg	0.414	0.016	13	0.117	0.704	
Pantothenic acid	mg	0.230		0	0.065	0.391	
Vitamin B-6	mg	0.075		0	0.021	0.128	
Folate	µg	7		0	2	11	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	2444	243.000	13	693	4155	
Vitamin A, RE	µg	244	24.000	13	69	415	
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03280 Babyfood, fruit, bananas with tapioca, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	81.50	0.100	26	12.22	23.11	138.55
Energy	kcal	67		0	10	19	114
Energy	kj	280		0	42	79	476
Protein (N x 5.95)	g	0.40		27	0.06	0.11	0.68
Total lipid (fat)	g	0.20		27	0.03	0.06	0.34
Carbohydrate, by difference	g	17.80		0	2.67	5.05	30.26
Fiber, total dietary	g	1.6		0	0.2	0.5	2.7
Ash	g	0.20	0.000	26	0.03	0.06	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	8		14	1	2	14
Iron	mg	0.30		14	0.05	0.09	0.51
Magnesium	mg	12		0	2	3	20
Phosphorus	mg	9		1	1	3	15
Potassium	mg	108		14	16	31	184
Sodium	mg	9	5.000	17	1	3	15
Zinc	mg	0.07		0	0.01	0.02	0.12
Copper	mg	0.046		0	0.007	0.013	0.078
Manganese	mg						
Selenium	µg	0.6		0	0.1	0.2	1.0
Vitamins:							
Ascorbic acid	mg	25.7		14	3.9	7.3	43.7
Thiamin	mg	0.015		14	0.002	0.004	0.026
Riboflavin	mg	0.020		14	0.003	0.006	0.034
Niacin	mg	0.218		14	0.033	0.062	0.371
Pantothenic acid	mg	0.173		0	0.026	0.049	0.294
Vitamin B-6	mg	0.139		1	0.021	0.039	0.236
Folate	µg	6		0	1	2	11
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	44		14	7	12	75
Vitamin A, RE	µg	4		14	1	1	7
Vitamin E, α-TE	mg	0.600		0	0.090	0.170	1.020
Lipids:							
Saturated, total	g	0.076		0	0.011	0.022	0.129
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.000	0.000	0.002
14:0	g	0.001		0	0.000	0.000	0.002
15.0	g						
16:0	g	0.052		0	0.008	0.015	0.088
17:0	g						
18:0	g	0.003		0	0.000	0.001	0.005
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.018	0	0.003	0.005	0.031
14:1	g					
16:1	g	0.005	0	0.001	0.001	0.009
18:1	g	0.012	0	0.002	0.003	0.020
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.037	0	0.006	0.010	0.063
18:2	g	0.024	0	0.004	0.007	0.041
18:3	g	0.014	0	0.002	0.004	0.024
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03282 Babyfood, vegetables, mix vegetables junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 240g	Measure 2* 15g	Measure 3* 28g
Proximates:							
Water	g	89.40		6	214.56	13.41	25.34
Energy	kcal	41		0	98	6	12
Energy	kj	172		0	413	26	49
Protein (N x 5.95)	g	1.40		7	3.36	0.21	0.40
Total lipid (fat)	g	0.40		6	0.96	0.06	0.11
Carbohydrate, by difference	g	8.20		0	19.68	1.23	2.32
Fiber, total dietary	g	1.5		0	3.6	0.2	0.4
Ash	g	0.60		6	1.44	0.09	0.17
Sugars, total	g						
Minerals:							
Calcium	mg	11		7	26	2	3
Iron	mg	0.41		8	0.98	0.06	0.12
Magnesium	mg	11		1	26	2	3
Phosphorus	mg	25		1	60	4	7
Potassium	mg	170		1	408	26	48
Sodium	mg	36		3	86	5	10
Zinc	mg	0.27		1	0.65	0.04	0.08
Copper	mg	0.041		0	0.098	0.006	0.012
Manganese	mg						
Selenium	µg	0.7		1	1.7	0.1	0.2
Vitamins:							
Ascorbic acid	mg	2.5		12	6.0	0.4	0.7
Thiamin	mg	0.029		9	0.070	0.004	0.008
Riboflavin	mg	0.032		8	0.077	0.005	0.009
Niacin	mg	0.665		11	1.596	0.100	0.189
Pantothenic acid	mg	0.259		0	0.622	0.039	0.073
Vitamin B-6	mg	0.081		7	0.194	0.012	0.023
Folate	µg	4		0	10	1	1
Vitamin B-12	µg	0.00		0	0.00	0.00	0.00
Vitamin A	IU	4195	334.000	6	10068	629	1189
Vitamin A, RE	µg	420	33.000	6	1008	63	119
Vitamin E, α-TE	mg	0.520		0	1.248	0.078	0.147
Lipids:							
Saturated, total	g	0.079		0	0.190	0.012	0.022
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.001		0	0.002	0.000	0.000
12:0	g	0.004		0	0.010	0.001	0.001
14:0	g	0.002		0	0.005	0.000	0.001
15.0	g						
16:0	g	0.062		0	0.149	0.009	0.018
17:0	g						
18:0	g	0.007		0	0.017	0.001	0.002
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.025	0	0.060	0.004	0.007
14:1	g					
16:1	g	0.002	0	0.005	0.000	0.001
18:1	g	0.022	0	0.053	0.003	0.006
20:1	g	0.000	0	0.000	0.000	0.000
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.186	0	0.446	0.028	0.053
18:2	g	0.153	0	0.367	0.023	0.043
18:3	g	0.031	0	0.074	0.005	0.009
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.000	0	0.000	0.000	0.000
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	0	0	0	0	0
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.015	0	0.036	0.002	0.004
Threonine	g	0.045	0	0.108	0.007	0.013
Isoleucine	g	0.056	0	0.134	0.008	0.016
Leucine	g	0.091	0	0.218	0.014	0.026
Lysine	g	0.047	0	0.113	0.007	0.013
Methionine	g	0.021	0	0.050	0.003	0.006
Cystine	g	0.028	0	0.067	0.004	0.008
Phenylalanine	g	0.055	0	0.132	0.008	0.016
Tyrosine	g	0.052	0	0.125	0.008	0.015
Valine	g	0.069	0	0.166	0.010	0.020
Arginine	g	0.093	0	0.223	0.014	0.026
Histidine	g	0.031	0	0.074	0.005	0.009
Alanine	g	0.062	0	0.149	0.009	0.018
Aspartic acid	g	0.165	0	0.396	0.025	0.047
Glutamic acid	g	0.369	0	0.886	0.055	0.105
Glycine	g	0.054	0	0.130	0.008	0.015
Proline	g	0.110	0	0.264	0.017	0.031
Serine	g	0.054	0	0.130	0.008	0.015
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 cup
Measure 2: 1 tablespoon
Measure 3: 1 oz

NDB No. 03283 Babyfood, vegetables, garden vegetable, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	90.00	0.100	19	25.52	101.70	
Energy	kcal	37		0	10	42	
Energy	kj	155		0	44	175	
Protein (N x 5.95)	g	2.30	0.000	17	0.65	2.60	
Total lipid (fat)	g	0.20	0.000	17	0.06	0.23	
Carbohydrate, by difference	g	6.80		0	1.93	7.68	
Fiber, total dietary	g	1.5		0	0.4	1.7	
Ash	g	0.70		13	0.20	0.79	
Sugars, total	g						
Minerals:							
Calcium	mg	28	3.000	17	8	32	
Iron	mg	0.83	0.030	18	0.24	0.94	
Magnesium	mg	21	5.000	2	6	24	
Phosphorus	mg	28		1	8	32	
Potassium	mg	168		14	48	190	
Sodium	mg	35	5.000	17	10	40	
Zinc	mg	0.26	0.009	2	0.07	0.29	
Copper	mg	0.070		1	0.020	0.079	
Manganese	mg						
Selenium	µg	0.7		0	0.2	0.8	
Vitamins:							
Ascorbic acid	mg	5.7	0.200	18	1.6	6.4	
Thiamin	mg	0.061	0.003	17	0.017	0.069	
Riboflavin	mg	0.069	0.000	17	0.020	0.078	
Niacin	mg	0.779	0.028	17	0.221	0.880	
Pantothenic acid	mg	0.260		0	0.074	0.294	
Vitamin B-6	mg	0.100		4	0.028	0.113	
Folate	µg	40	2.300	16	11	45	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	6067	232.000	19	1720	6856	
Vitamin A, RE	µg	607	23.000	19	172	686	
Vitamin E, α-TE	mg	0.520		0	0.147	0.588	
Lipids:							
Saturated, total	g	0.035		0	0.010	0.040	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.001		0	0.000	0.001	
14:0	g	0.002		0	0.001	0.002	
15.0	g						
16:0	g	0.028		0	0.008	0.032	
17:0	g						
18:0	g	0.002		0	0.001	0.002	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.011	0	0.003	0.012
14:1	g				
16:1	g	0.002	0	0.001	0.002
18:1	g	0.009	0	0.003	0.010
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.090	0	0.026	0.102
18:2	g	0.053	0	0.015	0.060
18:3	g	0.035	0	0.010	0.040
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.027	0	0.008	0.031
Threonine	g	0.073	0	0.021	0.082
Isoleucine	g	0.086	0	0.024	0.097
Leucine	g	0.143	0	0.041	0.162
Lysine	g	0.116	0	0.033	0.131
Methionine	g	0.043	0	0.012	0.049
Cystine	g	0.020	0	0.006	0.023
Phenylalanine	g	0.088	0	0.025	0.099
Tyrosine	g	0.095	0	0.027	0.107
Valine	g	0.099	0	0.028	0.112
Arginine	g	0.196	0	0.056	0.221
Histidine	g	0.045	0	0.013	0.051
Alanine	g	0.107	0	0.030	0.121
Aspartic acid	g	0.192	0	0.054	0.217
Glutamic acid	g	0.293	0	0.083	0.331
Glycine	g	0.079	0	0.022	0.089
Proline	g	0.122	0	0.035	0.138
Serine	g	0.077	0	0.022	0.087
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03284 Babyfood, dinner, green beans and turkey, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3* 113g
Proximates:							
Water	g	88.68		0	25.14	100.21	100.21
Energy	kcal	53		0	15	60	60
Energy	kj	222		0	63	251	251
Protein (N x 5.95)	g	3.80		0	1.08	4.29	4.29
Total lipid (fat)	g	1.82		0	0.52	2.06	2.06
Carbohydrate, by difference	g	5.41		0	1.53	6.11	6.11
Fiber, total dietary	g	2.3		0	0.7	2.6	2.6
Ash	g	0.29		0	0.08	0.33	0.33
Sugars, total	g	1.51		0	0.43	1.71	1.71
Minerals:							
Calcium	mg	37		0	10	42	42
Iron	mg	0.78		0	0.22	0.88	0.88
Magnesium	mg	21		0	6	24	24
Phosphorus	mg	52		0	15	59	59
Potassium	mg	167		0	47	189	189
Sodium	mg	11		0	3	12	12
Zinc	mg	0.60		0	0.17	0.68	0.68
Copper	mg	0.060		0	0.017	0.068	0.068
Manganese	mg	0.270		0	0.077	0.305	0.305
Selenium	µg	3.2		1	0.9	3.6	3.6
Vitamins:							
Ascorbic acid	mg	1.7		0	0.5	1.9	1.9
Thiamin	mg	0.028		0	0.008	0.032	0.032
Riboflavin	mg	0.094		0	0.027	0.106	0.106
Niacin	mg	1.019		0	0.289	1.151	1.151
Pantothenic acid	mg	0.145		0	0.041	0.164	0.164
Vitamin B-6	mg	0.068		0	0.019	0.077	0.077
Folate	µg	24		0	7	27	27
Vitamin B-12	µg	0.04		0	0.01	0.05	0.05
Vitamin A	IU	363		0	103	410	410
Vitamin A, RE	µg	36		0	10	41	41
Vitamin E, α-TE	mg	0.135		0	0.038	0.153	0.153
Lipids:							
Saturated, total	g	0.481		0	0.136	0.544	0.544
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.000		0	0.000	0.000	0.000
14:0	g	0.015		0	0.004	0.017	0.017
15.0	g						
16:0	g	0.309		0	0.088	0.349	0.349
17:0	g						
18:0	g	0.112		0	0.032	0.127	0.127
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.593	0	0.168	0.670	0.670
14:1	g					
16:1	g	0.068	0	0.019	0.077	0.077
18:1	g	0.503	0	0.143	0.568	0.568
20:1	g	0.005	0	0.001	0.006	0.006
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.484	0	0.137	0.547	0.547
18:2	g	0.377	0	0.107	0.426	0.426
18:3	g	0.078	0	0.022	0.088	0.088
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.014	0	0.004	0.016	0.016
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.002	0	0.001	0.002	0.002
22:6	g	0.003	0	0.001	0.003	0.003
Cholesterol	mg	8	0	2	9	9
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar
Measure 3: 1 Gerber Second Foods Jar (4 oz)

NDB No. 03286 Babyfood, vegetables, mix vegetables strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	89.80	0.600	9	25.46	101.47	
Energy	kcal	41		0	12	46	
Energy	kj	172		0	49	194	
Protein (N x 5.95)	g	1.20	0.000	13	0.34	1.36	
Total lipid (fat)	g	0.50	0.000	13	0.14	0.56	
Carbohydrate, by difference	g	8.00		0	2.27	9.04	
Fiber, total dietary	g	1.5		0	0.4	1.7	
Ash	g	0.50	0.200	3	0.14	0.56	
Sugars, total	g						
Minerals:							
Calcium	mg	13	1.000	8	4	15	
Iron	mg	0.32	0.020	9	0.09	0.36	
Magnesium	mg	10	1.000	2	3	11	
Phosphorus	mg	22		1	6	25	
Potassium	mg	127		1	36	144	
Sodium	mg	13		7	4	15	
Zinc	mg	0.14	0.014	2	0.04	0.16	
Copper	mg	0.040		1	0.011	0.045	
Manganese	mg						
Selenium	µg	0.7		1	0.2	0.8	
Vitamins:							
Ascorbic acid	mg	1.7	0.100	8	0.5	1.9	
Thiamin	mg	0.022	0.000	11	0.006	0.025	
Riboflavin	mg	0.025	0.000	13	0.007	0.028	
Niacin	mg	0.327	0.013	8	0.093	0.370	
Pantothenic acid	mg	0.250	0.139	4	0.071	0.282	
Vitamin B-6	mg	0.055		7	0.016	0.062	
Folate	µg	4	0.400	6	1	4	
Vitamin B-12	µg	0.00		0	0.00	0.00	
Vitamin A	IU	3991	376.000	8	1131	4510	
Vitamin A, RE	µg	399	38.000	8	113	451	
Vitamin E, α-TE	mg	0.520		0	0.147	0.588	
Lipids:							
Saturated, total	g	0.089		0	0.025	0.101	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.003		0	0.001	0.003	
14:0	g	0.001		0	0.000	0.001	
15.0	g						
16:0	g	0.074		0	0.021	0.084	
17:0	g						
18:0	g	0.006		0	0.002	0.007	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.118	0	0.033	0.133
14:1	g				
16:1	g	0.001	0	0.000	0.001
18:1	g	0.116	0	0.033	0.131
20:1	g	0.000	0	0.000	0.000
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.194	0	0.055	0.219
18:2	g	0.181	0	0.051	0.205
18:3	g	0.008	0	0.002	0.009
18:4	g	0.000	0	0.000	0.000
20:4	g	0.000	0	0.000	0.000
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	0	0	0	0
Phytosterols	mg				
Amino acids:					
Tryptophan	g	0.013	0	0.004	0.015
Threonine	g	0.038	0	0.011	0.043
Isoleucine	g	0.047	0	0.013	0.053
Leucine	g	0.077	0	0.022	0.087
Lysine	g	0.040	0	0.011	0.045
Methionine	g	0.018	0	0.005	0.020
Cystine	g	0.024	0	0.007	0.027
Phenylalanine	g	0.047	0	0.013	0.053
Tyrosine	g	0.044	0	0.012	0.050
Valine	g	0.058	0	0.016	0.066
Arginine	g	0.079	0	0.022	0.089
Histidine	g	0.026	0	0.007	0.029
Alanine	g	0.052	0	0.015	0.059
Aspartic acid	g	0.139	0	0.039	0.157
Glutamic acid	g	0.310	0	0.088	0.350
Glycine	g	0.046	0	0.013	0.052
Proline	g	0.092	0	0.026	0.104
Serine	g	0.046	0	0.013	0.052
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar

NDB No. 03287 Babyfood, dinner, beef noodle, junior

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 16g	Measure 2* 28g	Measure 3* 170g
Proximates:							
Water	g	87.80	0.200	21	14.05	24.89	149.26
Energy	kcal	57		0	9	16	97
Energy	kj	238		0	38	67	405
Protein (N x 5.95)	g	2.50	0.000	22	0.40	0.71	4.25
Total lipid (fat)	g	1.90	0.100	23	0.30	0.54	3.23
Carbohydrate, by difference	g	7.40		0	1.18	2.10	12.58
Fiber, total dietary	g	1.1		0	0.2	0.3	1.9
Ash	g	0.50	0.000	21	0.08	0.14	0.85
Sugars, total	g						
Minerals:							
Calcium	mg	8	0.000	22	1	2	14
Iron	mg	0.43	0.020	23	0.07	0.12	0.73
Magnesium	mg	7		0	1	2	12
Phosphorus	mg	30		1	5	9	51
Potassium	mg	46	2.000	13	7	13	78
Sodium	mg	17		14	3	5	29
Zinc	mg	0.40		0	0.06	0.11	0.68
Copper	mg	0.032		0	0.005	0.009	0.054
Manganese	mg						
Selenium	µg	5.7		0	0.9	1.6	9.7
Vitamins:							
Ascorbic acid	mg	1.4	0.100	19	0.2	0.4	2.4
Thiamin	mg	0.028	0.001	18	0.004	0.008	0.048
Riboflavin	mg	0.036	0.001	19	0.006	0.010	0.061
Niacin	mg	0.582	0.018	18	0.093	0.165	0.989
Pantothenic acid	mg	0.230	0.025	4	0.037	0.065	0.391
Vitamin B-6	mg	0.031	0.002	6	0.005	0.009	0.053
Folate	µg	12		0	2	3	20
Vitamin B-12	µg	0.10		0	0.02	0.03	0.17
Vitamin A	IU	656	38.000	18	105	186	1115
Vitamin A, RE	µg	88		0	14	25	150
Vitamin E, α-TE	mg	0.400		0	0.064	0.113	0.680
Lipids:							
Saturated, total	g	0.766		0	0.123	0.217	1.302
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.006		0	0.001	0.002	0.010
12:0	g	0.005		0	0.001	0.001	0.009
14:0	g	0.058		0	0.009	0.016	0.099
15.0	g						
16:0	g	0.455		0	0.073	0.129	0.774
17:0	g						
18:0	g	0.211		0	0.034	0.060	0.359
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.838	0	0.134	0.238	1.425
14:1	g					
16:1	g	0.079	0	0.013	0.022	0.134
18:1	g	0.720	0	0.115	0.204	1.224
20:1	g	0.004	0	0.001	0.001	0.007
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.094	0	0.015	0.027	0.160
18:2	g	0.066	0	0.011	0.019	0.112
18:3	g	0.023	0	0.004	0.007	0.039
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.003	0	0.000	0.001	0.005
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	8	0	1	2	14
Phytosterols	mg					
Amino acids:						
Tryptophan	g	0.027	0	0.004	0.008	0.046
Threonine	g	0.099	0	0.016	0.028	0.168
Isoleucine	g	0.138	0	0.022	0.039	0.235
Leucine	g	0.208	0	0.033	0.059	0.354
Lysine	g	0.185	0	0.030	0.052	0.315
Methionine	g	0.053	0	0.008	0.015	0.090
Cystine	g	0.029	0	0.005	0.008	0.049
Phenylalanine	g	0.117	0	0.019	0.033	0.199
Tyrosine	g	0.093	0	0.015	0.026	0.158
Valine	g	0.132	0	0.021	0.037	0.224
Arginine	g	0.157	0	0.025	0.045	0.267
Histidine	g	0.074	0	0.012	0.021	0.126
Alanine	g	0.149	0	0.024	0.042	0.253
Aspartic acid	g	0.220	0	0.035	0.062	0.374
Glutamic acid	g	0.517	0	0.083	0.147	0.879
Glycine	g	0.153	0	0.024	0.043	0.260
Proline	g	0.186	0	0.030	0.053	0.316
Serine	g	0.098	0	0.016	0.028	0.167
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 oz
Measure 3: 1 jar

NDB No. 03289 Babyfood, apples with ham, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 113g	Measure 3* 113g
Proximates:							
Water	g	85.30		0	12.80	96.39	96.39
Energy	kcal	62		0	9	70	70
Energy	kj	259		0	39	293	293
Protein (N x 5.95)	g	2.60		0	0.39	2.94	2.94
Total lipid (fat)	g	0.90		0	0.14	1.02	1.02
Carbohydrate, by difference	g	10.90		0	1.64	12.32	12.32
Fiber, total dietary	g	1.8		0	0.3	2.0	2.0
Ash	g	0.30		0	0.05	0.34	0.34
Sugars, total	g						
Minerals:							
Calcium	mg	4		0	1	5	5
Iron	mg	0.30		0	0.05	0.34	0.34
Magnesium	mg	7		0	1	8	8
Phosphorus	mg	34		0	5	38	38
Potassium	mg	120		0	18	136	136
Sodium	mg	9		0	1	10	10
Zinc	mg	0.40		0	0.06	0.45	0.45
Copper	mg	0.040		0	0.006	0.045	0.045
Manganese	mg	0.020		0	0.003	0.023	0.023
Selenium	µg	4.6		0	0.7	5.2	5.2
Vitamins:							
Ascorbic acid	mg	0.1		0	0.0	0.1	0.1
Thiamin	mg	0.060		0	0.009	0.068	0.068
Riboflavin	mg	0.060		0	0.009	0.068	0.068
Niacin	mg	0.730		0	0.109	0.825	0.825
Pantothenic acid	mg	0.097		0	0.015	0.110	0.110
Vitamin B-6	mg	0.070		0	0.011	0.079	0.079
Folate	µg	2		0	0	2	2
Vitamin B-12	µg	0.02		0	0.00	0.02	0.02
Vitamin A	IU	6		0	1	7	7
Vitamin A, RE	µg	1		0	0	1	1
Vitamin E, α-TE	mg	0.716		0	0.107	0.809	0.809
Lipids:							
Saturated, total	g	0.250		0	0.038	0.282	0.282
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.002		0	0.000	0.002	0.002
12:0	g	0.001		0	0.000	0.001	0.001
14:0	g	0.012		0	0.002	0.014	0.014
15.0	g						
16:0	g	0.162		0	0.024	0.183	0.183
17:0	g						
18:0	g	0.079		0	0.012	0.089	0.089
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.360	0	0.054	0.407	0.407
14:1	g					
16:1	g	0.028	0	0.004	0.032	0.032
18:1	g	0.346	0	0.052	0.391	0.391
20:1	g	0.004	0	0.001	0.005	0.005
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.111	0	0.017	0.125	0.125
18:2	g	0.100	0	0.015	0.113	0.113
18:3	g	0.006	0	0.001	0.007	0.007
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.005	0	0.001	0.006	0.006
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	8	0	1	9	9
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 jar, NFS
Measure 3: 1 Gerber Second Foods Jar (4 oz)

NDB No. 03290 Babyfood, carrots and beef, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 113g	Measure 3* 113g
Proximates:							
Water	g	87.30		0	13.10	98.65	98.65
Energy	kcal	59		0	9	67	67
Energy	kj	247		0	37	279	279
Protein (N x 5.95)	g	3.40		0	0.51	3.84	3.84
Total lipid (fat)	g	2.50		0	0.38	2.83	2.83
Carbohydrate, by difference	g	5.70		0	0.86	6.44	6.44
Fiber, total dietary	g	2.6		0	0.4	2.9	2.9
Ash	g	0.70		0	0.11	0.79	0.79
Sugars, total	g						
Minerals:							
Calcium	mg	22		0	3	25	25
Iron	mg	0.50		0	0.08	0.56	0.56
Magnesium	mg	13		0	2	15	15
Phosphorus	mg	45		0	7	51	51
Potassium	mg	226		0	34	255	255
Sodium	mg	58		0	9	66	66
Zinc	mg	0.80		0	0.12	0.90	0.90
Copper	mg	0.054		0	0.008	0.061	0.061
Manganese	mg	0.140		0	0.021	0.158	0.158
Selenium	µg	2.8		0	0.4	3.2	3.2
Vitamins:							
Ascorbic acid	mg	0.8		0	0.1	0.9	0.9
Thiamin	mg	0.020		0	0.003	0.023	0.023
Riboflavin	mg	0.060		0	0.009	0.068	0.068
Niacin	mg	0.930		0	0.140	1.051	1.051
Pantothenic acid	mg						
Vitamin B-6	mg	0.100		0	0.015	0.113	0.113
Folate	µg	17		0	3	19	19
Vitamin B-12	µg	0.30		0	0.05	0.34	0.34
Vitamin A	IU	14452		0	2168	16331	16331
Vitamin A, RE	µg	1445		0	217	1633	1633
Vitamin E, α-TE	mg	0.650		0	0.098	0.735	0.735
Lipids:							
Saturated, total	g	0.960		0	0.144	1.085	1.085
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.002		0	0.000	0.002	0.002
12:0	g	0.002		0	0.000	0.002	0.002
14:0	g	0.068		0	0.010	0.077	0.077
15.0	g						
16:0	g	0.546		0	0.082	0.617	0.617
17:0	g						
18:0	g	0.285		0	0.043	0.322	0.322
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.060	0	0.159	1.198	1.198
14:1	g					
16:1	g	0.090	0	0.013	0.102	0.102
18:1	g	0.923	0	0.138	1.043	1.043
20:1	g	0.002	0	0.000	0.002	0.002
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.130	0	0.020	0.147	0.147
18:2	g	0.067	0	0.010	0.076	0.076
18:3	g	0.010	0	0.002	0.011	0.011
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.009	0	0.001	0.010	0.010
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.000	0	0.000	0.000	0.000
22:6	g	0.000	0	0.000	0.000	0.000
Cholesterol	mg	8	0	1	9	9
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 jar, NFS
Measure 3: 1 Gerber Second Foods Jar (4 oz)

NDB No. 03294 Babyfood, apples and turkey, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 15g	Measure 2* 113g	Measure 3*
Proximates:							
Water	g	85.10		0	12.77	96.16	
Energy	kcal	65		0	10	73	
Energy	kj	272		0	41	307	
Protein (N x 5.95)	g	2.90		0	0.44	3.28	
Total lipid (fat)	g	1.30		0	0.20	1.47	
Carbohydrate, by difference	g	10.50		0	1.57	11.87	
Fiber, total dietary	g	1.9		0	0.3	2.1	
Ash	g	0.30		0	0.05	0.34	
Sugars, total	g						
Minerals:							
Calcium	mg	5		0	1	6	
Iron	mg	0.50		0	0.08	0.56	
Magnesium	mg	7		0	1	8	
Phosphorus	mg	41		0	6	46	
Potassium	mg	120		0	18	136	
Sodium	mg	13		0	2	15	
Zinc	mg	0.50		0	0.08	0.56	
Copper	mg	0.040		0	0.006	0.045	
Manganese	mg	0.020		0	0.003	0.023	
Selenium	µg	3.6		0	0.5	4.1	
Vitamins:							
Ascorbic acid	mg	0.1		0	0.0	0.1	
Thiamin	mg	0.020		0	0.003	0.023	
Riboflavin	mg	0.080		0	0.012	0.090	
Niacin	mg	0.760		0	0.114	0.859	
Pantothenic acid	mg	0.150		0	0.023	0.170	
Vitamin B-6	mg	0.070		0	0.011	0.079	
Folate	µg	2		0	0	2	
Vitamin B-12	µg	0.18		0	0.03	0.20	
Vitamin A	IU	9		0	1	10	
Vitamin A, RE	µg	1		0	0	1	
Vitamin E, α-TE	mg	0.280		0	0.042	0.316	
Lipids:							
Saturated, total	g	0.340		0	0.051	0.384	
4:0	g	0.000		0	0.000	0.000	
6.0	g	0.000		0	0.000	0.000	
8:0	g	0.000		0	0.000	0.000	
10:0	g	0.000		0	0.000	0.000	
12:0	g	0.005		0	0.001	0.006	
14:0	g	0.016		0	0.002	0.018	
15.0	g						
16:0	g	0.272		0	0.041	0.307	
17:0	g						
18:0	g	0.092		0	0.014	0.104	
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.580	0	0.087	0.655
14:1	g				
16:1	g	0.065	0	0.010	0.073
18:1	g	0.439	0	0.066	0.496
20:1	g	0.004	0	0.001	0.005
22.1	g	0.000	0	0.000	0.000
Polyunsaturated, total	g	0.376	0	0.056	0.425
18:2	g	0.346	0	0.052	0.391
18:3	g	0.020	0	0.003	0.023
18:4	g	0.000	0	0.000	0.000
20:4	g	0.010	0	0.002	0.011
20:5	g	0.000	0	0.000	0.000
22:5	g	0.000	0	0.000	0.000
22:6	g	0.000	0	0.000	0.000
Cholesterol	mg	8	0	1	9
Phytosterols	mg				
Amino acids:					
Tryptophan	g				
Threonine	g				
Isoleucine	g				
Leucine	g				
Lysine	g				
Methionine	g				
Cystine	g				
Phenylalanine	g				
Tyrosine	g				
Valine	g				
Arginine	g				
Histidine	g				
Alanine	g				
Aspartic acid	g				
Glutamic acid	g				
Glycine	g				
Proline	g				
Serine	g				
Other:					
Caffeine	mg				
Theobromine	mg				
Alcohol	g				

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 tablespoon
Measure 2: 1 Gerber Second Foods Jar (4 oz)

NDB No. 03296 Babyfood, turkey, rice & vegetable, toddler

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	86.30		0			
Energy	kcal	59		0			
Energy	kj	247		0			
Protein (N x 5.95)	g	3.80		0			
Total lipid (fat)	g	1.60		0			
Carbohydrate, by difference	g	7.50		0			
Fiber, total dietary	g	0.8		0			
Ash	g	0.80		0			
Sugars, total	g						
Minerals:							
Calcium	mg	11		0			
Iron	mg	0.40		0			
Magnesium	mg	14		0			
Phosphorus	mg	63		0			
Potassium	mg	107		0			
Sodium	mg	183		0			
Zinc	mg	0.61		0			
Copper	mg	0.100		0			
Manganese	mg	0.230		0			
Selenium	µg	3.3		0			
Vitamins:							
Ascorbic acid	mg	0.3		0			
Thiamin	mg	0.070		0			
Riboflavin	mg	0.070		0			
Niacin	mg	2.110		0			
Pantothenic acid	mg	0.264		0			
Vitamin B-6	mg	0.130		0			
Folate	µg	3		0			
Vitamin B-12	µg	0.10		0			
Vitamin A	IU	2268		0			
Vitamin A, RE	µg	227		0			
Vitamin E, α-TE	mg	0.240		0			
Lipids:							
Saturated, total	g	0.500		0			
4:0	g	0.000		0			
6.0	g	0.000		0			
8:0	g	0.000		0			
10:0	g	0.000		0			
12:0	g	0.000		0			
14:0	g	0.007		0			
15.0	g						
16:0	g	0.310		0			
17:0	g						
18:0	g	0.078		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.555	0
14:1	g		
16:1	g	0.058	0
18:1	g	0.497	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.309	0
18:2	g	0.299	0
18:3	g	0.010	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	7	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03297 Babyfood, dinner, apples and chicken, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3* 113g
Proximates:							
Water	g	85.40		0	24.21	96.50	96.50
Energy	kcal	65		0	18	73	73
Energy	kj	272		0	77	307	307
Protein (N x 5.95)	g	2.16		0	0.61	2.44	2.44
Total lipid (fat)	g	1.38		0	0.39	1.56	1.56
Carbohydrate, by difference	g	10.87		0	3.08	12.28	12.28
Fiber, total dietary	g	1.8		0	0.5	2.0	2.0
Ash	g	0.18		0	0.05	0.20	0.20
Sugars, total	g	7.90		0	2.24	8.93	8.93
Minerals:							
Calcium	mg	18		0	5	20	20
Iron	mg	0.38		0	0.11	0.43	0.43
Magnesium	mg	6		0	2	7	7
Phosphorus	mg	32		0	9	36	36
Potassium	mg	95		0	27	107	107
Sodium	mg	12		0	3	14	14
Zinc	mg	0.36		0	0.10	0.41	0.41
Copper	mg	0.040		0	0.011	0.045	0.045
Manganese	mg	0.030		0	0.009	0.034	0.034
Selenium	µg	2.5		0	0.7	2.8	2.8
Vitamins:							
Ascorbic acid	mg	0.2		0	0.1	0.2	0.2
Thiamin	mg	0.020		0	0.006	0.023	0.023
Riboflavin	mg	0.057		0	0.016	0.064	0.064
Niacin	mg	0.577		0	0.164	0.652	0.652
Pantothenic acid	mg	0.098		0	0.028	0.111	0.111
Vitamin B-6	mg	0.083		0	0.024	0.094	0.094
Folate	µg	1		0	0	1	1
Vitamin B-12	µg	0.02		0	0.01	0.02	0.02
Vitamin A	IU	30		0	9	34	34
Vitamin A, RE	µg	3		0	1	3	3
Vitamin E, α-TE	mg	0.066		0	0.019	0.075	0.075
Lipids:							
Saturated, total	g	0.347		0	0.098	0.392	0.392
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.001		0	0.000	0.001	0.001
14:0	g	0.012		0	0.003	0.014	0.014
15.0	g						
16:0	g	0.226		0	0.064	0.255	0.255
17:0	g						
18:0	g	0.078		0	0.022	0.088	0.088
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.411	0	0.117	0.464	0.464
14:1	g					
16:1	g	0.047	0	0.013	0.053	0.053
18:1	g	0.350	0	0.099	0.395	0.395
20:1	g	0.003	0	0.001	0.003	0.003
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.350	0	0.099	0.395	0.395
18:2	g	0.304	0	0.086	0.344	0.344
18:3	g	0.027	0	0.008	0.031	0.031
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.010	0	0.003	0.011	0.011
20:5	g	0.000	0	0.000	0.000	0.000
22:5	g	0.002	0	0.001	0.002	0.002
22:6	g	0.002	0	0.001	0.002	0.002
Cholesterol	mg	5	0	1	6	6
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar
Measure 3: 1 Gerber Second Foods Jar (4 oz)

NDB No. 03298 Babyfood, dinner, broccoli and chicken, strained

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2* 113g	Measure 3* 113g
Proximates:							
Water	g	90.84		0	25.75	102.65	102.65
Energy	kcal	42		0	12	47	47
Energy	kj	176		0	50	199	199
Protein (N x 5.95)	g	3.93		0	1.11	4.44	4.44
Total lipid (fat)	g	1.47		0	0.42	1.66	1.66
Carbohydrate, by difference	g	3.22		0	0.91	3.64	3.64
Fiber, total dietary	g	2.3		0	0.7	2.6	2.6
Ash	g	0.53		0	0.15	0.60	0.60
Sugars, total	g	1.00		0	0.28	1.13	1.13
Minerals:							
Calcium	mg	41		0	12	46	46
Iron	mg	0.57		0	0.16	0.64	0.64
Magnesium	mg	12		0	3	14	14
Phosphorus	mg	59		0	17	67	67
Potassium	mg	169		0	48	191	191
Sodium	mg	19		0	5	21	21
Zinc	mg	0.60		0	0.17	0.68	0.68
Copper	mg	0.040		0	0.011	0.045	0.045
Manganese	mg	0.130		0	0.037	0.147	0.147
Selenium	µg	3.8		0	1.1	4.3	4.3
Vitamins:							
Ascorbic acid	mg	19.0		0	5.4	21.5	21.5
Thiamin	mg	0.020		0	0.006	0.023	0.023
Riboflavin	mg	0.084		0	0.024	0.095	0.095
Niacin	mg	0.776		0	0.220	0.877	0.877
Pantothenic acid	mg	0.227		0	0.064	0.257	0.257
Vitamin B-6	mg	0.088		0	0.025	0.099	0.099
Folate	µg	45		0	13	51	51
Vitamin B-12	µg	0.01		0	0.00	0.01	0.01
Vitamin A	IU	455		0	129	514	514
Vitamin A, RE	µg	45		0	13	51	51
Vitamin E, α-TE	mg	0.367		0	0.104	0.415	0.415
Lipids:							
Saturated, total	g	0.414		0	0.117	0.468	0.468
4:0	g	0.000		0	0.000	0.000	0.000
6.0	g	0.000		0	0.000	0.000	0.000
8:0	g	0.000		0	0.000	0.000	0.000
10:0	g	0.000		0	0.000	0.000	0.000
12:0	g	0.002		0	0.001	0.002	0.002
14:0	g	0.011		0	0.003	0.012	0.012
15.0	g						
16:0	g	0.302		0	0.086	0.341	0.341
17:0	g						
18:0	g	0.085		0	0.024	0.096	0.096
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.568	0	0.161	0.642	0.642
14:1	g					
16:1	g	0.070	0	0.020	0.079	0.079
18:1	g	0.477	0	0.135	0.539	0.539
20:1	g	0.013	0	0.004	0.015	0.015
22.1	g	0.000	0	0.000	0.000	0.000
Polyunsaturated, total	g	0.367	0	0.104	0.415	0.415
18:2	g	0.267	0	0.076	0.302	0.302
18:3	g	0.083	0	0.024	0.094	0.094
18:4	g	0.000	0	0.000	0.000	0.000
20:4	g	0.006	0	0.002	0.007	0.007
20:5	g	0.001	0	0.000	0.001	0.001
22:5	g	0.001	0	0.000	0.001	0.001
22:6	g	0.002	0	0.001	0.002	0.002
Cholesterol	mg	6	0	2	7	7
Phytosterols	mg					
Amino acids:						
Tryptophan	g					
Threonine	g					
Isoleucine	g					
Leucine	g					
Lysine	g					
Methionine	g					
Cystine	g					
Phenylalanine	g					
Tyrosine	g					
Valine	g					
Arginine	g					
Histidine	g					
Alanine	g					
Aspartic acid	g					
Glutamic acid	g					
Glycine	g					
Proline	g					
Serine	g					
Other:						
Caffeine	mg					
Theobromine	mg					
Alcohol	g					

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz
Measure 2: 1 jar
Measure 3: 1 Gerber Second Foods Jar (4 oz)

NDB No. 03681 Babyfood, cereal, barley, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.70		0	21.18		
Energy	kcal	111		0	31		
Energy	kj	464		0	132		
Protein (N x 5.95)	g	4.60		0	1.30		
Total lipid (fat)	g	3.30		0	0.94		
Carbohydrate, by difference	g	16.30		0	4.62		
Fiber, total dietary	g						
Ash	g	1.20		0	0.34		
Sugars, total	g						
Minerals:							
Calcium	mg	230		0	65		
Iron	mg	12.34		0	3.50		
Magnesium	mg	30		0	9		
Phosphorus	mg	150		0	43		
Potassium	mg	192		0	54		
Sodium	mg	49		0	14		
Zinc	mg	0.83		0	0.24		
Copper	mg	0.084		0	0.024		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg						
Thiamin	mg	0.481		0	0.136		
Riboflavin	mg	0.578		0	0.164		
Niacin	mg	5.984		0	1.696		
Pantothenic acid	mg	0.348		0	0.099		
Vitamin B-6	mg	0.096		0	0.027		
Folate	µg	9		0	3		
Vitamin B-12	µg	0.30		0	0.09		
Vitamin A	IU	105		0	30		
Vitamin A, RE	µg						
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g			
14:1	g			
16:1	g			
18:1	g			
20:1	g			
22.1	g			
Polyunsaturated, total	g			
18:2	g			
18:3	g			
18:4	g			
20:4	g			
20:5	g			
22:5	g			
22:6	g			
Cholesterol	mg			
Phytosterols	mg			
Amino acids:				
Tryptophan	g	0.060	0	0.017
Threonine	g	0.186	0	0.053
Isoleucine	g	0.235	0	0.067
Leucine	g	0.402	0	0.114
Lysine	g	0.278	0	0.079
Methionine	g	0.103	0	0.029
Cystine	g	0.068	0	0.019
Phenylalanine	g	0.240	0	0.068
Tyrosine	g	0.200	0	0.057
Valine	g	0.281	0	0.080
Arginine	g	0.192	0	0.054
Histidine	g	0.115	0	0.033
Alanine	g	0.163	0	0.046
Aspartic acid	g	0.314	0	0.089
Glutamic acid	g	1.099	0	0.312
Glycine	g	0.127	0	0.036
Proline	g	0.504	0	0.143
Serine	g	0.228	0	0.065
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 oz

NDB No. 03682 Babyfood, cereal, high protein, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.50		0	21.12		
Energy	kcal	111		0	31		
Energy	kj	464		0	132		
Protein (N x 5.95)	g	8.70		0	2.47		
Total lipid (fat)	g	3.80		0	1.08		
Carbohydrate, by difference	g	11.60		0	3.29		
Fiber, total dietary	g						
Ash	g	1.50		0	0.43		
Sugars, total	g						
Minerals:							
Calcium	mg	218		0	62		
Iron	mg	12.14		0	3.44		
Magnesium	mg	48		0	14		
Phosphorus	mg	177		0	50		
Potassium	mg	349		0	99		
Sodium	mg	49		0	14		
Zinc	mg	1.04		0	0.30		
Copper	mg	0.217		0	0.062		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg						
Thiamin	mg	0.470		0	0.133		
Riboflavin	mg	0.579		0	0.164		
Niacin	mg	5.668		0	1.607		
Pantothenic acid	mg	0.465		0	0.132		
Vitamin B-6	mg	0.113		0	0.032		
Folate	µg	35		0	10		
Vitamin B-12	µg	0.30		0	0.09		
Vitamin A	IU	105		0	30		
Vitamin A, RE	µg						
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g			
14:1	g			
16:1	g			
18:1	g			
20:1	g			
22.1	g			
Polyunsaturated, total	g			
18:2	g			
18:3	g			
18:4	g			
20:4	g			
20:5	g			
22:5	g			
22:6	g			
Cholesterol	mg			
Phytosterols	mg			
Amino acids:				
Tryptophan	g	0.129	0	0.037
Threonine	g	0.364	0	0.103
Isoleucine	g	0.454	0	0.129
Leucine	g	0.752	0	0.213
Lysine	g	0.607	0	0.172
Methionine	g	0.169	0	0.048
Cystine	g	0.144	0	0.041
Phenylalanine	g	0.443	0	0.126
Tyrosine	g	0.363	0	0.103
Valine	g	0.488	0	0.138
Arginine	g	0.558	0	0.158
Histidine	g	0.241	0	0.068
Alanine	g	0.364	0	0.103
Aspartic acid	g	0.934	0	0.265
Glutamic acid	g	1.791	0	0.508
Glycine	g	0.333	0	0.094
Proline	g	0.608	0	0.172
Serine	g	0.465	0	0.132
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 oz

NDB No. 03685 Babyfood, cereal, mixed, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.60		0	21.15		
Energy	kcal	113		0	32		
Energy	kj	473		0	134		
Protein (N x 5.95)	g	4.80		0	1.36		
Total lipid (fat)	g	3.50		0	0.99		
Carbohydrate, by difference	g	15.90		0	4.51		
Fiber, total dietary	g	1.3		0	0.4		
Ash	g	1.10		0	0.31		
Sugars, total	g						
Minerals:							
Calcium	mg	220		0	62		
Iron	mg	10.43		0	2.96		
Magnesium	mg	27		0	8		
Phosphorus	mg	142		0	40		
Potassium	mg	199		0	56		
Sodium	mg	47		0	13		
Zinc	mg	0.71		0	0.20		
Copper	mg	0.063		0	0.018		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	1.2		0	0.3		
Thiamin	mg	0.432		0	0.122		
Riboflavin	mg	0.581		0	0.165		
Niacin	mg	5.775		0	1.637		
Pantothenic acid	mg	0.438		0	0.124		
Vitamin B-6	mg	0.066		0	0.019		
Folate	µg	11		0	3		
Vitamin B-12	µg	0.30		0	0.09		
Vitamin A	IU	105		0	30		
Vitamin A, RE	µg	26		0	7		
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g	1.927		0	0.546		
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g			
14:1	g			
16:1	g			
18:1	g			
20:1	g			
22.1	g			
Polyunsaturated, total	g			
18:2	g			
18:3	g			
18:4	g			
20:4	g			
20:5	g			
22:5	g			
22:6	g			
Cholesterol	mg	11	0	3
Phytosterols	mg			
Amino acids:				
Tryptophan	g	0.064	0	0.018
Threonine	g	0.190	0	0.054
Isoleucine	g	0.244	0	0.069
Leucine	g	0.440	0	0.125
Lysine	g	0.284	0	0.081
Methionine	g	0.108	0	0.031
Cystine	g	0.081	0	0.023
Phenylalanine	g	0.243	0	0.069
Tyrosine	g	0.213	0	0.060
Valine	g	0.291	0	0.082
Arginine	g	0.214	0	0.061
Histidine	g	0.121	0	0.034
Alanine	g	0.190	0	0.054
Aspartic acid	g	0.328	0	0.093
Glutamic acid	g	1.099	0	0.312
Glycine	g	0.149	0	0.042
Proline	g	0.438	0	0.124
Serine	g	0.243	0	0.069
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 oz

NDB No. 03686 Babyfood, cereal, mixed, with bananas, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.30		0	21.06		
Energy	kcal	115		0	33		
Energy	kj	481		0	136		
Protein (N x 5.95)	g	4.50		0	1.28		
Total lipid (fat)	g	3.60		0	1.02		
Carbohydrate, by difference	g	16.60		0	4.71		
Fiber, total dietary	g	1.3		0	0.4		
Ash	g	1.10		0	0.31		
Sugars, total	g						
Minerals:							
Calcium	mg	214		0	61		
Iron	mg	11.15		0	3.16		
Magnesium	mg	26		0	7		
Phosphorus	mg	138		0	39		
Potassium	mg	237		0	67		
Sodium	mg	60		0	17		
Zinc	mg	0.55		0	0.16		
Copper	mg	0.050		0	0.014		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	1.4		0	0.4		
Thiamin	mg	0.653		0	0.185		
Riboflavin	mg	0.720		0	0.204		
Niacin	mg	3.449		0	0.978		
Pantothenic acid	mg						
Vitamin B-6	mg	0.102		0	0.029		
Folate	µg	7		0	2		
Vitamin B-12	µg	0.34		0	0.10		
Vitamin A	IU	108		0	31		
Vitamin A, RE	µg	28		0	8		
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g	1.982		0	0.562		
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g			
14:1	g			
16:1	g			
18:1	g			
20:1	g			
22.1	g			
Polyunsaturated, total	g			
18:2	g			
18:3	g			
18:4	g			
20:4	g			
20:5	g			
22:5	g			
22:6	g			
Cholesterol	mg	11	0	3
Phytosterols	mg			
Amino acids:				
Tryptophan	g	0.059	0	0.017
Threonine	g	0.184	0	0.052
Isoleucine	g	0.236	0	0.067
Leucine	g	0.426	0	0.121
Lysine	g	0.293	0	0.083
Methionine	g	0.105	0	0.030
Cystine	g	0.058	0	0.016
Phenylalanine	g	0.222	0	0.063
Tyrosine	g	0.205	0	0.058
Valine	g	0.283	0	0.080
Arginine	g	0.182	0	0.052
Histidine	g	0.126	0	0.036
Alanine	g	0.166	0	0.047
Aspartic acid	g	0.337	0	0.096
Glutamic acid	g	0.983	0	0.279
Glycine	g	0.119	0	0.034
Proline	g	0.408	0	0.116
Serine	g	0.232	0	0.066
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 oz

NDB No. 03689 Babyfood, cereal, oatmeal, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.50		0	21.12		
Energy	kcal	116		0	33		
Energy	kj	485		0	137		
Protein (N x 5.95)	g	5.00		0	1.42		
Total lipid (fat)	g	4.10		0	1.16		
Carbohydrate, by difference	g	15.30		0	4.34		
Fiber, total dietary	g	1.1		0	0.3		
Ash	g	1.10		0	0.31		
Sugars, total	g						
Minerals:							
Calcium	mg	220		0	62		
Iron	mg	12.14		0	3.44		
Magnesium	mg	35		0	10		
Phosphorus	mg	160		0	45		
Potassium	mg	204		0	58		
Sodium	mg	46		0	13		
Zinc	mg	0.92		0	0.26		
Copper	mg	0.094		0	0.027		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	1.3		0	0.4		
Thiamin	mg	0.506		0	0.143		
Riboflavin	mg	0.563		0	0.160		
Niacin	mg	5.981		0	1.696		
Pantothenic acid	mg	0.514		0	0.146		
Vitamin B-6	mg	0.060		0	0.017		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.30		0	0.09		
Vitamin A	IU	105		0	30		
Vitamin A, RE	µg	26		0	7		
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g	2.258		0	0.640		
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g			
14:1	g			
16:1	g			
18:1	g			
20:1	g			
22.1	g			
Polyunsaturated, total	g			
18:2	g			
18:3	g			
18:4	g			
20:4	g			
20:5	g			
22:5	g			
22:6	g			
Cholesterol	mg	11	0	3
Phytosterols	mg			
Amino acids:				
Tryptophan	g	0.067	0	0.019
Threonine	g	0.201	0	0.057
Isoleucine	g	0.256	0	0.073
Leucine	g	0.445	0	0.126
Lysine	g	0.311	0	0.088
Methionine	g	0.112	0	0.032
Cystine	g	0.104	0	0.029
Phenylalanine	g	0.222	0	0.063
Tyrosine	g	0.223	0	0.063
Valine	g	0.310	0	0.088
Arginine	g	0.269	0	0.076
Histidine	g	0.113	0	0.032
Alanine	g	0.203	0	0.058
Aspartic acid	g	0.398	0	0.113
Glutamic acid	g	1.102	0	0.312
Glycine	g	0.177	0	0.050
Proline	g	0.381	0	0.108
Serine	g	0.261	0	0.074
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 oz

NDB No. 03690 Babyfood, cereal, oatmeal, with bananas, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.30		0	21.06		
Energy	kcal	116		0	33		
Energy	kj	485		0	137		
Protein (N x 5.95)	g	4.70		0	1.33		
Total lipid (fat)	g	3.80		0	1.08		
Carbohydrate, by difference	g	16.00		0	4.54		
Fiber, total dietary	g						
Ash	g	1.20		0	0.34		
Sugars, total	g						
Minerals:							
Calcium	mg	206		0	58		
Iron	mg	11.23		0	3.18		
Magnesium	mg	30		0	9		
Phosphorus	mg	151		0	43		
Potassium	mg	247		0	70		
Sodium	mg	61		0	17		
Zinc	mg	0.63		0	0.18		
Copper	mg	0.072		0	0.020		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	1.6		0	0.5		
Thiamin	mg	0.623		0	0.177		
Riboflavin	mg	0.745		0	0.211		
Niacin	mg	3.375		0	0.957		
Pantothenic acid	mg						
Vitamin B-6	mg	0.104		0	0.029		
Folate	µg	7		0	2		
Vitamin B-12	µg	0.33		0	0.09		
Vitamin A	IU	99		0	28		
Vitamin A, RE	µg	27		0	8		
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g			
14:1	g			
16:1	g			
18:1	g			
20:1	g			
22.1	g			
Polyunsaturated, total	g			
18:2	g			
18:3	g			
18:4	g			
20:4	g			
20:5	g			
22:5	g			
22:6	g			
Cholesterol	mg			
Phytosterols	mg			
Amino acids:				
Tryptophan	g	0.064	0	0.018
Threonine	g	0.193	0	0.055
Isoleucine	g	0.248	0	0.070
Leucine	g	0.429	0	0.122
Lysine	g	0.309	0	0.088
Methionine	g	0.113	0	0.032
Cystine	g	0.069	0	0.020
Phenylalanine	g	0.235	0	0.067
Tyrosine	g	0.214	0	0.061
Valine	g	0.298	0	0.084
Arginine	g	0.216	0	0.061
Histidine	g	0.133	0	0.038
Alanine	g	0.175	0	0.050
Aspartic acid	g	0.370	0	0.105
Glutamic acid	g	1.003	0	0.284
Glycine	g	0.141	0	0.040
Proline	g	0.399	0	0.113
Serine	g	0.245	0	0.069
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 oz

NDB No. 03693 Babyfood, cereal, oatmeal, with honey, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.50		0	21.12		
Energy	kcal	115		0	33		
Energy	kj	481		0	136		
Protein (N x 5.95)	g	5.00		0	1.42		
Total lipid (fat)	g	3.90		0	1.11		
Carbohydrate, by difference	g	15.30		0	4.34		
Fiber, total dietary	g						
Ash	g	1.30		0	0.37		
Sugars, total	g						
Minerals:							
Calcium	mg	289		0	82		
Iron	mg	11.09		0	3.14		
Magnesium	mg	35		0	10		
Phosphorus	mg	198		0	56		
Potassium	mg	170		0	48		
Sodium	mg	49		0	14		
Zinc	mg	0.93		0	0.26		
Copper	mg	0.095		0	0.027		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg						
Thiamin	mg	0.487		0	0.138		
Riboflavin	mg	0.602		0	0.171		
Niacin	mg	6.034		0	1.711		
Pantothenic acid	mg	0.514		0	0.146		
Vitamin B-6	mg	0.060		0	0.017		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.30		0	0.09		
Vitamin A	IU						
Vitamin A, RE	µg	26		0	7		
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz

NDB No. 03694 Babyfood, cereal, rice, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.60		0	21.15		
Energy	kcal	115		0	33		
Energy	kj	481		0	136		
Protein (N x 5.95)	g	3.90		0	1.11		
Total lipid (fat)	g	3.60		0	1.02		
Carbohydrate, by difference	g	16.70		0	4.73		
Fiber, total dietary	g	0.1		0	0.0		
Ash	g	1.20		0	0.34		
Sugars, total	g						
Minerals:							
Calcium	mg	239		0	68		
Iron	mg	12.19		0	3.46		
Magnesium	mg	45		0	13		
Phosphorus	mg	175		0	50		
Potassium	mg	190		0	54		
Sodium	mg	46		0	13		
Zinc	mg	0.64		0	0.18		
Copper	mg	0.062		0	0.018		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	1.2		0	0.3		
Thiamin	mg	0.466		0	0.132		
Riboflavin	mg	0.500		0	0.142		
Niacin	mg	5.205		0	1.476		
Pantothenic acid	mg						
Vitamin B-6	mg	0.113		0	0.032		
Folate	µg	8		0	2		
Vitamin B-12	µg	0.30		0	0.09		
Vitamin A	IU	105		0	30		
Vitamin A, RE	µg	26		0	7		
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g	2.325		0	0.659		
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g			
14:1	g			
16:1	g			
18:1	g			
20:1	g			
22.1	g			
Polyunsaturated, total	g			
18:2	g			
18:3	g			
18:4	g			
20:4	g			
20:5	g			
22:5	g			
22:6	g			
Cholesterol	mg	11	0	3
Phytosterols	mg			
Amino acids:				
Tryptophan	g	0.053	0	0.015
Threonine	g	0.176	0	0.050
Isoleucine	g	0.213	0	0.060
Leucine	g	0.360	0	0.102
Lysine	g	0.268	0	0.076
Methionine	g	0.099	0	0.028
Cystine	g	0.052	0	0.015
Phenylalanine	g	0.192	0	0.054
Tyrosine	g	0.186	0	0.053
Valine	g	0.257	0	0.073
Arginine	g	0.205	0	0.058
Histidine	g	0.106	0	0.030
Alanine	g	0.164	0	0.046
Aspartic acid	g	0.323	0	0.092
Glutamic acid	g	0.787	0	0.223
Glycine	g	0.118	0	0.033
Proline	g	0.318	0	0.090
Serine	g	0.205	0	0.058
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 oz

NDB No. 03696 Babyfood, cereal, rice, with honey, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.40		0	21.09		
Energy	kcal	115		0	33		
Energy	kj	481		0	136		
Protein (N x 5.95)	g	3.90		0	1.11		
Total lipid (fat)	g	3.30		0	0.94		
Carbohydrate, by difference	g	17.10		0	4.85		
Fiber, total dietary	g						
Ash	g	1.30		0	0.37		
Sugars, total	g						
Minerals:							
Calcium	mg	291		0	82		
Iron	mg	10.81		0	3.06		
Magnesium	mg	45		0	13		
Phosphorus	mg	181		0	51		
Potassium	mg	141		0	40		
Sodium	mg	49		0	14		
Zinc	mg	0.65		0	0.18		
Copper	mg	0.063		0	0.018		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	0.0		0	0.0		
Thiamin	mg	0.476		0	0.135		
Riboflavin	mg	0.608		0	0.172		
Niacin	mg	6.083		0	1.725		
Pantothenic acid	mg						
Vitamin B-6	mg	0.115		0	0.033		
Folate	µg	8		0	2		
Vitamin B-12	µg	0.30		0	0.09		
Vitamin A	IU	92		0	26		
Vitamin A, RE	µg	26		0	7		
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz

NDB No. 03704 Babyfood, cereal, mixed, with honey, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.20		0	21.04		
Energy	kcal	115		0	33		
Energy	kj	481		0	136		
Protein (N x 5.95)	g	5.00		0	1.42		
Total lipid (fat)	g	3.60		0	1.02		
Carbohydrate, by difference	g	15.90		0	4.51		
Fiber, total dietary	g						
Ash	g	1.20		0	0.34		
Sugars, total	g						
Minerals:							
Calcium	mg	294		0	83		
Iron	mg	11.27		0	3.20		
Magnesium	mg	28		0	8		
Phosphorus	mg	184		0	52		
Potassium	mg	171		0	48		
Sodium	mg	48		0	14		
Zinc	mg	0.72		0	0.20		
Copper	mg	0.064		0	0.018		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg						
Thiamin	mg	0.447		0	0.127		
Riboflavin	mg	0.583		0	0.165		
Niacin	mg	6.260		0	1.775		
Pantothenic acid	mg	0.443		0	0.126		
Vitamin B-6	mg	0.067		0	0.019		
Folate	µg	11		0	3		
Vitamin B-12	µg	0.30		0	0.09		
Vitamin A	IU						
Vitamin A, RE	µg	26		0	7		
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 oz

NDB No. 03711 Babyfood, cereal, high protein, with apple and orange, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.40		0	21.09		
Energy	kcal	112		0	32		
Energy	kj	469		0	133		
Protein (N x 5.95)	g	6.90		0	1.96		
Total lipid (fat)	g	3.90		0	1.11		
Carbohydrate, by difference	g	13.40		0	3.80		
Fiber, total dietary	g						
Ash	g	1.50		0	0.43		
Sugars, total	g						
Minerals:							
Calcium	mg	223		0	63		
Iron	mg	14.42		0	4.09		
Magnesium	mg	37		0	10		
Phosphorus	mg	166		0	47		
Potassium	mg	346		0	98		
Sodium	mg	58		0	16		
Zinc	mg	0.76		0	0.22		
Copper	mg	0.166		0	0.047		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg						
Thiamin	mg	0.655		0	0.186		
Riboflavin	mg	0.847		0	0.240		
Niacin	mg	3.987		0	1.130		
Pantothenic acid	mg						
Vitamin B-6	mg	0.092		0	0.026		
Folate	µg	28		0	8		
Vitamin B-12	µg	0.35		0	0.10		
Vitamin A	IU						
Vitamin A, RE	µg	27		0	8		
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g						
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g
14:1	g
16:1	g
18:1	g
20:1	g
22.1	g
Polyunsaturated, total	g
18:2	g
18:3	g
18:4	g
20:4	g
20:5	g
22:5	g
22:6	g
Cholesterol	mg
Phytosterols	mg
Amino acids:	
Tryptophan	g
Threonine	g
Isoleucine	g
Leucine	g
Lysine	g
Methionine	g
Cystine	g
Phenylalanine	g
Tyrosine	g
Valine	g
Arginine	g
Histidine	g
Alanine	g
Aspartic acid	g
Glutamic acid	g
Glycine	g
Proline	g
Serine	g
Other:	
Caffeine	mg
Theobromine	mg
Alcohol	g

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 oz

NDB No. 03712 Babyfood, cereal, rice, with bananas, prepared with whole milk

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 28g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.30		0	21.06		
Energy	kcal	117		0	33		
Energy	kj	490		0	139		
Protein (N x 5.95)	g	4.20		0	1.19		
Total lipid (fat)	g	3.50		0	0.99		
Carbohydrate, by difference	g	17.00		0	4.82		
Fiber, total dietary	g	0.2		0	0.0		
Ash	g	1.00		0	0.28		
Sugars, total	g						
Minerals:							
Calcium	mg	213		0	60		
Iron	mg	11.04		0	3.13		
Magnesium	mg	34		0	10		
Phosphorus	mg	145		0	41		
Potassium	mg	253		0	72		
Sodium	mg	57		0	16		
Zinc	mg	0.56		0	0.16		
Copper	mg	0.050		0	0.014		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	1.1		0	0.3		
Thiamin	mg	0.684		0	0.194		
Riboflavin	mg	0.759		0	0.215		
Niacin	mg	3.902		0	1.106		
Pantothenic acid	mg						
Vitamin B-6	mg	0.147		0	0.042		
Folate	µg	6		0	2		
Vitamin B-12	µg	0.33		0	0.09		
Vitamin A	IU	26		0	7		
Vitamin A, RE	µg	26		0	7		
Vitamin E, α-TE	mg						
Lipids:							
Saturated, total	g	2.261		0	0.641		
4:0	g						
6.0	g						
8:0	g						
10:0	g						
12:0	g						
14:0	g						
15.0	g						
16:0	g						
17:0	g						
18:0	g						
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g			
14:1	g			
16:1	g			
18:1	g			
20:1	g			
22.1	g			
Polyunsaturated, total	g			
18:2	g			
18:3	g			
18:4	g			
20:4	g			
20:5	g			
22:5	g			
22:6	g			
Cholesterol	mg	11	0	3
Phytosterols	mg			
Amino acids:				
Tryptophan	g	0.063	0	0.018
Threonine	g	0.197	0	0.056
Isoleucine	g	0.242	0	0.069
Leucine	g	0.404	0	0.115
Lysine	g	0.292	0	0.083
Methionine	g	0.106	0	0.030
Cystine	g	0.055	0	0.016
Phenylalanine	g	0.198	0	0.056
Tyrosine	g	0.193	0	0.055
Valine	g	0.273	0	0.077
Arginine	g	0.198	0	0.056
Histidine	g	0.119	0	0.034
Alanine	g	0.175	0	0.050
Aspartic acid	g	0.349	0	0.099
Glutamic acid	g	0.826	0	0.234
Glycine	g	0.118	0	0.033
Proline	g	0.335	0	0.095
Serine	g	0.226	0	0.064
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 oz

NDB No. 03800 Infant formula, CARNATION GOOD START, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.50		0	26.69		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.60		0	0.49		
Total lipid (fat)	g	3.40		0	1.04		
Carbohydrate, by difference	g	7.30		0	2.23		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	42		0	13		
Iron	mg	0.99		0	0.30		
Magnesium	mg	4		0	1		
Phosphorus	mg	24		0	7		
Potassium	mg	65		0	20		
Sodium	mg	16		0	5		
Zinc	mg	0.49		0	0.15		
Copper	mg	0.053		0	0.016		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	5.3		0	1.6		
Thiamin	mg	0.040		0	0.012		
Riboflavin	mg	0.090		0	0.027		
Niacin	mg	0.490		0	0.149		
Pantothenic acid	mg						
Vitamin B-6	mg	0.050		0	0.015		
Folate	µg	6		0	2		
Vitamin B-12	µg	0.14		0	0.04		
Vitamin A	IU	200		0	61		
Vitamin A, RE	µg	60		0	18		
Vitamin E, α-TE	mg	0.970		0	0.296		
Lipids:							
Saturated, total	g	1.470		0	0.448		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.050		0	0.015		
10:0	g	0.040		0	0.012		
12:0	g	0.340		0	0.104		
14:0	g	0.140		0	0.043		
15.0	g						
16:0	g	0.780		0	0.238		
17:0	g						
18:0	g	0.120		0	0.037		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.080	0	0.329
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	1.080	0	0.329
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.740	0	0.226
18:2	g	0.680	0	0.207
18:3	g	0.060	0	0.018
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	6	0	2
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03801 Infant formula, CARNATION GOOD START, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.80		0	23.80		
Energy	kcal	127		0	40		
Energy	kj	531		0	167		
Protein (N x 5.95)	g	3.10		0	0.97		
Total lipid (fat)	g	6.50		0	2.04		
Carbohydrate, by difference	g	14.10		0	4.43		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	82		0	26		
Iron	mg	1.90		0	0.60		
Magnesium	mg	8		0	3		
Phosphorus	mg	46		0	14		
Potassium	mg	125		0	39		
Sodium	mg	31		0	10		
Zinc	mg	0.96		0	0.30		
Copper	mg	0.100		0	0.031		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	10.0		0	3.1		
Thiamin	mg	0.080		0	0.025		
Riboflavin	mg	0.170		0	0.053		
Niacin	mg	0.960		0	0.301		
Pantothenic acid	mg						
Vitamin B-6	mg	0.100		0	0.031		
Folate	µg	11		0	3		
Vitamin B-12	µg	0.28		0	0.09		
Vitamin A	IU	380		0	119		
Vitamin A, RE	µg	114		0	36		
Vitamin E, α-TE	mg	2.540		0	0.798		
Lipids:							
Saturated, total	g	2.820		0	0.885		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.100		0	0.031		
10:0	g	0.080		0	0.025		
12:0	g	0.640		0	0.201		
14:0	g	0.270		0	0.085		
15.0	g						
16:0	g	1.500		0	0.471		
17:0	g						
18:0	g	0.230		0	0.072		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.060	0	0.647
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	2.060	0	0.647
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.420	0	0.446
18:2	g	1.300	0	0.408
18:3	g	0.120	0	0.038
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	13	0	4
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03802 Infant formula, CARNATION GOOD START, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	3.00		0	0.26		
Energy	kcal	512		0	45		
Energy	kj	2142		0	186		
Protein (N x 5.95)	g	12.50		0	1.09		
Total lipid (fat)	g	26.40		0	2.30		
Carbohydrate, by difference	g	56.00		0	4.87		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	330		0	29		
Iron	mg	7.60		0	0.66		
Magnesium	mg	34		0	3		
Phosphorus	mg	190		0	17		
Potassium	mg	500		0	44		
Sodium	mg	120		0	10		
Zinc	mg	3.80		0	0.33		
Copper	mg	0.400		0	0.035		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	42.0		0	3.7		
Thiamin	mg	0.300		0	0.026		
Riboflavin	mg	0.700		0	0.061		
Niacin	mg	3.800		0	0.331		
Pantothenic acid	mg						
Vitamin B-6	mg	0.400		0	0.035		
Folate	µg	46		0	4		
Vitamin B-12	µg	1.10		0	0.10		
Vitamin A	IU	1536		0	134		
Vitamin A, RE	µg	461		0	40		
Vitamin E, α-TE	mg	10.200		0	0.887		
Lipids:							
Saturated, total	g	11.660		0	1.014		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.410		0	0.036		
10:0	g	0.330		0	0.029		
12:0	g	2.660		0	0.231		
14:0	g	1.110		0	0.097		
15.0	g						
16:0	g	6.180		0	0.538		
17:0	g						
18:0	g	0.970		0	0.084		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	8.500	0	0.740
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	8.500	0	0.740
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	5.880	0	0.512
18:2	g	5.370	0	0.467
18:3	g	0.510	0	0.044
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	50	0	4
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03803 Infant formula, MEAD JOHNSON, ENFAMIL, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.95		0	26.82		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.38		0	0.42		
Total lipid (fat)	g	3.48		0	1.06		
Carbohydrate, by difference	g	7.15		0	2.18		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.40		0	0.12		
Sugars, total	g						
Minerals:							
Calcium	mg	51		0	16		
Iron	mg	1.18		0	0.36		
Magnesium	mg	5		0	2		
Phosphorus	mg	35		0	11		
Potassium	mg	71		0	22		
Sodium	mg	18		0	5		
Zinc	mg	0.66		0	0.20		
Copper	mg	0.049		0	0.015		
Manganese	mg						
Selenium	µg	1.8		1	0.5		
Vitamins:							
Ascorbic acid	mg	7.9		0	2.4		
Thiamin	mg	0.053		0	0.016		
Riboflavin	mg	0.092		0	0.028		
Niacin	mg	0.656		0	0.200		
Pantothenic acid	mg						
Vitamin B-6	mg	0.039		0	0.012		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	197		0	60		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	0.971		0	0.296		
Lipids:							
Saturated, total	g	1.483		0	0.452		
4:0	g	0.000		0	0.000		
6.0	g	0.007		0	0.002		
8:0	g	0.053		0	0.016		
10:0	g	0.039		0	0.012		
12:0	g	0.322		0	0.098		
14:0	g	0.144		0	0.044		
15.0	g						
16:0	g	0.768		0	0.234		
17:0	g						
18:0	g	0.151		0	0.046		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.313	0	0.400
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	1.313	0	0.400
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.656	0	0.200
18:2	g	0.597	0	0.182
18:3	g	0.059	0	0.018
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	1	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03804 Infant formula, MEAD JOHNSON, ENFAMIL, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.34		0	23.66		
Energy	kcal	131		0	41		
Energy	kj	548		0	172		
Protein (N x 5.95)	g	2.76		0	0.87		
Total lipid (fat)	g	6.96		0	2.19		
Carbohydrate, by difference	g	14.31		0	4.49		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.60		0	0.19		
Sugars, total	g						
Minerals:							
Calcium	mg	102		0	32		
Iron	mg	2.36		0	0.74		
Magnesium	mg	11		0	3		
Phosphorus	mg	70		0	22		
Potassium	mg	142		0	45		
Sodium	mg	35		0	11		
Zinc	mg	1.31		0	0.41		
Copper	mg	0.098		0	0.031		
Manganese	mg						
Selenium	µg	3.6		0	1.1		
Vitamins:							
Ascorbic acid	mg	15.8		0	5.0		
Thiamin	mg	0.105		0	0.033		
Riboflavin	mg	0.184		0	0.058		
Niacin	mg	1.313		0	0.412		
Pantothenic acid	mg						
Vitamin B-6	mg	0.079		0	0.025		
Folate	µg	21		0	7		
Vitamin B-12	µg	0.39		0	0.12		
Vitamin A	IU	394		0	124		
Vitamin A, RE	µg	118		0	37		
Vitamin E, α-TE	mg	1.943		0	0.610		
Lipids:							
Saturated, total	g	2.967		0	0.932		
4:0	g	0.000		0	0.000		
6.0	g	0.013		0	0.004		
8:0	g	0.105		0	0.033		
10:0	g	0.079		0	0.025		
12:0	g	0.643		0	0.202		
14:0	g	0.289		0	0.091		
15.0	g						
16:0	g	1.536		0	0.482		
17:0	g						
18:0	g	0.302		0	0.095		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.625	0	0.824
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	2.625	0	0.824
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.313	0	0.412
18:2	g	1.194	0	0.375
18:3	g	0.118	0	0.037
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	1	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03805 Infant formula, MEAD JOHNSON, ENFAMIL, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 8g	Measure 2*	Measure 3*
Proximates:							
Water	g	2.00		0	0.17		
Energy	kcal	530		0	44		
Energy	kj	2218		0	184		
Protein (N x 5.95)	g	11.10		0	0.92		
Total lipid (fat)	g	28.00		0	2.32		
Carbohydrate, by difference	g	56.00		0	4.65		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	2.90		0	0.24		
Sugars, total	g						
Minerals:							
Calcium	mg	400		0	33		
Iron	mg	9.30		0	0.77		
Magnesium	mg	41		0	3		
Phosphorus	mg	270		0	22		
Potassium	mg	560		0	46		
Sodium	mg	140		0	12		
Zinc	mg	5.20		0	0.43		
Copper	mg	0.390		0	0.032		
Manganese	mg						
Selenium	µg	14.8		1	1.2		
Vitamins:							
Ascorbic acid	mg	62.0		0	5.1		
Thiamin	mg	0.410		0	0.034		
Riboflavin	mg	0.720		0	0.060		
Niacin	mg	5.200		0	0.432		
Pantothenic acid	mg						
Vitamin B-6	mg	0.310		0	0.026		
Folate	µg	83		0	7		
Vitamin B-12	µg	1.55		0	0.13		
Vitamin A	IU	1550		0	129		
Vitamin A, RE	µg	470		0	39		
Vitamin E, α-TE	mg	7.700		0	0.639		
Lipids:							
Saturated, total	g	11.970		0	0.994		
4:0	g	0.000		0	0.000		
6.0	g	0.030		0	0.002		
8:0	g	0.450		0	0.037		
10:0	g	0.340		0	0.028		
12:0	g	2.600		0	0.216		
14:0	g	1.150		0	0.095		
15.0	g						
16:0	g	6.200		0	0.515		
17:0	g						
18:0	g	1.200		0	0.100		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	10.630	0	0.882
14:1	g			
16:1	g	0.030	0	0.002
18:1	g	10.600	0	0.880
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	5.300	0	0.440
18:2	g	4.800	0	0.398
18:3	g	0.500	0	0.042
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	6	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03806 Infant formula, MEAD JOHNSON, ENFAMIL, low iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.95		0	26.82		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.38		0	0.42		
Total lipid (fat)	g	3.48		0	1.06		
Carbohydrate, by difference	g	7.15		0	2.18		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.30		0	0.09		
Sugars, total	g						
Minerals:							
Calcium	mg	51		0	16		
Iron	mg	0.46		0	0.14		
Magnesium	mg	5		0	2		
Phosphorus	mg	35		0	11		
Potassium	mg	71		0	22		
Sodium	mg	18		0	5		
Zinc	mg	0.66		0	0.20		
Copper	mg	0.049		0	0.015		
Manganese	mg	0.005		0	0.002		
Selenium	µg	1.8		1	0.5		
Vitamins:							
Ascorbic acid	mg	7.9		0	2.4		
Thiamin	mg	0.053		0	0.016		
Riboflavin	mg	0.092		0	0.028		
Niacin	mg	0.656		0	0.200		
Pantothenic acid	mg	0.294		0	0.090		
Vitamin B-6	mg	0.039		0	0.012		
Folate	µg	11		0	3		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	197		0	60		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	0.971		0	0.296		
Lipids:							
Saturated, total	g	1.483		0	0.452		
4:0	g	0.000		0	0.000		
6.0	g	0.007		0	0.002		
8:0	g	0.053		0	0.016		
10:0	g	0.039		0	0.012		
12:0	g	0.322		0	0.098		
14:0	g	0.144		0	0.044		
15.0	g						
16:0	g	0.768		0	0.234		
17:0	g						
18:0	g	0.151		0	0.046		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.313	0	0.400
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	1.313	0	0.400
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.656	0	0.200
18:2	g	0.597	0	0.182
18:3	g	0.059	0	0.018
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	1	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03807 Infant formula, MEAD JOHNSON, ENFAMIL, low iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.34		0	23.66		
Energy	kcal	131		0	41		
Energy	kj	548		0	172		
Protein (N x 5.95)	g	2.76		0	0.87		
Total lipid (fat)	g	6.96		0	2.19		
Carbohydrate, by difference	g	14.31		0	4.49		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.60		0	0.19		
Sugars, total	g						
Minerals:							
Calcium	mg	102		0	32		
Iron	mg	0.92		0	0.29		
Magnesium	mg	11		0	3		
Phosphorus	mg	70		0	22		
Potassium	mg	142		0	45		
Sodium	mg	35		0	11		
Zinc	mg	1.31		0	0.41		
Copper	mg	0.098		0	0.031		
Manganese	mg						
Selenium	µg	3.6		0	1.1		
Vitamins:							
Ascorbic acid	mg	15.8		0	5.0		
Thiamin	mg	0.105		0	0.033		
Riboflavin	mg	0.184		0	0.058		
Niacin	mg	1.313		0	0.412		
Pantothenic acid	mg						
Vitamin B-6	mg	0.079		0	0.025		
Folate	µg	21		0	7		
Vitamin B-12	µg	0.39		0	0.12		
Vitamin A	IU	394		0	124		
Vitamin A, RE	µg	118		0	37		
Vitamin E, α-TE	mg	1.943		0	0.610		
Lipids:							
Saturated, total	g	2.967		0	0.932		
4:0	g	0.000		0	0.000		
6.0	g	0.013		0	0.004		
8:0	g	0.105		0	0.033		
10:0	g	0.079		0	0.025		
12:0	g	0.643		0	0.202		
14:0	g	0.289		0	0.091		
15.0	g						
16:0	g	1.536		0	0.482		
17:0	g						
18:0	g	0.302		0	0.095		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.625	0	0.824
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	2.625	0	0.824
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.313	0	0.412
18:2	g	1.194	0	0.375
18:3	g	0.118	0	0.037
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	1	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03809 Infant formula, MEAD JOHNSON, ENFAMIL, low iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 8g	Measure 2*	Measure 3*
Proximates:							
Water	g	2.00		0	0.17		
Energy	kcal	530		0	44		
Energy	kj	2218		0	184		
Protein (N x 5.95)	g	11.10		0	0.92		
Total lipid (fat)	g	28.00		0	2.32		
Carbohydrate, by difference	g	56.00		0	4.65		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	2.90		0	0.24		
Sugars, total	g						
Minerals:							
Calcium	mg	400		0	33		
Iron	mg	3.60		0	0.30		
Magnesium	mg	41		0	3		
Phosphorus	mg	270		0	22		
Potassium	mg	560		0	46		
Sodium	mg	140		0	12		
Zinc	mg	5.20		0	0.43		
Copper	mg	0.390		0	0.032		
Manganese	mg						
Selenium	µg	14.8		1	1.2		
Vitamins:							
Ascorbic acid	mg	62.0		0	5.1		
Thiamin	mg	0.410		0	0.034		
Riboflavin	mg	0.720		0	0.060		
Niacin	mg	5.200		0	0.432		
Pantothenic acid	mg						
Vitamin B-6	mg	0.310		0	0.026		
Folate	µg	83		0	7		
Vitamin B-12	µg	1.55		0	0.13		
Vitamin A	IU	1550		0	129		
Vitamin A, RE	µg	470		0	39		
Vitamin E, α-TE	mg	7.700		0	0.639		
Lipids:							
Saturated, total	g	11.970		0	0.994		
4:0	g	0.000		0	0.000		
6.0	g	0.030		0	0.002		
8:0	g	0.450		0	0.037		
10:0	g	0.340		0	0.028		
12:0	g	2.600		0	0.216		
14:0	g	1.150		0	0.095		
15.0	g						
16:0	g	6.200		0	0.515		
17:0	g						
18:0	g	1.200		0	0.100		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	10.630	0	0.882
14:1	g			
16:1	g	0.030	0	0.002
18:1	g	10.600	0	0.880
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	5.300	0	0.440
18:2	g	4.800	0	0.398
18:3	g	0.500	0	0.042
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	6	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03810 Infant formula, MEAD JOHNSON, LOFENALAC, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 10g	Measure 2*	Measure 3*
Proximates:							
Water	g	3.40		0	0.33		
Energy	kcal	462		0	44		
Energy	kj	1933		0	186		
Protein (N x 5.95)	g	15.00		0	1.44		
Total lipid (fat)	g	18.00		0	1.73		
Carbohydrate, by difference	g	60.00		0	5.76		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	3.60		0	0.35		
Sugars, total	g						
Minerals:							
Calcium	mg	430		0	41		
Iron	mg	8.60		0	0.83		
Magnesium	mg	50		0	5		
Phosphorus	mg	320		0	31		
Potassium	mg	470		0	45		
Sodium	mg	220		0	21		
Zinc	mg	3.60		0	0.35		
Copper	mg	0.430		0	0.041		
Manganese	mg						
Selenium	µg	10.6		1	1.0		
Vitamins:							
Ascorbic acid	mg	37.0		0	3.6		
Thiamin	mg	0.360		0	0.035		
Riboflavin	mg	0.430		0	0.041		
Niacin	mg	5.800		0	0.557		
Pantothenic acid	mg						
Vitamin B-6	mg	0.290		0	0.028		
Folate	µg	72		0	7		
Vitamin B-12	µg	1.43		0	0.14		
Vitamin A	IU	1430		0	137		
Vitamin A, RE	µg	430		0	41		
Vitamin E, α-TE	mg	10.600		0	1.018		
Lipids:							
Saturated, total	g	2.360		0	0.227		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.000		0	0.000		
10:0	g	0.000		0	0.000		
12:0	g	0.000		0	0.000		
14:0	g	0.000		0	0.000		
15.0	g						
16:0	g	2.000		0	0.192		
17:0	g						
18:0	g	0.360		0	0.035		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	4.640	0	0.445
14:1	g			
16:1	g	0.040	0	0.004
18:1	g	4.600	0	0.442
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	10.920	0	1.048
18:2	g	10.700	0	1.027
18:3	g	0.220	0	0.021
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03811 Infant formula, MEAD JOHNSON, LOFENALAC, with iron, prepared from powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.10		0	26.83		
Energy	kcal	65		0	20		
Energy	kj	272		0	84		
Protein (N x 5.95)	g	2.14		0	0.66		
Total lipid (fat)	g	2.54		0	0.78		
Carbohydrate, by difference	g	8.45		0	2.60		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.51		0	0.16		
Sugars, total	g						
Minerals:							
Calcium	mg	61		0	19		
Iron	mg	1.22		0	0.38		
Magnesium	mg	7		0	2		
Phosphorus	mg	46		0	14		
Potassium	mg	66		0	20		
Sodium	mg	31		0	10		
Zinc	mg	0.51		0	0.16		
Copper	mg	0.061		0	0.019		
Manganese	mg						
Selenium	µg	1.8		1	0.6		
Vitamins:							
Ascorbic acid	mg	5.3		0	1.6		
Thiamin	mg	0.051		0	0.016		
Riboflavin	mg	0.061		0	0.019		
Niacin	mg	0.813		0	0.250		
Pantothenic acid	mg						
Vitamin B-6	mg	0.041		0	0.013		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	202		0	62		
Vitamin A, RE	µg	60		0	18		
Vitamin E, α-TE	mg	1.495		0	0.460		
Lipids:							
Saturated, total	g	0.332		0	0.102		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.000		0	0.000		
10:0	g	0.000		0	0.000		
12:0	g	0.000		0	0.000		
14:0	g	0.000		0	0.000		
15.0	g						
16:0	g	0.280		0	0.086		
17:0	g						
18:0	g	0.052		0	0.016		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.650	0	0.200
14:1	g			
16:1	g	0.007	0	0.002
18:1	g	0.644	0	0.198
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.528	0	0.471
18:2	g	1.495	0	0.460
18:3	g	0.033	0	0.010
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03813 Infant formula, MEAD JOHNSON, NUTRAMIGEN, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.95		0	27.09		
Energy	kcal	66		0	20		
Energy	kj	276		0	85		
Protein (N x 5.95)	g	1.84		0	0.57		
Total lipid (fat)	g	3.28		0	1.01		
Carbohydrate, by difference	g	7.22		0	2.22		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.36		0	0.11		
Sugars, total	g						
Minerals:							
Calcium	mg	62		0	19		
Iron	mg	1.18		0	0.36		
Magnesium	mg	7		0	2		
Phosphorus	mg	41		0	13		
Potassium	mg	72		0	22		
Sodium	mg	31		0	10		
Zinc	mg	0.66		0	0.20		
Copper	mg	0.049		0	0.015		
Manganese	mg						
Selenium	µg	1.8		1	0.6		
Vitamins:							
Ascorbic acid	mg	7.9		0	2.4		
Thiamin	mg	0.053		0	0.016		
Riboflavin	mg	0.059		0	0.018		
Niacin	mg	0.656		0	0.202		
Pantothenic acid	mg						
Vitamin B-6	mg	0.039		0	0.012		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	197		0	61		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	0.880		0	0.271		
Lipids:							
Saturated, total	g	1.405		0	0.433		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.053		0	0.016		
10:0	g	0.039		0	0.012		
12:0	g	0.308		0	0.095		
14:0	g	0.138		0	0.043		
15.0	g						
16:0	g	0.722		0	0.222		
17:0	g						
18:0	g	0.144		0	0.044		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.247	0	0.384
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	1.247	0	0.384
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.623	0	0.192
18:2	g	0.564	0	0.174
18:3	g	0.059	0	0.018
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03814 Infant formula, MEAD JOHNSON, NUTRAMIGEN, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 10g	Measure 2*	Measure 3*
Proximates:							
Water	g	4.00		0	0.38		
Energy	kcal	500		0	48		
Energy	kj	2092		0	201		
Protein (N x 5.95)	g	13.90		0	1.33		
Total lipid (fat)	g	25.00		0	2.40		
Carbohydrate, by difference	g	54.00		0	5.18		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	3.00		0	0.29		
Sugars, total	g						
Minerals:							
Calcium	mg	460		0	44		
Iron	mg	8.90		0	0.85		
Magnesium	mg	54		0	5		
Phosphorus	mg	310		0	30		
Potassium	mg	540		0	52		
Sodium	mg	230		0	22		
Zinc	mg	4.90		0	0.47		
Copper	mg	0.370		0	0.036		
Manganese	mg						
Selenium	µg	10.6		1	1.0		
Vitamins:							
Ascorbic acid	mg	59.0		0	5.7		
Thiamin	mg	0.400		0	0.038		
Riboflavin	mg	0.440		0	0.042		
Niacin	mg	4.900		0	0.470		
Pantothenic acid	mg						
Vitamin B-6	mg	0.300		0	0.029		
Folate	µg	79		0	8		
Vitamin B-12	µg	1.48		0	0.14		
Vitamin A	IU	1480		0	142		
Vitamin A, RE	µg	440		0	42		
Vitamin E, α-TE	mg	6.600		0	0.634		
Lipids:							
Saturated, total	g	10.640		0	1.021		
4:0	g	0.000		0	0.000		
6.0	g	0.030		0	0.003		
8:0	g	0.400		0	0.038		
10:0	g	0.300		0	0.029		
12:0	g	2.300		0	0.221		
14:0	g	1.030		0	0.099		
15.0	g						
16:0	g	5.500		0	0.528		
17:0	g						
18:0	g	1.080		0	0.104		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	9.520	0	0.914
14:1	g			
16:1	g	0.020	0	0.002
18:1	g	9.500	0	0.912
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	4.750	0	0.456
18:2	g	4.300	0	0.413
18:3	g	0.450	0	0.043
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03816 Infant formula, MEAD JOHNSON, NUTRAMIGEN, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 32g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.48		0	23.46		
Energy	kcal	131		0	41		
Energy	kj	548		0	173		
Protein (N x 5.95)	g	3.68		0	1.16		
Total lipid (fat)	g	6.56		0	2.07		
Carbohydrate, by difference	g	14.44		0	4.55		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.72		0	0.23		
Sugars, total	g						
Minerals:							
Calcium	mg	123		0	39		
Iron	mg	2.36		0	0.74		
Magnesium	mg	14		0	4		
Phosphorus	mg	83		0	26		
Potassium	mg	144		0	45		
Sodium	mg	62		0	20		
Zinc	mg	1.31		0	0.41		
Copper	mg	0.098		0	0.031		
Manganese	mg						
Selenium	µg	3.6		0	1.1		
Vitamins:							
Ascorbic acid	mg	15.8		0	5.0		
Thiamin	mg	0.105		0	0.033		
Riboflavin	mg	0.118		0	0.037		
Niacin	mg	1.313		0	0.414		
Pantothenic acid	mg						
Vitamin B-6	mg	0.079		0	0.025		
Folate	µg	21		0	7		
Vitamin B-12	µg	0.39		0	0.12		
Vitamin A	IU	394		0	124		
Vitamin A, RE	µg	118		0	37		
Vitamin E, α-TE	mg	1.760		0	0.554		
Lipids:							
Saturated, total	g	2.809		0	0.885		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.105		0	0.033		
10:0	g	0.079		0	0.025		
12:0	g	0.617		0	0.194		
14:0	g	0.276		0	0.087		
15.0	g						
16:0	g	1.444		0	0.455		
17:0	g						
18:0	g	0.289		0	0.091		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.494	0	0.786
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	2.494	0	0.786
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.247	0	0.393
18:2	g	1.129	0	0.356
18:3	g	0.118	0	0.037
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03819 Infant formula, MEAD JOHNSON, PORTAGEN, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	3.00		0	0.28		
Energy	kcal	470		0	44		
Energy	kj	1966		0	185		
Protein (N x 5.95)	g	16.50		0	1.55		
Total lipid (fat)	g	23.00		0	2.16		
Carbohydrate, by difference	g	54.00		0	5.08		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	3.70		0	0.35		
Sugars, total	g						
Minerals:							
Calcium	mg	440		0	41		
Iron	mg	8.90		0	0.84		
Magnesium	mg	94		0	9		
Phosphorus	mg	330		0	31		
Potassium	mg	590		0	55		
Sodium	mg	260		0	24		
Zinc	mg	4.40		0	0.41		
Copper	mg	0.740		0	0.070		
Manganese	mg						
Selenium	µg	2.4		1	0.2		
Vitamins:							
Ascorbic acid	mg	38.0		0	3.6		
Thiamin	mg	0.740		0	0.070		
Riboflavin	mg	0.890		0	0.084		
Niacin	mg	9.900		0	0.931		
Pantothenic acid	mg						
Vitamin B-6	mg	0.990		0	0.093		
Folate	µg	74		0	7		
Vitamin B-12	µg	3.00		0	0.28		
Vitamin A	IU	3700		0	348		
Vitamin A, RE	µg	1110		0	104		
Vitamin E, α-TE	mg	10.800		0	1.015		
Lipids:							
Saturated, total	g	20.210		0	1.900		
4:0	g	0.000		0	0.000		
6.0	g	0.230		0	0.022		
8:0	g	13.800		0	1.297		
10:0	g	5.500		0	0.517		
12:0	g	0.100		0	0.009		
14:0	g	0.040		0	0.004		
15.0	g						
16:0	g	0.430		0	0.040		
17:0	g						
18:0	g	0.110		0	0.010		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.940	0	0.088
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	0.940	0	0.088
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.870	0	0.176
18:2	g	1.860	0	0.175
18:3	g	0.010	0	0.001
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	7	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03820 Infant formula, MEAD JOHNSON, PORTAGEN, with iron, prepared from powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	86.27		0	26.74		
Energy	kcal	64		0	20		
Energy	kj	268		0	83		
Protein (N x 5.95)	g	2.25		0	0.70		
Total lipid (fat)	g	3.11		0	0.96		
Carbohydrate, by difference	g	7.40		0	2.29		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.51		0	0.16		
Sugars, total	g						
Minerals:							
Calcium	mg	61		0	19		
Iron	mg	1.21		0	0.38		
Magnesium	mg	13		0	4		
Phosphorus	mg	45		0	14		
Potassium	mg	80		0	25		
Sodium	mg	35		0	11		
Zinc	mg	0.60		0	0.19		
Copper	mg	0.100		0	0.031		
Manganese	mg						
Selenium	µg	0.3		1	0.1		
Vitamins:							
Ascorbic acid	mg	5.2		0	1.6		
Thiamin	mg	0.100		0	0.031		
Riboflavin	mg	0.121		0	0.038		
Niacin	mg	1.352		0	0.419		
Pantothenic acid	mg						
Vitamin B-6	mg	0.135		0	0.042		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.41		0	0.13		
Vitamin A	IU	502		0	156		
Vitamin A, RE	µg	148		0	46		
Vitamin E, α-TE	mg	1.481		0	0.459		
Lipids:							
Saturated, total	g	2.730		0	0.846		
4:0	g	0.000		0	0.000		
6.0	g	0.032		0	0.010		
8:0	g	1.867		0	0.579		
10:0	g	0.740		0	0.229		
12:0	g	0.013		0	0.004		
14:0	g	0.006		0	0.002		
15.0	g						
16:0	g	0.058		0	0.018		
17:0	g						
18:0	g	0.013		0	0.004		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.129	0	0.040
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	0.129	0	0.040
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.251	0	0.078
18:2	g	0.251	0	0.078
18:3	g	0.006	0	0.002
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	1	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03821 Infant formula, MEAD JOHNSON, PREGESTIMIL, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	4.00		0	0.35		
Energy	kcal	500		0	44		
Energy	kj	2092		0	184		
Protein (N x 5.95)	g	14.10		0	1.24		
Total lipid (fat)	g	28.00		0	2.46		
Carbohydrate, by difference	g	51.00		0	4.49		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	3.20		0	0.28		
Sugars, total	g						
Minerals:							
Calcium	mg	470		0	41		
Iron	mg	9.40		0	0.83		
Magnesium	mg	55		0	5		
Phosphorus	mg	320		0	28		
Potassium	mg	550		0	48		
Sodium	mg	195		0	17		
Zinc	mg	4.70		0	0.41		
Copper	mg	0.470		0	0.041		
Manganese	mg						
Selenium	µg	11.5		1	1.0		
Vitamins:							
Ascorbic acid	mg	59.0		0	5.2		
Thiamin	mg	0.390		0	0.034		
Riboflavin	mg	0.470		0	0.041		
Niacin	mg	6.300		0	0.554		
Pantothenic acid	mg						
Vitamin B-6	mg	0.320		0	0.028		
Folate	µg	78		0	7		
Vitamin B-12	µg	1.55		0	0.14		
Vitamin A	IU	1900		0	167		
Vitamin A, RE	µg	570		0	50		
Vitamin E, α-TE	mg	14.100		0	1.241		
Lipids:							
Saturated, total	g	17.080		0	1.503		
4:0	g	0.000		0	0.000		
6.0	g	0.150		0	0.013		
8:0	g	11.200		0	0.986		
10:0	g	4.200		0	0.370		
12:0	g	0.070		0	0.006		
14:0	g	0.000		0	0.000		
15.0	g						
16:0	g	1.150		0	0.101		
17:0	g						
18:0	g	0.310		0	0.027		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	5.000	0	0.440
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	5.000	0	0.440
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	5.910	0	0.520
18:2	g	5.600	0	0.493
18:3	g	0.310	0	0.027
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03822 Infant formula, MEAD JOHNSON, PREGESTIMIL, with iron, prepared from powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.10		0	26.83		
Energy	kcal	65		0	20		
Energy	kj	272		0	84		
Protein (N x 5.95)	g	1.82		0	0.56		
Total lipid (fat)	g	3.64		0	1.12		
Carbohydrate, by difference	g	6.70		0	2.06		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.42		0	0.13		
Sugars, total	g						
Minerals:							
Calcium	mg	61		0	19		
Iron	mg	1.22		0	0.38		
Magnesium	mg	7		0	2		
Phosphorus	mg	41		0	13		
Potassium	mg	71		0	22		
Sodium	mg	25		0	8		
Zinc	mg	0.61		0	0.19		
Copper	mg	0.061		0	0.019		
Manganese	mg						
Selenium	µg	1.8		1	0.6		
Vitamins:							
Ascorbic acid	mg	7.6		0	2.3		
Thiamin	mg	0.051		0	0.016		
Riboflavin	mg	0.061		0	0.019		
Niacin	mg	0.813		0	0.250		
Pantothenic acid	mg						
Vitamin B-6	mg	0.041		0	0.013		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	247		0	76		
Vitamin A, RE	µg	71		0	22		
Vitamin E, α-TE	mg	1.820		0	0.561		
Lipids:							
Saturated, total	g	2.184		0	0.673		
4:0	g	0.000		0	0.000		
6.0	g	0.020		0	0.006		
8:0	g	1.430		0	0.440		
10:0	g	0.540		0	0.166		
12:0	g	0.007		0	0.002		
14:0	g	0.000		0	0.000		
15.0	g						
16:0	g	0.150		0	0.046		
17:0	g						
18:0	g	0.039		0	0.012		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.650	0	0.200
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	0.650	0	0.200
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.767	0	0.236
18:2	g	0.728	0	0.224
18:3	g	0.039	0	0.012
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03823 Infant formula, MEAD JOHNSON, PROSOBEE, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.95		0	26.82		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.97		0	0.60		
Total lipid (fat)	g	3.48		0	1.06		
Carbohydrate, by difference	g	6.56		0	2.00		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.40		0	0.12		
Sugars, total	g						
Minerals:							
Calcium	mg	69		0	21		
Iron	mg	1.18		0	0.36		
Magnesium	mg	7		0	2		
Phosphorus	mg	54		0	16		
Potassium	mg	79		0	24		
Sodium	mg	24		0	7		
Zinc	mg	0.79		0	0.24		
Copper	mg	0.049		0	0.015		
Manganese	mg						
Selenium	µg	1.8		1	0.5		
Vitamins:							
Ascorbic acid	mg	7.9		0	2.4		
Thiamin	mg	0.053		0	0.016		
Riboflavin	mg	0.059		0	0.018		
Niacin	mg	0.656		0	0.200		
Pantothenic acid	mg						
Vitamin B-6	mg	0.039		0	0.012		
Folate	µg	11		0	3		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	197		0	60		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	0.971		0	0.296		
Lipids:							
Saturated, total	g	1.483		0	0.452		
4:0	g	0.000		0	0.000		
6.0	g	0.007		0	0.002		
8:0	g	0.053		0	0.016		
10:0	g	0.039		0	0.012		
12:0	g	0.322		0	0.098		
14:0	g	0.144		0	0.044		
15.0	g						
16:0	g	0.768		0	0.234		
17:0	g						
18:0	g	0.151		0	0.046		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.313	0	0.400
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	1.313	0	0.400
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.656	0	0.200
18:2	g	0.597	0	0.182
18:3	g	0.059	0	0.018
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03824 Infant formula, MEAD JOHNSON, PROSOBEE, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.18		0	23.12		
Energy	kcal	131		0	40		
Energy	kj	548		0	169		
Protein (N x 5.95)	g	3.94		0	1.21		
Total lipid (fat)	g	6.96		0	2.14		
Carbohydrate, by difference	g	13.13		0	4.04		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.80		0	0.25		
Sugars, total	g						
Minerals:							
Calcium	mg	138		0	42		
Iron	mg	2.36		0	0.73		
Magnesium	mg	14		0	4		
Phosphorus	mg	109		0	34		
Potassium	mg	158		0	49		
Sodium	mg	47		0	14		
Zinc	mg	1.58		0	0.49		
Copper	mg	0.098		0	0.030		
Manganese	mg						
Selenium	µg	3.6		0	1.1		
Vitamins:							
Ascorbic acid	mg	15.8		0	4.9		
Thiamin	mg	0.105		0	0.032		
Riboflavin	mg	0.118		0	0.036		
Niacin	mg	1.313		0	0.404		
Pantothenic acid	mg						
Vitamin B-6	mg	0.079		0	0.024		
Folate	µg	21		0	6		
Vitamin B-12	µg	0.39		0	0.12		
Vitamin A	IU	394		0	121		
Vitamin A, RE	µg	118		0	36		
Vitamin E, α-TE	mg	1.943		0	0.597		
Lipids:							
Saturated, total	g	2.967		0	0.912		
4:0	g	0.000		0	0.000		
6.0	g	0.013		0	0.004		
8:0	g	0.105		0	0.032		
10:0	g	0.079		0	0.024		
12:0	g	0.643		0	0.198		
14:0	g	0.289		0	0.089		
15.0	g						
16:0	g	1.536		0	0.472		
17:0	g						
18:0	g	0.302		0	0.093		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.625	0	0.807
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	2.625	0	0.807
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.313	0	0.404
18:2	g	1.194	0	0.367
18:3	g	0.118	0	0.036
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03826 Infant formula, MEAD JOHNSON, PROSOBEE, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	2.30		0	0.20		
Energy	kcal	515		0	44		
Energy	kj	2155		0	185		
Protein (N x 5.95)	g	15.50		0	1.33		
Total lipid (fat)	g	27.00		0	2.32		
Carbohydrate, by difference	g	52.00		0	4.47		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	3.20		0	0.28		
Sugars, total	g						
Minerals:							
Calcium	mg	540		0	46		
Iron	mg	9.30		0	0.80		
Magnesium	mg	57		0	5		
Phosphorus	mg	430		0	37		
Potassium	mg	620		0	53		
Sodium	mg	185		0	16		
Zinc	mg	6.20		0	0.53		
Copper	mg	0.390		0	0.034		
Manganese	mg						
Selenium	µg	14.4		1	1.2		
Vitamins:							
Ascorbic acid	mg	62.0		0	5.3		
Thiamin	mg	0.410		0	0.035		
Riboflavin	mg	0.460		0	0.040		
Niacin	mg	5.200		0	0.447		
Pantothenic acid	mg						
Vitamin B-6	mg	0.310		0	0.027		
Folate	µg	82		0	7		
Vitamin B-12	µg	1.55		0	0.13		
Vitamin A	IU	1550		0	133		
Vitamin A, RE	µg	465		0	40		
Vitamin E, α-TE	mg	7.600		0	0.654		
Lipids:							
Saturated, total	g	11.450		0	0.985		
4:0	g	0.000		0	0.000		
6.0	g	0.030		0	0.003		
8:0	g	0.430		0	0.037		
10:0	g	0.320		0	0.028		
12:0	g	2.500		0	0.215		
14:0	g	1.110		0	0.095		
15.0	g						
16:0	g	5.900		0	0.507		
17:0	g						
18:0	g	1.160		0	0.100		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	10.320	0	0.888
14:1	g			
16:1	g	0.020	0	0.002
18:1	g	10.300	0	0.886
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	5.080	0	0.437
18:2	g	4.600	0	0.396
18:3	g	0.480	0	0.041
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03828 Infant formula, MEAD JOHNSON, GERBER, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.95		0	26.82		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.38		0	0.42		
Total lipid (fat)	g	3.48		0	1.06		
Carbohydrate, by difference	g	7.15		0	2.18		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.36		0	0.11		
Sugars, total	g						
Minerals:							
Calcium	mg	51		0	16		
Iron	mg	1.18		0	0.36		
Magnesium	mg	5		0	2		
Phosphorus	mg	35		0	11		
Potassium	mg	71		0	22		
Sodium	mg	20		0	6		
Zinc	mg	0.66		0	0.20		
Copper	mg	0.049		0	0.015		
Manganese	mg						
Selenium	µg	1.8		1	0.5		
Vitamins:							
Ascorbic acid	mg	7.9		0	2.4		
Thiamin	mg	0.053		0	0.016		
Riboflavin	mg	0.092		0	0.028		
Niacin	mg	0.656		0	0.200		
Pantothenic acid	mg						
Vitamin B-6	mg	0.039		0	0.012		
Folate	µg	11		0	3		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	197		0	60		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	0.971		0	0.296		
Lipids:							
Saturated, total	g	1.483		0	0.452		
4:0	g	0.000		0	0.000		
6.0	g	0.007		0	0.002		
8:0	g	0.053		0	0.016		
10:0	g	0.039		0	0.012		
12:0	g	0.322		0	0.098		
14:0	g	0.144		0	0.044		
15.0	g						
16:0	g	0.768		0	0.234		
17:0	g						
18:0	g	0.151		0	0.046		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.313	0	0.400
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	1.313	0	0.400
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.656	0	0.200
18:2	g	0.597	0	0.182
18:3	g	0.059	0	0.018
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	1	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03829 Infant formula, MEAD JOHNSON, GERBER, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.32		0	23.16		
Energy	kcal	131		0	40		
Energy	kj	548		0	169		
Protein (N x 5.95)	g	2.76		0	0.85		
Total lipid (fat)	g	6.96		0	2.14		
Carbohydrate, by difference	g	14.31		0	4.40		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.72		0	0.22		
Sugars, total	g						
Minerals:							
Calcium	mg	102		0	31		
Iron	mg	2.36		0	0.73		
Magnesium	mg	11		0	3		
Phosphorus	mg	70		0	22		
Potassium	mg	142		0	44		
Sodium	mg	39		0	12		
Zinc	mg	1.31		0	0.40		
Copper	mg	0.098		0	0.030		
Manganese	mg						
Selenium	µg	3.6		0	1.1		
Vitamins:							
Ascorbic acid	mg	15.8		0	4.9		
Thiamin	mg	0.105		0	0.032		
Riboflavin	mg	0.184		0	0.057		
Niacin	mg	1.313		0	0.404		
Pantothenic acid	mg						
Vitamin B-6	mg	0.079		0	0.024		
Folate	µg	21		0	6		
Vitamin B-12	µg	0.39		0	0.12		
Vitamin A	IU	394		0	121		
Vitamin A, RE	µg	118		0	36		
Vitamin E, α-TE	mg	1.943		0	0.597		
Lipids:							
Saturated, total	g	2.967		0	0.912		
4:0	g	0.000		0	0.000		
6.0	g	0.013		0	0.004		
8:0	g	0.105		0	0.032		
10:0	g	0.079		0	0.024		
12:0	g	0.643		0	0.198		
14:0	g	0.289		0	0.089		
15.0	g						
16:0	g	1.536		0	0.472		
17:0	g						
18:0	g	0.302		0	0.093		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.625	0	0.807
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	2.625	0	0.807
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.313	0	0.404
18:2	g	1.194	0	0.367
18:3	g	0.118	0	0.036
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	2	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03831 Infant formula, MEAD JOHNSON, GERBER, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	2.10		0	0.18		
Energy	kcal	520		0	44		
Energy	kj	2176		0	185		
Protein (N x 5.95)	g	10.90		0	0.93		
Total lipid (fat)	g	28.00		0	2.38		
Carbohydrate, by difference	g	57.00		0	4.84		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	2.80		0	0.24		
Sugars, total	g						
Minerals:							
Calcium	mg	410		0	35		
Iron	mg	9.40		0	0.80		
Magnesium	mg	42		0	4		
Phosphorus	mg	280		0	24		
Potassium	mg	560		0	48		
Sodium	mg	156		0	13		
Zinc	mg	5.20		0	0.44		
Copper	mg	0.390		0	0.033		
Manganese	mg						
Selenium	µg	14.6		1	1.2		
Vitamins:							
Ascorbic acid	mg	62.0		0	5.3		
Thiamin	mg	0.420		0	0.036		
Riboflavin	mg	0.730		0	0.062		
Niacin	mg	5.200		0	0.442		
Pantothenic acid	mg						
Vitamin B-6	mg	0.310		0	0.026		
Folate	µg	83		0	7		
Vitamin B-12	µg	1.56		0	0.13		
Vitamin A	IU	1560		0	133		
Vitamin A, RE	µg	470		0	40		
Vitamin E, α-TE	mg	7.700		0	0.655		
Lipids:							
Saturated, total	g	11.970		0	1.017		
4:0	g	0.000		0	0.000		
6.0	g	0.030		0	0.003		
8:0	g	0.450		0	0.038		
10:0	g	0.340		0	0.029		
12:0	g	2.600		0	0.221		
14:0	g	1.150		0	0.098		
15.0	g						
16:0	g	6.200		0	0.527		
17:0	g						
18:0	g	1.200		0	0.102		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	10.630	0	0.904
14:1	g			
16:1	g	0.030	0	0.003
18:1	g	10.600	0	0.901
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	5.300	0	0.450
18:2	g	4.800	0	0.408
18:3	g	0.500	0	0.043
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	5	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03833 Infant formula, MEAD JOHNSON, GERBER, low iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.95		0	26.82		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.38		0	0.42		
Total lipid (fat)	g	3.48		0	1.06		
Carbohydrate, by difference	g	7.15		0	2.18		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.36		0	0.11		
Sugars, total	g						
Minerals:							
Calcium	mg	51		0	16		
Iron	mg	0.46		0	0.14		
Magnesium	mg	5		0	2		
Phosphorus	mg	35		0	11		
Potassium	mg	71		0	22		
Sodium	mg	20		0	6		
Zinc	mg	0.66		0	0.20		
Copper	mg	0.049		0	0.015		
Manganese	mg						
Selenium	µg	1.8		1	0.5		
Vitamins:							
Ascorbic acid	mg	7.9		0	2.4		
Thiamin	mg	0.053		0	0.016		
Riboflavin	mg	0.092		0	0.028		
Niacin	mg	0.656		0	0.200		
Pantothenic acid	mg						
Vitamin B-6	mg	0.039		0	0.012		
Folate	µg	11		0	3		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	197		0	60		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	0.971		0	0.296		
Lipids:							
Saturated, total	g	1.483		0	0.452		
4:0	g	0.000		0	0.000		
6.0	g	0.007		0	0.002		
8:0	g	0.053		0	0.016		
10:0	g	0.039		0	0.012		
12:0	g	0.322		0	0.098		
14:0	g	0.144		0	0.044		
15.0	g						
16:0	g	0.768		0	0.234		
17:0	g						
18:0	g	0.151		0	0.046		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.313	0	0.400
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	1.313	0	0.400
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.656	0	0.200
18:2	g	0.597	0	0.182
18:3	g	0.059	0	0.018
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	1	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03834 Infant formula, MEAD JOHNSON, GERBER, low iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.32		0	23.16		
Energy	kcal	131		0	40		
Energy	kj	548		0	169		
Protein (N x 5.95)	g	2.76		0	0.85		
Total lipid (fat)	g	6.96		0	2.14		
Carbohydrate, by difference	g	14.31		0	4.40		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.72		0	0.22		
Sugars, total	g						
Minerals:							
Calcium	mg	102		0	31		
Iron	mg	0.92		0	0.28		
Magnesium	mg	11		0	3		
Phosphorus	mg	70		0	22		
Potassium	mg	142		0	44		
Sodium	mg	39		0	12		
Zinc	mg	1.31		0	0.40		
Copper	mg	0.098		0	0.030		
Manganese	mg						
Selenium	µg	3.6		0	1.1		
Vitamins:							
Ascorbic acid	mg	15.8		0	4.9		
Thiamin	mg	0.105		0	0.032		
Riboflavin	mg	0.184		0	0.057		
Niacin	mg	1.313		0	0.404		
Pantothenic acid	mg						
Vitamin B-6	mg	0.079		0	0.024		
Folate	µg	21		0	6		
Vitamin B-12	µg	0.39		0	0.12		
Vitamin A	IU	394		0	121		
Vitamin A, RE	µg	118		0	36		
Vitamin E, α-TE	mg	1.943		0	0.597		
Lipids:							
Saturated, total	g	2.967		0	0.912		
4:0	g	0.000		0	0.000		
6.0	g	0.013		0	0.004		
8:0	g	0.105		0	0.032		
10:0	g	0.079		0	0.024		
12:0	g	0.643		0	0.198		
14:0	g	0.289		0	0.089		
15.0	g						
16:0	g	1.536		0	0.472		
17:0	g						
18:0	g	0.302		0	0.093		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.625	0	0.807
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	2.625	0	0.807
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.313	0	0.404
18:2	g	1.194	0	0.367
18:3	g	0.118	0	0.036
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	2	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03835 Infant formula, MEAD JOHNSON, GERBER, low iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	2.10		0	0.18		
Energy	kcal	520		0	44		
Energy	kj	2176		0	185		
Protein (N x 5.95)	g	10.90		0	0.93		
Total lipid (fat)	g	28.00		0	2.38		
Carbohydrate, by difference	g	57.00		0	4.84		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	2.80		0	0.24		
Sugars, total	g						
Minerals:							
Calcium	mg	410		0	35		
Iron	mg	3.60		0	0.31		
Magnesium	mg	42		0	4		
Phosphorus	mg	280		0	24		
Potassium	mg	560		0	48		
Sodium	mg	156		0	13		
Zinc	mg	5.20		0	0.44		
Copper	mg	0.390		0	0.033		
Manganese	mg						
Selenium	µg	14.6		1	1.2		
Vitamins:							
Ascorbic acid	mg	62.0		0	5.3		
Thiamin	mg	0.420		0	0.036		
Riboflavin	mg	0.730		0	0.062		
Niacin	mg	5.200		0	0.442		
Pantothenic acid	mg						
Vitamin B-6	mg	0.310		0	0.026		
Folate	µg	83		0	7		
Vitamin B-12	µg	1.56		0	0.13		
Vitamin A	IU	1560		0	133		
Vitamin A, RE	µg	470		0	40		
Vitamin E, α-TE	mg	7.700		0	0.655		
Lipids:							
Saturated, total	g	11.970		0	1.017		
4:0	g	0.000		0	0.000		
6.0	g	0.030		0	0.003		
8:0	g	0.450		0	0.038		
10:0	g	0.340		0	0.029		
12:0	g	2.600		0	0.221		
14:0	g	1.150		0	0.098		
15.0	g						
16:0	g	6.200		0	0.527		
17:0	g						
18:0	g	1.200		0	0.102		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	10.630	0	0.904
14:1	g			
16:1	g	0.030	0	0.003
18:1	g	10.600	0	0.901
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	5.300	0	0.450
18:2	g	4.800	0	0.408
18:3	g	0.500	0	0.043
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	5	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03836 Infant formula, ROSS, SIMILAC PM 60/40, low iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 30g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.80		0	26.69		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.50		0	0.46		
Total lipid (fat)	g	3.70		0	1.12		
Carbohydrate, by difference	g	6.70		0	2.04		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.28		0	0.09		
Sugars, total	g						
Minerals:							
Calcium	mg	37		0	11		
Iron	mg	0.14		0	0.04		
Magnesium	mg	4		0	1		
Phosphorus	mg	18		0	5		
Potassium	mg	64		0	19		
Sodium	mg	16		0	5		
Zinc	mg	0.49		0	0.15		
Copper	mg	0.059		0	0.018		
Manganese	mg	0.003		0	0.001		
Selenium	µg	1.3		0	0.4		
Vitamins:							
Ascorbic acid	mg	6.0		0	1.8		
Thiamin	mg	0.070		0	0.021		
Riboflavin	mg	0.100		0	0.030		
Niacin	mg	0.690		0	0.210		
Pantothenic acid	mg	0.296		0	0.090		
Vitamin B-6	mg	0.040		0	0.012		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.16		0	0.05		
Vitamin A	IU	197		0	60		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	1.480		0	0.450		
Lipids:							
Saturated, total	g	1.610		0	0.489		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.089		0	0.027		
10:0	g	0.075		0	0.023		
12:0	g	0.605		0	0.184		
14:0	g	0.261		0	0.079		
15.0	g						
16:0	g	0.403		0	0.123		
17:0	g						
18:0	g	0.154		0	0.047		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.570	0	0.173
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	0.574	0	0.174
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.290	0	0.392
18:2	g	1.144	0	0.348
18:3	g	0.147	0	0.045
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	2	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03837 Infant formula, ROSS, SIMILAC PM 60/40, low iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	1.98		0	0.17		
Energy	kcal	536		0	46		
Energy	kj	2243		0	193		
Protein (N x 5.95)	g	11.91		0	1.02		
Total lipid (fat)	g	29.99		0	2.58		
Carbohydrate, by difference	g	54.72		0	4.71		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	2.82		0	0.24		
Sugars, total	g						
Minerals:							
Calcium	mg	300		0	26		
Iron	mg	1.18		0	0.10		
Magnesium	mg	32		0	3		
Phosphorus	mg	150		0	13		
Potassium	mg	461		0	40		
Sodium	mg	129		0	11		
Zinc	mg	4.02		0	0.35		
Copper	mg	0.483		0	0.042		
Manganese	mg	0.027		1	0.002		
Selenium	µg	10.2		0	0.9		
Vitamins:							
Ascorbic acid	mg	48.3		0	4.2		
Thiamin	mg	0.536		0	0.046		
Riboflavin	mg	0.805		0	0.069		
Niacin	mg	5.633		0	0.484		
Pantothenic acid	mg	2.414		1	0.208		
Vitamin B-6	mg	0.322		0	0.028		
Folate	µg	80		0	7		
Vitamin B-12	µg	1.34		0	0.12		
Vitamin A	IU	1609		0	138		
Vitamin A, RE	µg	483		0	42		
Vitamin E, α-TE	mg	9.001		0	0.774		
Lipids:							
Saturated, total	g	12.214		1	1.050		
4:0	g	0.000		1	0.000		
6.0	g	0.069		1	0.006		
8:0	g	0.769		1	0.066		
10:0	g	0.618		1	0.053		
12:0	g	4.843		1	0.416		
14:0	g	1.974		1	0.170		
15.0	g						
16:0	g	3.105		1	0.267		
17:0	g						
18:0	g	0.835		1	0.072		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	5.242	1	0.451
14:1	g			
16:1	g	0.028	1	0.002
18:1	g	5.157	1	0.444
20:1	g	0.057	1	0.005
22.1	g	0.000	1	0.000
Polyunsaturated, total	g	10.835	1	0.932
18:2	g	10.456	1	0.899
18:3	g	0.379	1	0.033
18:4	g	0.000	1	0.000
20:4	g	0.000	1	0.000
20:5	g	0.000	1	0.000
22:5	g	0.000	1	0.000
22:6	g	0.000	1	0.000
Cholesterol	mg	17	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03839 Infant formula, ROSS, SIMILAC NATURAL CARE, low iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	84.54		0	25.78		
Energy	kcal	78		0	24		
Energy	kj	326		0	99		
Protein (N x 5.95)	g	2.10		0	0.64		
Total lipid (fat)	g	4.21		0	1.28		
Carbohydrate, by difference	g	8.22		0	2.51		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.75		0	0.23		
Sugars, total	g						
Minerals:							
Calcium	mg	163		0	50		
Iron	mg	0.29		0	0.09		
Magnesium	mg	9		0	3		
Phosphorus	mg	90		0	27		
Potassium	mg	100		0	31		
Sodium	mg	33		0	10		
Zinc	mg	1.16		0	0.35		
Copper	mg	0.194		0	0.059		
Manganese	mg	0.009		1	0.003		
Selenium	µg	1.4		0	0.4		
Vitamins:							
Ascorbic acid	mg	28.7		0	8.8		
Thiamin	mg	0.194		0	0.059		
Riboflavin	mg	0.481		0	0.147		
Niacin	mg	3.878		0	1.183		
Pantothenic acid	mg	1.474		0	0.450		
Vitamin B-6	mg	0.194		0	0.059		
Folate	µg	29		0	9		
Vitamin B-12	µg	0.43		0	0.13		
Vitamin A	IU	969		0	296		
Vitamin A, RE	µg	291		0	89		
Vitamin E, α-TE	mg	2.082		0	0.635		
Lipids:							
Saturated, total	g	2.544		0	0.776		
4:0	g	0.000		0	0.000		
6.0	g	0.013		0	0.004		
8:0	g	1.080		0	0.329		
10:0	g	0.599		0	0.183		
12:0	g	0.346		0	0.106		
14:0	g	0.150		0	0.046		
15.0	g						
16:0	g	0.241		0	0.074		
17:0	g						
18:0	g	0.114		0	0.035		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.402	0	0.123
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	0.402	0	0.123
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.842	0	0.257
18:2	g	0.758	0	0.231
18:3	g	0.084	0	0.026
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	2	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03840 Infant formula, ROSS, SIMILAC SPECIAL CARE 24, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	84.54		0	26.04		
Energy	kcal	78		0	24		
Energy	kj	326		0	100		
Protein (N x 5.95)	g	2.10		0	0.65		
Total lipid (fat)	g	4.21		0	1.30		
Carbohydrate, by difference	g	8.22		0	2.53		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.71		0	0.22		
Sugars, total	g						
Minerals:							
Calcium	mg	140		0	43		
Iron	mg	1.40		0	0.43		
Magnesium	mg	9		0	3		
Phosphorus	mg	78		0	24		
Potassium	mg	100		0	31		
Sodium	mg	33		0	10		
Zinc	mg	1.16		0	0.36		
Copper	mg	0.194		0	0.060		
Manganese	mg	0.009		0	0.003		
Selenium	µg	1.4		0	0.4		
Vitamins:							
Ascorbic acid	mg	28.7		0	8.8		
Thiamin	mg	0.194		0	0.060		
Riboflavin	mg	0.481		0	0.148		
Niacin	mg	3.878		0	1.194		
Pantothenic acid	mg	1.474		0	0.454		
Vitamin B-6	mg	0.194		0	0.060		
Folate	µg	29		0	9		
Vitamin B-12	µg	0.43		0	0.13		
Vitamin A	IU	969		0	298		
Vitamin A, RE	µg	291		0	90		
Vitamin E, α-TE	mg	2.082		0	0.641		
Lipids:							
Saturated, total	g	2.533		0	0.780		
4:0	g	0.000		0	0.000		
6.0	g	0.009		0	0.003		
8:0	g	1.111		0	0.342		
10:0	g	0.546		0	0.168		
12:0	g	0.355		0	0.109		
14:0	g	0.152		0	0.047		
15.0	g						
16:0	g	0.246		0	0.076		
17:0	g						
18:0	g	0.114		0	0.035		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.387	0	0.119
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	0.387	0	0.119
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.851	0	0.262
18:2	g	0.766	0	0.236
18:3	g	0.086	0	0.026
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	2	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03841 Infant formula, ROSS, ISOMIL, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.30		1	26.63		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.61		1	0.49		
Total lipid (fat)	g	3.58		1	1.09		
Carbohydrate, by difference	g	6.76		0	2.06		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.43		0	0.13		
Sugars, total	g						
Minerals:							
Calcium	mg	69		1	21		
Iron	mg	1.18		1	0.36		
Magnesium	mg	5		1	2		
Phosphorus	mg	49		1	15		
Potassium	mg	71		1	22		
Sodium	mg	29		1	9		
Zinc	mg	0.49		1	0.15		
Copper	mg	0.049		1	0.015		
Manganese	mg	0.016		0	0.005		
Selenium	µg	1.4		1	0.4		
Vitamins:							
Ascorbic acid	mg	5.9		1	1.8		
Thiamin	mg	0.039		1	0.012		
Riboflavin	mg	0.059		1	0.018		
Niacin	mg	0.886		1	0.270		
Pantothenic acid	mg	0.492		0	0.150		
Vitamin B-6	mg	0.039		1	0.012		
Folate	µg	10		1	3		
Vitamin B-12	µg	0.30		1	0.09		
Vitamin A	IU	197		1	60		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	1.322		1	0.403		
Lipids:							
Saturated, total	g	1.166		1	0.356		
4:0	g	0.000		1	0.000		
6.0	g	0.009		1	0.003		
8:0	g	0.090		1	0.027		
10:0	g	0.062		1	0.019		
12:0	g	0.450		1	0.137		
14:0	g	0.177		1	0.054		
15.0	g						
16:0	g	0.262		1	0.080		
17:0	g						
18:0	g	0.116		1	0.035		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.371	1	0.418
14:1	g			
16:1	g	0.002	1	0.001
18:1	g	1.361	1	0.415
20:1	g	0.007	1	0.002
22.1	g	0.000	1	0.000
Polyunsaturated, total	g	0.838	1	0.256
18:2	g	0.752	1	0.229
18:3	g	0.086	1	0.026
18:4	g	0.000	1	0.000
20:4	g	0.000	1	0.000
20:5	g	0.000	1	0.000
22:5	g	0.000	1	0.000
22:6	g	0.000	1	0.000
Cholesterol	mg	0	1	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03842 Infant formula, ROSS, ISOMIL, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.13		0	23.59		
Energy	kcal	127		0	40		
Energy	kj	531		0	167		
Protein (N x 5.95)	g	3.12		0	0.98		
Total lipid (fat)	g	6.95		0	2.18		
Carbohydrate, by difference	g	13.12		0	4.12		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.87		0	0.27		
Sugars, total	g						
Minerals:							
Calcium	mg	134		0	42		
Iron	mg	2.29		0	0.72		
Magnesium	mg	10		0	3		
Phosphorus	mg	96		0	30		
Potassium	mg	138		0	43		
Sodium	mg	56		0	18		
Zinc	mg	0.96		0	0.30		
Copper	mg	0.096		0	0.030		
Manganese	mg	0.032		0	0.010		
Selenium	µg	2.7		0	0.8		
Vitamins:							
Ascorbic acid	mg	11.5		0	3.6		
Thiamin	mg	0.076		0	0.024		
Riboflavin	mg	0.115		0	0.036		
Niacin	mg	1.719		0	0.540		
Pantothenic acid	mg	0.955		0	0.300		
Vitamin B-6	mg	0.076		0	0.024		
Folate	µg	19		0	6		
Vitamin B-12	µg	0.57		0	0.18		
Vitamin A	IU	382		0	120		
Vitamin A, RE	µg	115		0	36		
Vitamin E, α-TE	mg	2.564		0	0.805		
Lipids:							
Saturated, total	g	2.262		0	0.710		
4:0	g	0.000		0	0.000		
6.0	g	0.017		0	0.005		
8:0	g	0.174		0	0.055		
10:0	g	0.120		0	0.038		
12:0	g	0.874		0	0.274		
14:0	g	0.343		0	0.108		
15.0	g						
16:0	g	0.509		0	0.160		
17:0	g						
18:0	g	0.225		0	0.071		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.660	0	0.835
14:1	g			
16:1	g	0.005	0	0.002
18:1	g	2.641	0	0.829
20:1	g	0.015	0	0.005
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.625	0	0.510
18:2	g	1.458	0	0.458
18:3	g	0.166	0	0.052
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03843 Infant formula, ROSS, ISOMIL, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	2.01		1	0.17		
Energy	kcal	516		0	45		
Energy	kj	2159		0	188		
Protein (N x 5.95)	g	12.64		1	1.10		
Total lipid (fat)	g	28.17		1	2.45		
Carbohydrate, by difference	g	53.15		0	4.62		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	3.25		0	0.28		
Sugars, total	g						
Minerals:							
Calcium	mg	542		1	47		
Iron	mg	9.29		1	0.81		
Magnesium	mg	39		1	3		
Phosphorus	mg	387		1	34		
Potassium	mg	557		1	48		
Sodium	mg	227		1	20		
Zinc	mg	3.87		1	0.34		
Copper	mg	0.387		1	0.034		
Manganese	mg	0.155		0	0.013		
Selenium	µg	10.8		1	0.9		
Vitamins:							
Ascorbic acid	mg	46.4		1	4.0		
Thiamin	mg	0.310		1	0.027		
Riboflavin	mg	0.464		1	0.040		
Niacin	mg	6.966		1	0.606		
Pantothenic acid	mg	3.870		0	0.337		
Vitamin B-6	mg	0.310		1	0.027		
Folate	µg	77		1	7		
Vitamin B-12	µg	2.32		1	0.20		
Vitamin A	IU	1548		1	135		
Vitamin A, RE	µg	465		0	40		
Vitamin E, α-TE	mg	10.389		1	0.904		
Lipids:							
Saturated, total	g	9.167		1	0.798		
4:0	g	0.000		1	0.000		
6.0	g	0.067		1	0.006		
8:0	g	0.707		1	0.062		
10:0	g	0.487		1	0.042		
12:0	g	3.541		1	0.308		
14:0	g	1.389		1	0.121		
15.0	g						
16:0	g	2.064		1	0.180		
17:0	g						
18:0	g	0.913		1	0.079		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	10.778	1	0.938
14:1	g			
16:1	g	0.019	1	0.002
18:1	g	10.701	1	0.931
20:1	g	0.059	1	0.005
22.1	g	0.000	1	0.000
Polyunsaturated, total	g	6.584	1	0.573
18:2	g	5.910	1	0.514
18:3	g	0.674	1	0.059
18:4	g	0.000	1	0.000
20:4	g	0.000	1	0.000
20:5	g	0.000	1	0.000
22:5	g	0.000	1	0.000
22:6	g	0.000	1	0.000
Cholesterol	mg	0	1	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03846 Infant formula, ROSS, ALIMENTUM, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.10		1	26.57		
Energy	kcal	65		0	20		
Energy	kj	272		0	83		
Protein (N x 5.95)	g	1.80		1	0.55		
Total lipid (fat)	g	3.63		1	1.11		
Carbohydrate, by difference	g	6.68		0	2.04		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.48		0	0.15		
Sugars, total	g						
Minerals:							
Calcium	mg	69		1	21		
Iron	mg	1.18		1	0.36		
Magnesium	mg	5		1	2		
Phosphorus	mg	49		1	15		
Potassium	mg	77		1	23		
Sodium	mg	29		1	9		
Zinc	mg	0.49		1	0.15		
Copper	mg	0.049		1	0.015		
Manganese	mg	0.020		0	0.006		
Selenium	µg	1.8		1	0.5		
Vitamins:							
Ascorbic acid	mg	5.9		1	1.8		
Thiamin	mg	0.039		1	0.012		
Riboflavin	mg	0.059		1	0.018		
Niacin	mg	0.884		1	0.270		
Pantothenic acid	mg	0.491		0	0.150		
Vitamin B-6	mg	0.039		1	0.012		
Folate	µg	10		1	3		
Vitamin B-12	µg	0.30		1	0.09		
Vitamin A	IU	196		1	60		
Vitamin A, RE	µg	59		1	18		
Vitamin E, α-TE	mg	1.318		1	0.402		
Lipids:							
Saturated, total	g	1.838		1	0.561		
4:0	g	0.000		1	0.000		
6.0	g	0.000		1	0.000		
8:0	g	0.931		1	0.284		
10:0	g	0.689		1	0.210		
12:0	g	0.023		1	0.007		
14:0	g	0.007		1	0.002		
15.0	g						
16:0	g	0.137		1	0.042		
17:0	g						
18:0	g	0.052		1	0.016		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.294	1	0.090
14:1	g			
16:1	g	0.003	1	0.001
18:1	g	0.287	1	0.088
20:1	g	0.003	1	0.001
22.1	g	0.000	1	0.000
Polyunsaturated, total	g	1.113	1	0.339
18:2	g	1.055	1	0.322
18:3	g	0.059	1	0.018
18:4	g	0.000	1	0.000
20:4	g	0.000	1	0.000
20:5	g	0.000	1	0.000
22:5	g	0.000	1	0.000
22:6	g	0.000	1	0.000
Cholesterol	mg	1	1	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03847 Infant formula, ROSS, ISOMIL SF, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 30g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.50		0	26.60		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.80		0	0.55		
Total lipid (fat)	g	3.60		0	1.09		
Carbohydrate, by difference	g	6.60		0	2.01		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.44		0	0.13		
Sugars, total	g						
Minerals:							
Calcium	mg	69		0	21		
Iron	mg	1.18		0	0.36		
Magnesium	mg	5		0	2		
Phosphorus	mg	49		0	15		
Potassium	mg	71		0	22		
Sodium	mg	29		0	9		
Zinc	mg	0.49		0	0.15		
Copper	mg	0.049		0	0.015		
Manganese	mg	0.020		0	0.006		
Selenium	µg	1.4		0	0.4		
Vitamins:							
Ascorbic acid	mg	6.0		0	1.8		
Thiamin	mg	0.040		0	0.012		
Riboflavin	mg	0.060		0	0.018		
Niacin	mg	0.890		0	0.271		
Pantothenic acid	mg	0.492		0	0.150		
Vitamin B-6	mg	0.040		0	0.012		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.30		0	0.09		
Vitamin A	IU	197		0	60		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	2.000		0	0.608		
Lipids:							
Saturated, total	g	1.260		0	0.383		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.082		0	0.025		
10:0	g	0.070		0	0.021		
12:0	g	0.582		0	0.177		
14:0	g	0.024		0	0.007		
15.0	g						
16:0	g	0.337		0	0.102		
17:0	g						
18:0	g	0.144		0	0.044		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.550	0	0.167
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	0.552	0	0.168
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.980	0	0.298
18:2	g	0.828	0	0.252
18:3	g	0.150	0	0.046
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03848 Infant formula, ROSS, ISOMIL SF, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.13		0	23.59		
Energy	kcal	127		0	40		
Energy	kj	531		0	167		
Protein (N x 5.95)	g	3.39		0	1.06		
Total lipid (fat)	g	6.95		0	2.18		
Carbohydrate, by difference	g	12.86		0	4.04		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.90		0	0.28		
Sugars, total	g						
Minerals:							
Calcium	mg	134		0	42		
Iron	mg	2.29		0	0.72		
Magnesium	mg	10		0	3		
Phosphorus	mg	96		0	30		
Potassium	mg	138		0	43		
Sodium	mg	56		0	18		
Zinc	mg	0.96		0	0.30		
Copper	mg	0.096		0	0.030		
Manganese	mg	0.038		1	0.012		
Selenium	µg	2.7		0	0.8		
Vitamins:							
Ascorbic acid	mg	11.5		0	3.6		
Thiamin	mg	0.076		0	0.024		
Riboflavin	mg	0.115		0	0.036		
Niacin	mg	1.719		0	0.540		
Pantothenic acid	mg	0.955		0	0.300		
Vitamin B-6	mg	0.076		0	0.024		
Folate	µg	19		0	6		
Vitamin B-12	µg	0.57		0	0.18		
Vitamin A	IU	382		0	120		
Vitamin A, RE	µg	115		0	36		
Vitamin E, α-TE	mg	2.564		0	0.805		
Lipids:							
Saturated, total	g	2.881		1	0.905		
4:0	g	0.000		1	0.000		
6.0	g	0.000		1	0.000		
8:0	g	0.166		1	0.052		
10:0	g	0.139		1	0.044		
12:0	g	1.149		1	0.361		
14:0	g	0.464		1	0.146		
15.0	g						
16:0	g	0.680		1	0.214		
17:0	g						
18:0	g	0.283		1	0.089		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.116	1	0.350
14:1	g			
16:1	g	0.000	1	0.000
18:1	g	1.116	1	0.350
20:1	g	0.000	1	0.000
22.1	g	0.000	1	0.000
Polyunsaturated, total	g	2.528	1	0.794
18:2	g	2.239	1	0.703
18:3	g	0.289	1	0.091
18:4	g	0.000	1	0.000
20:4	g	0.000	1	0.000
20:5	g	0.000	1	0.000
22:5	g	0.000	1	0.000
22:6	g	0.000	1	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz

NDB No. 03850 Infant formula, ROSS, SIMILAC, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 30g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.29		1	26.54		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.36		1	0.41		
Total lipid (fat)	g	3.54		1	1.08		
Carbohydrate, by difference	g	7.09		0	2.16		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.38		1	0.12		
Sugars, total	g						
Minerals:							
Calcium	mg	52		1	16		
Iron	mg	1.18		1	0.36		
Magnesium	mg	4		1	1		
Phosphorus	mg	28		1	9		
Potassium	mg	69		1	21		
Sodium	mg	16		1	5		
Zinc	mg	0.49		1	0.15		
Copper	mg	0.059		1	0.018		
Manganese	mg	0.003		0	0.001		
Selenium	µg	1.4		1	0.4		
Vitamins:							
Ascorbic acid	mg	5.9		1	1.8		
Thiamin	mg	0.066		1	0.020		
Riboflavin	mg	0.098		1	0.030		
Niacin	mg	0.689		1	0.209		
Pantothenic acid	mg	0.295		0	0.090		
Vitamin B-6	mg	0.039		1	0.012		
Folate	µg	10		1	3		
Vitamin B-12	µg	0.16		1	0.05		
Vitamin A	IU	197		1	60		
Vitamin A, RE	µg	59		1	18		
Vitamin E, α-TE	mg	1.321		1	0.402		
Lipids:							
Saturated, total	g	1.237		1	0.376		
4:0	g	0.000		1	0.000		
6.0	g	0.007		1	0.002		
8:0	g	0.110		1	0.033		
10:0	g	0.078		1	0.024		
12:0	g	0.486		1	0.148		
14:0	g	0.183		1	0.056		
15.0	g						
16:0	g	0.258		1	0.078		
17:0	g						
18:0	g	0.115		1	0.035		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.314	1	0.399
14:1	g			
16:1	g	0.002	1	0.001
18:1	g	1.305	1	0.397
20:1	g	0.007	1	0.002
22.1	g	0.000	1	0.000
Polyunsaturated, total	g	0.801	1	0.244
18:2	g	0.724	1	0.220
18:3	g	0.077	1	0.023
18:4	g	0.000	1	0.000
20:4	g	0.000	1	0.000
20:5	g	0.000	1	0.000
22:5	g	0.000	1	0.000
22:6	g	0.000	1	0.000
Cholesterol	mg	2	1	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03851 Infant formula, ROSS, SIMILAC, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.15		0	23.60		
Energy	kcal	127		0	40		
Energy	kj	531		0	167		
Protein (N x 5.95)	g	2.64		0	0.83		
Total lipid (fat)	g	6.88		0	2.16		
Carbohydrate, by difference	g	13.76		0	4.32		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.79		0	0.25		
Sugars, total	g						
Minerals:							
Calcium	mg	99		0	31		
Iron	mg	2.29		0	0.72		
Magnesium	mg	8		0	3		
Phosphorus	mg	53		0	17		
Potassium	mg	134		0	42		
Sodium	mg	31		0	10		
Zinc	mg	0.96		0	0.30		
Copper	mg	0.115		0	0.036		
Manganese	mg	0.006		0	0.002		
Selenium	µg	2.8		0	0.9		
Vitamins:							
Ascorbic acid	mg	11.5		0	3.6		
Thiamin	mg	0.127		0	0.040		
Riboflavin	mg	0.191		0	0.060		
Niacin	mg	1.337		0	0.420		
Pantothenic acid	mg	0.573		0	0.180		
Vitamin B-6	mg	0.076		0	0.024		
Folate	µg	19		0	6		
Vitamin B-12	µg	0.32		0	0.10		
Vitamin A	IU	382		0	120		
Vitamin A, RE	µg	115		0	36		
Vitamin E, α-TE	mg	2.565		0	0.805		
Lipids:							
Saturated, total	g	2.401		0	0.754		
4:0	g	0.000		0	0.000		
6.0	g	0.014		0	0.004		
8:0	g	0.214		0	0.067		
10:0	g	0.152		0	0.048		
12:0	g	0.943		0	0.296		
14:0	g	0.355		0	0.111		
15.0	g						
16:0	g	0.500		0	0.157		
17:0	g						
18:0	g	0.223		0	0.070		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.551	0	0.801
14:1	g			
16:1	g	0.005	0	0.002
18:1	g	2.533	0	0.795
20:1	g	0.013	0	0.004
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.555	0	0.488
18:2	g	1.405	0	0.441
18:3	g	0.150	0	0.047
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	3	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03853 Infant formula, ROSS, SIMILAC, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	1.99		0	0.17		
Energy	kcal	524		0	46		
Energy	kj	2192		0	191		
Protein (N x 5.95)	g	10.84		0	0.94		
Total lipid (fat)	g	28.76		0	2.50		
Carbohydrate, by difference	g	55.32		0	4.81		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	3.25		0	0.28		
Sugars, total	g						
Minerals:							
Calcium	mg	409		0	36		
Iron	mg	9.43		0	0.82		
Magnesium	mg	31		0	3		
Phosphorus	mg	220		0	19		
Potassium	mg	550		0	48		
Sodium	mg	126		0	11		
Zinc	mg	3.93		0	0.34		
Copper	mg	0.471		0	0.041		
Manganese	mg	0.026		0	0.002		
Selenium	µg	11.5		0	1.0		
Vitamins:							
Ascorbic acid	mg	47.1		0	4.1		
Thiamin	mg	0.524		0	0.046		
Riboflavin	mg	0.786		0	0.068		
Niacin	mg	5.500		0	0.478		
Pantothenic acid	mg	2.357		0	0.205		
Vitamin B-6	mg	0.314		0	0.027		
Folate	µg	79		0	7		
Vitamin B-12	µg	1.31		0	0.11		
Vitamin A	IU	1572		0	137		
Vitamin A, RE	µg	472		0	41		
Vitamin E, α-TE	mg	10.547		0	0.918		
Lipids:							
Saturated, total	g	9.873		0	0.859		
4:0	g	0.000		0	0.000		
6.0	g	0.059		0	0.005		
8:0	g	0.879		0	0.076		
10:0	g	0.626		0	0.054		
12:0	g	3.876		0	0.337		
14:0	g	1.459		0	0.127		
15.0	g						
16:0	g	2.056		0	0.179		
17:0	g						
18:0	g	0.916		0	0.080		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	10.491	0	0.913
14:1	g			
16:1	g	0.019	0	0.002
18:1	g	10.419	0	0.906
20:1	g	0.054	0	0.005
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	6.396	0	0.556
18:2	g	5.778	0	0.503
18:3	g	0.618	0	0.054
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	14	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03855 Infant formula, ROSS, SIMILAC, low iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.29		0	27.06		
Energy	kcal	66		0	20		
Energy	kj	276		0	86		
Protein (N x 5.95)	g	1.36		0	0.42		
Total lipid (fat)	g	3.54		0	1.10		
Carbohydrate, by difference	g	7.09		0	2.20		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.38		0	0.12		
Sugars, total	g						
Minerals:							
Calcium	mg	52		0	16		
Iron	mg	0.14		0	0.04		
Magnesium	mg	4		0	1		
Phosphorus	mg	28		0	9		
Potassium	mg	69		0	21		
Sodium	mg	16		0	5		
Zinc	mg	0.49		0	0.15		
Copper	mg	0.059		0	0.018		
Manganese	mg	0.003		0	0.001		
Selenium	µg	1.4		0	0.4		
Vitamins:							
Ascorbic acid	mg	5.9		0	1.8		
Thiamin	mg	0.066		0	0.020		
Riboflavin	mg	0.098		0	0.030		
Niacin	mg	0.689		0	0.214		
Pantothenic acid	mg	0.295		0	0.091		
Vitamin B-6	mg	0.039		0	0.012		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.16		0	0.05		
Vitamin A	IU	197		0	61		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	1.321		0	0.410		
Lipids:							
Saturated, total	g	1.237		0	0.383		
4:0	g	0.000		0	0.000		
6.0	g	0.007		0	0.002		
8:0	g	0.110		0	0.034		
10:0	g	0.078		0	0.024		
12:0	g	0.486		0	0.151		
14:0	g	0.183		0	0.057		
15.0	g						
16:0	g	0.258		0	0.080		
17:0	g						
18:0	g	0.115		0	0.036		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.314	0	0.407
14:1	g			
16:1	g	0.002	0	0.001
18:1	g	1.305	0	0.405
20:1	g	0.007	0	0.002
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.801	0	0.248
18:2	g	0.724	0	0.224
18:3	g	0.077	0	0.024
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	2	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03856 Infant formula, ROSS, SIMILAC, low iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.15		0	23.60		
Energy	kcal	127		0	40		
Energy	kj	531		0	167		
Protein (N x 5.95)	g	2.64		0	0.83		
Total lipid (fat)	g	6.88		0	2.16		
Carbohydrate, by difference	g	13.76		0	4.32		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.79		0	0.25		
Sugars, total	g						
Minerals:							
Calcium	mg	99		0	31		
Iron	mg	0.28		0	0.09		
Magnesium	mg	8		0	3		
Phosphorus	mg	53		0	17		
Potassium	mg	134		0	42		
Sodium	mg	31		0	10		
Zinc	mg	0.96		0	0.30		
Copper	mg	0.115		0	0.036		
Manganese	mg	0.006		0	0.002		
Selenium	µg	2.8		0	0.9		
Vitamins:							
Ascorbic acid	mg	11.5		0	3.6		
Thiamin	mg	0.127		0	0.040		
Riboflavin	mg	0.191		0	0.060		
Niacin	mg	1.337		0	0.420		
Pantothenic acid	mg	0.573		0	0.180		
Vitamin B-6	mg	0.076		0	0.024		
Folate	µg	19		0	6		
Vitamin B-12	µg	0.32		0	0.10		
Vitamin A	IU	382		0	120		
Vitamin A, RE	µg	115		0	36		
Vitamin E, α-TE	mg	2.565		0	0.805		
Lipids:							
Saturated, total	g	2.401		0	0.754		
4:0	g	0.000		0	0.000		
6.0	g	0.014		0	0.004		
8:0	g	0.214		0	0.067		
10:0	g	0.152		0	0.048		
12:0	g	0.943		0	0.296		
14:0	g	0.355		0	0.111		
15.0	g						
16:0	g	0.500		0	0.157		
17:0	g						
18:0	g	0.223		0	0.070		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.551	0	0.801
14:1	g			
16:1	g	0.005	0	0.002
18:1	g	2.533	0	0.795
20:1	g	0.013	0	0.004
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.555	0	0.488
18:2	g	1.405	0	0.441
18:3	g	0.150	0	0.047
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	3	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03858 Infant formula, ROSS, SIMILAC, low iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	1.99		0	0.17		
Energy	kcal	524		0	46		
Energy	kj	2192		0	191		
Protein (N x 5.95)	g	10.84		0	0.94		
Total lipid (fat)	g	28.76		0	2.50		
Carbohydrate, by difference	g	55.32		0	4.81		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	3.25		0	0.28		
Sugars, total	g						
Minerals:							
Calcium	mg	409		0	36		
Iron	mg	1.15		0	0.10		
Magnesium	mg	31		0	3		
Phosphorus	mg	220		0	19		
Potassium	mg	550		0	48		
Sodium	mg	126		0	11		
Zinc	mg	3.93		0	0.34		
Copper	mg	0.471		0	0.041		
Manganese	mg	0.026		0	0.002		
Selenium	µg	11.5		0	1.0		
Vitamins:							
Ascorbic acid	mg	47.1		0	4.1		
Thiamin	mg	0.524		0	0.046		
Riboflavin	mg	0.786		0	0.068		
Niacin	mg	5.500		0	0.478		
Pantothenic acid	mg	2.357		0	0.205		
Vitamin B-6	mg	0.314		0	0.027		
Folate	µg	79		0	7		
Vitamin B-12	µg	1.31		0	0.11		
Vitamin A	IU	1572		0	137		
Vitamin A, RE	µg	472		0	41		
Vitamin E, α-TE	mg	10.547		0	0.918		
Lipids:							
Saturated, total	g	9.873		0	0.859		
4:0	g	0.000		0	0.000		
6.0	g	0.059		0	0.005		
8:0	g	0.879		0	0.076		
10:0	g	0.626		0	0.054		
12:0	g	3.878		0	0.337		
14:0	g	1.459		0	0.127		
15.0	g						
16:0	g	2.056		0	0.179		
17:0	g						
18:0	g	0.916		0	0.080		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	10.491	0	0.913
14:1	g			
16:1	g	0.019	0	0.002
18:1	g	10.419	0	0.906
20:1	g	0.054	0	0.005
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	6.396	0	0.556
18:2	g	5.778	0	0.503
18:3	g	0.618	0	0.054
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	14	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03860 Child formula, ROSS, PEDIASURE, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	80.21		0	24.87		
Energy	kcal	95		0	29		
Energy	kj	397		0	123		
Protein (N x 5.95)	g	2.86		0	0.89		
Total lipid (fat)	g	4.77		0	1.48		
Carbohydrate, by difference	g	10.50		0	3.25		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g	0.75		0	0.23		
Sugars, total	g						
Minerals:							
Calcium	mg	93		0	29		
Iron	mg	1.34		0	0.42		
Magnesium	mg	19		0	6		
Phosphorus	mg	76		0	24		
Potassium	mg	125		0	39		
Sodium	mg	36		0	11		
Zinc	mg	1.15		0	0.36		
Copper	mg	0.095		0	0.029		
Manganese	mg	0.239		0	0.074		
Selenium	µg	2.2		0	0.7		
Vitamins:							
Ascorbic acid	mg	9.5		0	2.9		
Thiamin	mg	0.258		0	0.080		
Riboflavin	mg	0.201		0	0.062		
Niacin	mg	1.614		0	0.500		
Pantothenic acid	mg	0.955		0	0.296		
Vitamin B-6	mg	0.248		0	0.077		
Folate	µg	35		0	11		
Vitamin B-12	µg	0.57		0	0.18		
Vitamin A	IU	245		0	76		
Vitamin A, RE	µg	74		0	23		
Vitamin E, α-TE	mg	1.474		0	0.457		
Lipids:							
Saturated, total	g	1.256		0	0.389		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.503		0	0.156		
10:0	g	0.349		0	0.108		
12:0	g	0.013		0	0.004		
14:0	g	0.009		0	0.003		
15.0	g						
16:0	g	0.260		0	0.081		
17:0	g						
18:0	g	0.122		0	0.038		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.936	0	0.600
14:1	g			
16:1	g	0.004	0	0.001
18:1	g	1.921	0	0.596
20:1	g	0.011	0	0.003
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.068	0	0.331
18:2	g	0.975	0	0.302
18:3	g	0.092	0	0.029
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	2	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03862 Infant formula, MEAD JOHNSON, GERBER soy, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	87.95		0			
Energy	kcal	66		0			
Energy	kj	276		0			
Protein (N x 5.95)	g	1.97		0			
Total lipid (fat)	g	3.48		0			
Carbohydrate, by difference	g	6.56		0			
Fiber, total dietary	g	0.0		0			
Ash	g	0.40		0			
Sugars, total	g						
Minerals:							
Calcium	mg	69		0			
Iron	mg	1.18		0			
Magnesium	mg	7		0			
Phosphorus	mg	54		0			
Potassium	mg	79		0			
Sodium	mg	24		0			
Zinc	mg	0.79		0			
Copper	mg	0.049		0			
Manganese	mg						
Selenium	µg	1.8		1			
Vitamins:							
Ascorbic acid	mg	7.9		0			
Thiamin	mg	0.053		0			
Riboflavin	mg	0.059		0			
Niacin	mg	0.656		0			
Pantothenic acid	mg						
Vitamin B-6	mg	0.039		0			
Folate	µg	11		0			
Vitamin B-12	µg	0.20		0			
Vitamin A	IU	197		0			
Vitamin A, RE	µg	59		0			
Vitamin E, α-TE	mg	0.971		0			
Lipids:							
Saturated, total	g	1.483		0			
4:0	g	0.000		0			
6.0	g	0.007		0			
8:0	g	0.053		0			
10:0	g	0.039		0			
12:0	g	0.322		0			
14:0	g	0.144		0			
15.0	g						
16:0	g	0.768		0			
17:0	g						
18:0	g	0.151		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.313	0
14:1	g		
16:1	g	0.000	0
18:1	g	1.313	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.656	0
18:2	g	0.597	0
18:3	g	0.059	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	0	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03863 Infant formula, MEAD JOHNSON, GERBER soy, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	2.20		0			
Energy	kcal	515		0			
Energy	kj	2155		0			
Protein (N x 5.95)	g	15.50		0			
Total lipid (fat)	g	27.00		0			
Carbohydrate, by difference	g	52.00		0			
Fiber, total dietary	g	0.0		0			
Ash	g	3.30		0			
Sugars, total	g						
Minerals:							
Calcium	mg	540		0			
Iron	mg	9.30		0			
Magnesium	mg	57		0			
Phosphorus	mg	430		0			
Potassium	mg	620		0			
Sodium	mg	186		0			
Zinc	mg	6.20		0			
Copper	mg	0.390		0			
Manganese	mg						
Selenium	µg	14.5		1			
Vitamins:							
Ascorbic acid	mg	62.0		0			
Thiamin	mg	0.410		0			
Riboflavin	mg	0.460		0			
Niacin	mg	5.200		0			
Pantothenic acid	mg						
Vitamin B-6	mg	0.310		0			
Folate	µg	83		0			
Vitamin B-12	µg	1.55		0			
Vitamin A	IU	1550		0			
Vitamin A, RE	µg	465		0			
Vitamin E, α-TE	mg	7.600		0			
Lipids:							
Saturated, total	g	11.450		0			
4:0	g	0.000		0			
6.0	g	0.030		0			
8:0	g	0.430		0			
10:0	g	0.320		0			
12:0	g	2.500		0			
14:0	g	1.110		0			
15.0	g						
16:0	g	5.900		0			
17:0	g						
18:0	g	1.160		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	10.320	0
14:1	g		
16:1	g	0.020	0
18:1	g	10.300	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	5.080	0
18:2	g	4.600	0
18:3	g	0.480	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	0	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03865 Infant formula, MEAD JOHNSON, GERBER soy, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	75.19		0			
Energy	kcal	131		0			
Energy	kj	548		0			
Protein (N x 5.95)	g	3.94		0			
Total lipid (fat)	g	6.96		0			
Carbohydrate, by difference	g	13.13		0			
Fiber, total dietary	g	0.0		0			
Ash	g	0.80		0			
Sugars, total	g						
Minerals:							
Calcium	mg	138		0			
Iron	mg	2.36		0			
Magnesium	mg	14		0			
Phosphorus	mg	109		0			
Potassium	mg	158		0			
Sodium	mg	47		0			
Zinc	mg	1.58		0			
Copper	mg	0.098		0			
Manganese	mg						
Selenium	µg	3.6		0			
Vitamins:							
Ascorbic acid	mg	15.8		0			
Thiamin	mg	0.105		0			
Riboflavin	mg	0.118		0			
Niacin	mg	1.313		0			
Pantothenic acid	mg						
Vitamin B-6	mg	0.079		0			
Folate	µg	21		0			
Vitamin B-12	µg	0.39		0			
Vitamin A	IU	394		0			
Vitamin A, RE	µg	118		0			
Vitamin E, α-TE	mg	1.943		0			
Lipids:							
Saturated, total	g	2.967		0			
4:0	g	0.000		0			
6.0	g	0.013		0			
8:0	g	0.105		0			
10:0	g	0.079		0			
12:0	g	0.643		0			
14:0	g	0.289		0			
15.0	g						
16:0	g	1.536		0			
17:0	g						
18:0	g	0.302		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.625	0
14:1	g		
16:1	g	0.000	0
18:1	g	2.625	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	1.313	0
18:2	g	1.194	0
18:3	g	0.118	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	0	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03868 Infant formula, MEAD JOHNSON, LACTOFREE, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	87.29		0			
Energy	kcal	66		0			
Energy	kj	276		0			
Protein (N x 5.95)	g	1.44		0			
Total lipid (fat)	g	3.62		0			
Carbohydrate, by difference	g	6.85		0			
Fiber, total dietary	g	0.0		0			
Ash	g	0.30		0			
Sugars, total	g						
Minerals:							
Calcium	mg	54		0			
Iron	mg	1.18		0			
Magnesium	mg	5		0			
Phosphorus	mg	36		0			
Potassium	mg	72		0			
Sodium	mg	20		0			
Zinc	mg	0.66		0			
Copper	mg	0.049		0			
Manganese	mg						
Selenium	µg	1.8		1			
Vitamins:							
Ascorbic acid	mg	7.9		0			
Thiamin	mg	0.053		0			
Riboflavin	mg	0.059		0			
Niacin	mg	0.656		0			
Pantothenic acid	mg						
Vitamin B-6	mg	0.039		0			
Folate	µg	11		0			
Vitamin B-12	µg	0.20		0			
Vitamin A	IU	197		0			
Vitamin A, RE	µg	59		0			
Vitamin E, α-TE	mg	0.971		0			
Lipids:							
Saturated, total	g	1.549		0			
4:0	g	0.000		0			
6.0	g	0.007		0			
8:0	g	0.059		0			
10:0	g	0.046		0			
12:0	g	0.335		0			
14:0	g	0.151		0			
15.0	g						
16:0	g	0.794		0			
17:0	g						
18:0	g	0.158		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.378	0
14:1	g		
16:1	g	0.000	0
18:1	g	1.378	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.689	0
18:2	g	0.623	0
18:3	g	0.066	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	1	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03869 Infant formula, MEAD JOHNSON, LACTOFREE, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	1.00		0			
Energy	kcal	530		0			
Energy	kj	2218		0			
Protein (N x 5.95)	g	11.60		0			
Total lipid (fat)	g	29.00		0			
Carbohydrate, by difference	g	55.00		0			
Fiber, total dietary	g	0.0		0			
Ash	g	3.40		0			
Sugars, total	g						
Minerals:							
Calcium	mg	430		0			
Iron	mg	9.50		0			
Magnesium	mg	42		0			
Phosphorus	mg	290		0			
Potassium	mg	580		0			
Sodium	mg	158		0			
Zinc	mg	5.30		0			
Copper	mg	0.400		0			
Manganese	mg						
Selenium	µg	14.8		1			
Vitamins:							
Ascorbic acid	mg	63.0		0			
Thiamin	mg	0.420		0			
Riboflavin	mg	0.480		0			
Niacin	mg	5.300		0			
Pantothenic acid	mg						
Vitamin B-6	mg	0.320		0			
Folate	µg	84		0			
Vitamin B-12	µg	1.58		0			
Vitamin A	IU	1580		0			
Vitamin A, RE	µg	470		0			
Vitamin E, α-TE	mg	7.800		0			
Lipids:							
Saturated, total	g	12.380		0			
4:0	g	0.000		0			
6.0	g	0.030		0			
8:0	g	0.460		0			
10:0	g	0.350		0			
12:0	g	2.700		0			
14:0	g	1.190		0			
15.0	g						
16:0	g	6.400		0			
17:0	g						
18:0	g	1.250		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	11.030	0
14:1	g		
16:1	g	0.030	0
18:1	g	11.000	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	5.520	0
18:2	g	5.000	0
18:3	g	0.520	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	8	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03871 Infant formula, MEAD JOHNSON, LACTOFREE, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	75.27		0			
Energy	kcal	131		0			
Energy	kj	548		0			
Protein (N x 5.95)	g	2.89		0			
Total lipid (fat)	g	7.23		0			
Carbohydrate, by difference	g	13.65		0			
Fiber, total dietary	g	0.0		0			
Ash	g	0.60		0			
Sugars, total	g						
Minerals:							
Calcium	mg	108		0			
Iron	mg	2.36		0			
Magnesium	mg	11		0			
Phosphorus	mg	72		0			
Potassium	mg	144		0			
Sodium	mg	39		0			
Zinc	mg	1.31		0			
Copper	mg	0.098		0			
Manganese	mg						
Selenium	µg	3.6		0			
Vitamins:							
Ascorbic acid	mg	15.8		0			
Thiamin	mg	0.105		0			
Riboflavin	mg	0.118		0			
Niacin	mg	1.313		0			
Pantothenic acid	mg						
Vitamin B-6	mg	0.079		0			
Folate	µg	21		0			
Vitamin B-12	µg	0.39		0			
Vitamin A	IU	394		0			
Vitamin A, RE	µg	118		0			
Vitamin E, α-TE	mg	1.943		0			
Lipids:							
Saturated, total	g	3.098		0			
4:0	g	0.000		0			
6.0	g	0.013		0			
8:0	g	0.118		0			
10:0	g	0.092		0			
12:0	g	0.669		0			
14:0	g	0.302		0			
15.0	g						
16:0	g	1.588		0			
17:0	g						
18:0	g	0.315		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.757	0
14:1	g		
16:1	g	0.000	0
18:1	g	2.757	0
20:1	g	0.000	0
22.1	g	0.000	0
Polyunsaturated, total	g	1.378	0
18:2	g	1.247	0
18:3	g	0.131	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	2	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03876 Infant formula, ROSS, SIMILAC TODDLERS BEST, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1*	Measure 2*	Measure 3*
Proximates:							
Water	g	86.78		0			
Energy	kcal	65		0			
Energy	kj	272		0			
Protein (N x 5.95)	g	2.28		0			
Total lipid (fat)	g	3.07		0			
Carbohydrate, by difference	g	7.18		0			
Fiber, total dietary	g	0.0		0			
Ash	g	0.68		0			
Sugars, total	g						
Minerals:							
Calcium	mg	102		0			
Iron	mg	1.24		0			
Magnesium	mg	6		0			
Phosphorus	mg	62		0			
Potassium	mg	98		0			
Sodium	mg	26		0			
Zinc	mg	0.55		0			
Copper	mg	0.059		0			
Manganese	mg	0.005		0			
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	6.0		0			
Thiamin	mg	0.065		0			
Riboflavin	mg	0.098		0			
Niacin	mg	0.685		0			
Pantothenic acid	mg	0.294		0			
Vitamin B-6	mg	0.039		0			
Folate	µg	10		0			
Vitamin B-12	µg	0.16		0			
Vitamin A	IU	196		0			
Vitamin A, RE	µg	59		0			
Vitamin E, α-TE	mg	1.961		0			
Lipids:							
Saturated, total	g	1.026		0			
4:0	g	0.000		0			
6.0	g	0.007		0			
8:0	g	0.075		0			
10:0	g	0.055		0			
12:0	g	0.404		0			
14:0	g	0.153		0			
15.0	g						
16:0	g	0.227		0			
17:0	g						
18:0	g	0.086		0			
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.176	0
14:1	g		
16:1	g	0.002	0
18:1	g	1.166	0
20:1	g	0.006	0
22.1	g	0.000	0
Polyunsaturated, total	g	0.707	0
18:2	g	0.639	0
18:3	g	0.067	0
18:4	g	0.000	0
20:4	g	0.000	0
20:5	g	0.000	0
22:5	g	0.000	0
22:6	g	0.000	0
Cholesterol	mg	2	0
Phytosterols	mg		
Amino acids:			
Tryptophan	g		
Threonine	g		
Isoleucine	g		
Leucine	g		
Lysine	g		
Methionine	g		
Cystine	g		
Phenylalanine	g		
Tyrosine	g		
Valine	g		
Arginine	g		
Histidine	g		
Alanine	g		
Aspartic acid	g		
Glutamic acid	g		
Glycine	g		
Proline	g		
Serine	g		
Other:			
Caffeine	mg		
Theobromine	mg		
Alcohol	g		

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

NDB No. 03880 Infant formula, WYETH-AYERST, SMA, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 30g	Measure 2*	Measure 3*
Proximates:							
Water	g	88.10		0	26.78		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.40		0	0.43		
Total lipid (fat)	g	3.50		0	1.06		
Carbohydrate, by difference	g	7.00		0	2.13		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	41		0	12		
Iron	mg	1.18		0	0.36		
Magnesium	mg	5		0	2		
Phosphorus	mg	28		0	9		
Potassium	mg	55		0	17		
Sodium	mg	14		0	4		
Zinc	mg	0.53		0	0.16		
Copper	mg	0.046		0	0.014		
Manganese	mg						
Selenium	µg	1.8		1	0.5		
Vitamins:							
Ascorbic acid	mg	5.6		0	1.7		
Thiamin	mg	0.070		0	0.021		
Riboflavin	mg	0.100		0	0.030		
Niacin	mg	0.490		0	0.149		
Pantothenic acid	mg						
Vitamin B-6	mg	0.040		0	0.012		
Folate	µg	5		0	2		
Vitamin B-12	µg	0.13		0	0.04		
Vitamin A	IU	197		0	60		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	0.920		0	0.280		
Lipids:							
Saturated, total	g	1.600		0	0.486		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.090		0	0.027		
10:0	g	0.070		0	0.021		
12:0	g	0.480		0	0.146		
14:0	g	0.230		0	0.070		
15.0	g						
16:0	g	0.470		0	0.143		
17:0	g						
18:0	g	0.250		0	0.076		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.400	0	0.426
14:1	g			
16:1	g	0.040	0	0.012
18:1	g	1.340	0	0.407
20:1	g	0.010	0	0.003
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.500	0	0.152
18:2	g	0.450	0	0.137
18:3	g	0.050	0	0.015
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	4	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03881 Infant formula, WYETH-AYERST, SMA, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	76.00		0	23.86		
Energy	kcal	132		0	41		
Energy	kj	552		0	173		
Protein (N x 5.95)	g	2.90		0	0.91		
Total lipid (fat)	g	7.00		0	2.20		
Carbohydrate, by difference	g	13.90		0	4.36		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	83		0	26		
Iron	mg	2.36		0	0.74		
Magnesium	mg	9		0	3		
Phosphorus	mg	55		0	17		
Potassium	mg	109		0	34		
Sodium	mg	29		0	9		
Zinc	mg	1.06		0	0.33		
Copper	mg	0.092		0	0.029		
Manganese	mg						
Selenium	µg	3.6		0	1.1		
Vitamins:							
Ascorbic acid	mg	11.2		0	3.5		
Thiamin	mg	0.130		0	0.041		
Riboflavin	mg	0.200		0	0.063		
Niacin	mg	0.990		0	0.311		
Pantothenic acid	mg						
Vitamin B-6	mg	0.080		0	0.025		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.26		0	0.08		
Vitamin A	IU	395		0	124		
Vitamin A, RE	µg	118		0	37		
Vitamin E, α-TE	mg	1.840		0	0.578		
Lipids:							
Saturated, total	g	3.200		0	1.005		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.180		0	0.057		
10:0	g	0.140		0	0.044		
12:0	g	0.960		0	0.301		
14:0	g	0.460		0	0.144		
15.0	g						
16:0	g	0.940		0	0.295		
17:0	g						
18:0	g	0.500		0	0.157		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.800	0	0.879
14:1	g			
16:1	g	0.080	0	0.025
18:1	g	2.680	0	0.842
20:1	g	0.020	0	0.006
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.000	0	0.314
18:2	g	0.900	0	0.283
18:3	g	0.100	0	0.031
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	8	0	3
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03883 Infant formula, WYETH-AYERST, SMA, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 8g	Measure 2*	Measure 3*
Proximates:							
Water	g	2.00		0	0.17		
Energy	kcal	533		0	45		
Energy	kj	2230		0	187		
Protein (N x 5.95)	g	12.00		0	1.01		
Total lipid (fat)	g	28.00		0	2.35		
Carbohydrate, by difference	g	56.00		0	4.70		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	331		0	28		
Iron	mg	9.50		0	0.80		
Magnesium	mg	36		0	3		
Phosphorus	mg	221		0	19		
Potassium	mg	441		0	37		
Sodium	mg	118		0	10		
Zinc	mg	3.90		0	0.33		
Copper	mg	0.370		0	0.031		
Manganese	mg						
Selenium	µg	14.8		0	1.2		
Vitamins:							
Ascorbic acid	mg	43.3		0	3.6		
Thiamin	mg	0.530		0	0.045		
Riboflavin	mg	0.790		0	0.066		
Niacin	mg	3.940		0	0.331		
Pantothenic acid	mg						
Vitamin B-6	mg	0.330		0	0.028		
Folate	µg	39		0	3		
Vitamin B-12	µg	1.02		0	0.09		
Vitamin A	IU	1576		0	132		
Vitamin A, RE	µg	473		0	40		
Vitamin E, α-TE	mg	7.500		0	0.630		
Lipids:							
Saturated, total	g	13.030		0	1.095		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.740		0	0.062		
10:0	g	0.570		0	0.048		
12:0	g	3.920		0	0.329		
14:0	g	1.840		0	0.155		
15.0	g						
16:0	g	3.830		0	0.322		
17:0	g						
18:0	g	2.020		0	0.170		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	11.360	0	0.954
14:1	g			
16:1	g	0.340	0	0.029
18:1	g	10.870	0	0.913
20:1	g	0.060	0	0.005
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	4.000	0	0.336
18:2	g	3.630	0	0.305
18:3	g	0.370	0	0.031
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	32	0	3
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03885 Infant formula, WYETH-AYERST, SMA, low iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 30g	Measure 2*	Measure 3*
Proximates:							
Water	g	88.10		0	26.78		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.40		0	0.43		
Total lipid (fat)	g	3.50		0	1.06		
Carbohydrate, by difference	g	7.00		0	2.13		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	41		0	12		
Iron	mg	0.13		0	0.04		
Magnesium	mg	5		0	2		
Phosphorus	mg	28		0	9		
Potassium	mg	55		0	17		
Sodium	mg	14		0	4		
Zinc	mg	0.53		0	0.16		
Copper	mg	0.046		0	0.014		
Manganese	mg						
Selenium	µg	1.8		0	0.5		
Vitamins:							
Ascorbic acid	mg	5.6		0	1.7		
Thiamin	mg	0.070		0	0.021		
Riboflavin	mg	0.100		0	0.030		
Niacin	mg	0.490		0	0.149		
Pantothenic acid	mg						
Vitamin B-6	mg	0.040		0	0.012		
Folate	µg	5		0	2		
Vitamin B-12	µg	0.13		0	0.04		
Vitamin A	IU	197		0	60		
Vitamin A, RE	µg	59		0	18		
Vitamin E, α-TE	mg	0.920		0	0.280		
Lipids:							
Saturated, total	g	1.600		0	0.486		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.090		0	0.027		
10:0	g	0.070		0	0.021		
12:0	g	0.480		0	0.146		
14:0	g	0.230		0	0.070		
15.0	g						
16:0	g	0.470		0	0.143		
17:0	g						
18:0	g	0.250		0	0.076		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.400	0	0.426
14:1	g			
16:1	g	0.040	0	0.012
18:1	g	1.340	0	0.407
20:1	g	0.010	0	0.003
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.500	0	0.152
18:2	g	0.450	0	0.137
18:3	g	0.050	0	0.015
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	4	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03886 Infant formula, WYETH-AYERST, SMA, low iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	76.20		0	23.62		
Energy	kcal	132		0	41		
Energy	kj	552		0	171		
Protein (N x 5.95)	g	2.90		0	0.90		
Total lipid (fat)	g	7.00		0	2.17		
Carbohydrate, by difference	g	13.90		0	4.31		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	83		0	26		
Iron	mg	0.26		0	0.08		
Magnesium	mg	9		0	3		
Phosphorus	mg	55		0	17		
Potassium	mg	109		0	34		
Sodium	mg	29		0	9		
Zinc	mg	1.06		0	0.33		
Copper	mg	0.092		0	0.029		
Manganese	mg						
Selenium	µg	3.6		0	1.1		
Vitamins:							
Ascorbic acid	mg	11.2		0	3.5		
Thiamin	mg	0.130		0	0.040		
Riboflavin	mg	0.200		0	0.062		
Niacin	mg	0.990		0	0.307		
Pantothenic acid	mg						
Vitamin B-6	mg	0.080		0	0.025		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.26		0	0.08		
Vitamin A	IU	395		0	122		
Vitamin A, RE	µg	118		0	37		
Vitamin E, α-TE	mg	1.840		0	0.570		
Lipids:							
Saturated, total	g	3.200		0	0.992		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.180		0	0.056		
10:0	g	0.140		0	0.043		
12:0	g	0.960		0	0.298		
14:0	g	0.460		0	0.143		
15.0	g						
16:0	g	0.940		0	0.291		
17:0	g						
18:0	g	0.500		0	0.155		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.800	0	0.868
14:1	g			
16:1	g	0.080	0	0.025
18:1	g	2.680	0	0.831
20:1	g	0.020	0	0.006
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.000	0	0.310
18:2	g	0.900	0	0.279
18:3	g	0.100	0	0.031
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	8	0	2
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03888 Infant formula, WYETH-AYERST, SMA, low iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 8g	Measure 2*	Measure 3*
Proximates:							
Water	g	2.00		0	0.17		
Energy	kcal	533		0	45		
Energy	kj	2230		0	187		
Protein (N x 5.95)	g	12.00		0	1.01		
Total lipid (fat)	g	28.00		0	2.35		
Carbohydrate, by difference	g	56.00		0	4.70		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	331		0	28		
Iron	mg	1.20		0	0.10		
Magnesium	mg	36		0	3		
Phosphorus	mg	221		0	19		
Potassium	mg	441		0	37		
Sodium	mg	118		0	10		
Zinc	mg	3.90		0	0.33		
Copper	mg	0.370		0	0.031		
Manganese	mg						
Selenium	µg	14.8		0	1.2		
Vitamins:							
Ascorbic acid	mg	43.3		0	3.6		
Thiamin	mg	0.530		0	0.045		
Riboflavin	mg	0.790		0	0.066		
Niacin	mg	3.940		0	0.331		
Pantothenic acid	mg						
Vitamin B-6	mg	0.330		0	0.028		
Folate	µg	39		0	3		
Vitamin B-12	µg	1.02		0	0.09		
Vitamin A	IU	1576		0	132		
Vitamin A, RE	µg	470		0	39		
Vitamin E, α-TE	mg	7.500		0	0.630		
Lipids:							
Saturated, total	g	13.030		0	1.095		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.740		0	0.062		
10:0	g	0.570		0	0.048		
12:0	g	3.920		0	0.329		
14:0	g	1.840		0	0.155		
15.0	g						
16:0	g	3.830		0	0.322		
17:0	g						
18:0	g	2.020		0	0.170		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	11.360	0	0.954
14:1	g			
16:1	g	0.340	0	0.029
18:1	g	10.870	0	0.913
20:1	g	0.060	0	0.005
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	4.000	0	0.336
18:2	g	3.630	0	0.305
18:3	g	0.370	0	0.031
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	32	0	3
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03890 Infant formula, WYETH-AYERST, NURSOY, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 30g	Measure 2*	Measure 3*
Proximates:							
Water	g	88.00		0	26.75		
Energy	kcal	66		0	20		
Energy	kj	276		0	84		
Protein (N x 5.95)	g	1.80		0	0.55		
Total lipid (fat)	g	3.50		0	1.06		
Carbohydrate, by difference	g	6.70		0	2.04		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	59		0	18		
Iron	mg	1.18		0	0.36		
Magnesium	mg	7		0	2		
Phosphorus	mg	41		0	12		
Potassium	mg	69		0	21		
Sodium	mg	18		0	5		
Zinc	mg	0.53		0	0.16		
Copper	mg	0.046		0	0.014		
Manganese	mg						
Selenium	µg	1.8		0	0.5		
Vitamins:							
Ascorbic acid	mg	5.4		0	1.6		
Thiamin	mg	0.070		0	0.021		
Riboflavin	mg	0.100		0	0.030		
Niacin	mg	0.490		0	0.149		
Pantothenic acid	mg						
Vitamin B-6	mg	0.040		0	0.012		
Folate	µg	5		0	2		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	197		0	60		
Vitamin A, RE	µg	46		0	14		
Vitamin E, α-TE	mg	0.924		0	0.281		
Lipids:							
Saturated, total	g	1.600		0	0.486		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.090		0	0.027		
10:0	g	0.070		0	0.021		
12:0	g	0.480		0	0.146		
14:0	g	0.230		0	0.070		
15.0	g						
16:0	g	0.470		0	0.143		
17:0	g						
18:0	g	0.250		0	0.076		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.400	0	0.426
14:1	g			
16:1	g	0.040	0	0.012
18:1	g	1.340	0	0.407
20:1	g	0.010	0	0.003
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.500	0	0.152
18:2	g	0.450	0	0.137
18:3	g	0.050	0	0.015
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03891 Infant formula, WYETH-AYERST, NURSOY, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	76.00		0	23.86		
Energy	kcal	132		0	41		
Energy	kj	552		0	173		
Protein (N x 5.95)	g	3.60		0	1.13		
Total lipid (fat)	g	7.00		0	2.20		
Carbohydrate, by difference	g	13.40		0	4.21		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	118		0	37		
Iron	mg	2.36		0	0.74		
Magnesium	mg	14		0	4		
Phosphorus	mg	82		0	26		
Potassium	mg	138		0	43		
Sodium	mg	36		0	11		
Zinc	mg	1.06		0	0.33		
Copper	mg	0.092		0	0.029		
Manganese	mg						
Selenium	µg	3.6		0	1.1		
Vitamins:							
Ascorbic acid	mg	10.8		0	3.4		
Thiamin	mg	0.140		0	0.044		
Riboflavin	mg	0.200		0	0.063		
Niacin	mg	0.980		0	0.308		
Pantothenic acid	mg						
Vitamin B-6	mg	0.080		0	0.025		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.40		0	0.13		
Vitamin A	IU	394		0	124		
Vitamin A, RE	µg	92		0	29		
Vitamin E, α-TE	mg	1.840		0	0.578		
Lipids:							
Saturated, total	g	3.200		0	1.005		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.180		0	0.057		
10:0	g	0.140		0	0.044		
12:0	g	0.960		0	0.301		
14:0	g	0.460		0	0.144		
15.0	g						
16:0	g	0.940		0	0.295		
17:0	g						
18:0	g	0.500		0	0.157		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	2.800	0	0.879
14:1	g			
16:1	g	0.080	0	0.025
18:1	g	2.680	0	0.842
20:1	g	0.020	0	0.006
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.000	0	0.314
18:2	g	0.900	0	0.283
18:3	g	0.100	0	0.031
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03893 Infant formula, WYETH-AYERST, NURSOY, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	2.00		0	0.17		
Energy	kcal	510		0	44		
Energy	kj	2134		0	186		
Protein (N x 5.95)	g	13.60		0	1.18		
Total lipid (fat)	g	27.20		0	2.37		
Carbohydrate, by difference	g	55.20		0	4.80		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	453		0	39		
Iron	mg	9.10		0	0.79		
Magnesium	mg	51		0	4		
Phosphorus	mg	317		0	28		
Potassium	mg	528		0	46		
Sodium	mg	151		0	13		
Zinc	mg	3.80		0	0.33		
Copper	mg	0.355		0	0.031		
Manganese	mg						
Selenium	µg	14.4		0	1.3		
Vitamins:							
Ascorbic acid	mg	42.0		0	3.7		
Thiamin	mg	0.500		0	0.044		
Riboflavin	mg	0.760		0	0.066		
Niacin	mg	3.780		0	0.329		
Pantothenic acid	mg						
Vitamin B-6	mg	0.320		0	0.028		
Folate	µg	38		0	3		
Vitamin B-12	µg	1.50		0	0.13		
Vitamin A	IU	1510		0	131		
Vitamin A, RE	µg	354		0	31		
Vitamin E, α-TE	mg	7.200		0	0.626		
Lipids:							
Saturated, total	g	12.480		0	1.086		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.710		0	0.062		
10:0	g	0.540		0	0.047		
12:0	g	3.750		0	0.326		
14:0	g	1.770		0	0.154		
15.0	g						
16:0	g	3.670		0	0.319		
17:0	g						
18:0	g	1.930		0	0.168		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	10.860	0	0.945
14:1	g			
16:1	g	0.320	0	0.028
18:1	g	10.410	0	0.906
20:1	g	0.050	0	0.004
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	3.830	0	0.333
18:2	g	3.480	0	0.303
18:3	g	0.350	0	0.030
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03900 Infant formula, CARNATION FOLLOW-UP, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	86.60		0	26.41		
Energy	kcal	65		0	20		
Energy	kj	272		0	83		
Protein (N x 5.95)	g	1.70		0	0.52		
Total lipid (fat)	g	2.70		0	0.82		
Carbohydrate, by difference	g	8.60		0	2.62		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	88		0	27		
Iron	mg	1.20		0	0.37		
Magnesium	mg	6		0	2		
Phosphorus	mg	59		0	18		
Potassium	mg	88		0	27		
Sodium	mg	25		0	8		
Zinc	mg	0.41		0	0.13		
Copper	mg	0.045		0	0.014		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	5.2		0	1.6		
Thiamin	mg	0.050		0	0.015		
Riboflavin	mg	0.060		0	0.018		
Niacin	mg	0.840		0	0.256		
Pantothenic acid	mg						
Vitamin B-6	mg	0.040		0	0.012		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.21		0	0.06		
Vitamin A	IU	160		0	49		
Vitamin A, RE	µg	48		0	15		
Vitamin E, α-TE	mg	1.300		0	0.397		
Lipids:							
Saturated, total	g	1.180		0	0.360		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.040		0	0.012		
10:0	g	0.030		0	0.009		
12:0	g	0.270		0	0.082		
14:0	g	0.110		0	0.034		
15.0	g						
16:0	g	0.630		0	0.192		
17:0	g						
18:0	g	0.100		0	0.031		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.870	0	0.265
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	0.870	0	0.265
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	0.600	0	0.183
18:2	g	0.550	0	0.168
18:3	g	0.050	0	0.015
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	1	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 fl oz

NDB No. 03901 Infant formula, CARNATION FOLLOW-UP, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	74.20		0	23.30		
Energy	kcal	131		0	41		
Energy	kj	548		0	172		
Protein (N x 5.95)	g	3.40		0	1.07		
Total lipid (fat)	g	5.40		0	1.70		
Carbohydrate, by difference	g	17.30		0	5.43		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	177		0	56		
Iron	mg	2.50		0	0.79		
Magnesium	mg	11		0	3		
Phosphorus	mg	118		0	37		
Potassium	mg	177		0	56		
Sodium	mg	51		0	16		
Zinc	mg	0.83		0	0.26		
Copper	mg	0.100		0	0.031		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	10.5		0	3.3		
Thiamin	mg	0.100		0	0.031		
Riboflavin	mg	0.130		0	0.041		
Niacin	mg	1.680		0	0.528		
Pantothenic acid	mg						
Vitamin B-6	mg	0.090		0	0.028		
Folate	µg	21		0	7		
Vitamin B-12	µg	0.40		0	0.13		
Vitamin A	IU	328		0	103		
Vitamin A, RE	µg	98		0	31		
Vitamin E, α-TE	mg	2.540		0	0.798		
Lipids:							
Saturated, total	g	2.280		0	0.716		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.080		0	0.025		
10:0	g	0.060		0	0.019		
12:0	g	0.520		0	0.163		
14:0	g	0.220		0	0.069		
15.0	g						
16:0	g	1.210		0	0.380		
17:0	g						
18:0	g	0.190		0	0.060		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.670	0	0.524
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	1.670	0	0.524
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	1.150	0	0.361
18:2	g	1.050	0	0.330
18:3	g	0.100	0	0.031
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	2	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03913 Infant formula, CARNATION FOLLOW-UP, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 9g	Measure 2*	Measure 3*
Proximates:							
Water	g	3.00		0	0.28		
Energy	kcal	471		0	44		
Energy	kj	1971		0	185		
Protein (N x 5.95)	g	12.20		0	1.15		
Total lipid (fat)	g	19.30		0	1.81		
Carbohydrate, by difference	g	62.20		0	5.85		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	636		0	60		
Iron	mg	8.95		0	0.84		
Magnesium	mg	40		0	4		
Phosphorus	mg	424		0	40		
Potassium	mg	636		0	60		
Sodium	mg	184		0	17		
Zinc	mg	2.97		0	0.28		
Copper	mg	0.358		0	0.034		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	37.7		0	3.5		
Thiamin	mg	0.380		0	0.036		
Riboflavin	mg	0.450		0	0.042		
Niacin	mg	6.030		0	0.567		
Pantothenic acid	mg						
Vitamin B-6	mg	0.310		0	0.029		
Folate	µg	75		0	7		
Vitamin B-12	µg	1.50		0	0.14		
Vitamin A	IU	1178		0	111		
Vitamin A, RE	µg	354		0	33		
Vitamin E, α-TE	mg	9.420		0	0.885		
Lipids:							
Saturated, total	g	8.540		0	0.803		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.300		0	0.028		
10:0	g	0.240		0	0.023		
12:0	g	1.950		0	0.183		
14:0	g	0.810		0	0.076		
15.0	g						
16:0	g	4.530		0	0.426		
17:0	g						
18:0	g	0.710		0	0.067		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	6.230	0	0.586
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	6.230	0	0.586
20:1	g	0.000	0	0.000
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	4.310	0	0.405
18:2	g	3.940	0	0.370
18:3	g	0.370	0	0.035
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	7	0	1
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03920 Infant formula, CARNATION, SOYALAC, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.50		0	26.69		
Energy	kcal	67		0	20		
Energy	kj	280		0	85		
Protein (N x 5.95)	g	2.00		0	0.61		
Total lipid (fat)	g	3.60		0	1.10		
Carbohydrate, by difference	g	6.60		0	2.01		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	62		0	19		
Iron	mg	1.25		0	0.38		
Magnesium	mg	8		0	2		
Phosphorus	mg	36		0	11		
Potassium	mg	78		0	24		
Sodium	mg	29		0	9		
Zinc	mg	0.51		0	0.16		
Copper	mg	0.051		0	0.016		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	7.9		0	2.4		
Thiamin	mg	0.050		0	0.015		
Riboflavin	mg	0.060		0	0.018		
Niacin	mg	0.820		0	0.250		
Pantothenic acid	mg						
Vitamin B-6	mg	0.050		0	0.015		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	205		0	63		
Vitamin A, RE	µg	54		0	16		
Vitamin E, α-TE	mg	1.513		0	0.461		
Lipids:							
Saturated, total	g	0.510		0	0.156		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.000		0	0.000		
10:0	g	0.000		0	0.000		
12:0	g	0.000		0	0.000		
14:0	g	0.000		0	0.000		
15.0	g						
16:0	g	0.360		0	0.110		
17:0	g						
18:0	g	0.130		0	0.040		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.770	0	0.235
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	0.760	0	0.232
20:1	g	0.010	0	0.003
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	2.170	0	0.662
18:2	g	1.870	0	0.570
18:3	g	0.300	0	0.092
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03921 Infant formula, CARNATION, SOYALAC, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.00		0	23.55		
Energy	kcal	134		0	42		
Energy	kj	561		0	176		
Protein (N x 5.95)	g	4.10		0	1.29		
Total lipid (fat)	g	7.20		0	2.26		
Carbohydrate, by difference	g	13.20		0	4.14		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	134		0	42		
Iron	mg	2.50		0	0.79		
Magnesium	mg	16		0	5		
Phosphorus	mg	72		0	23		
Potassium	mg	156		0	49		
Sodium	mg	58		0	18		
Zinc	mg	1.02		0	0.32		
Copper	mg	0.102		0	0.032		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	15.8		0	5.0		
Thiamin	mg	0.100		0	0.031		
Riboflavin	mg	0.120		0	0.038		
Niacin	mg	1.640		0	0.515		
Pantothenic acid	mg						
Vitamin B-6	mg	0.100		0	0.031		
Folate	µg	20		0	6		
Vitamin B-12	µg	0.40		0	0.13		
Vitamin A	IU	410		0	129		
Vitamin A, RE	µg	108		0	34		
Vitamin E, α-TE	mg	3.020		0	0.948		
Lipids:							
Saturated, total	g	1.030		0	0.323		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.000		0	0.000		
10:0	g	0.000		0	0.000		
12:0	g	0.000		0	0.000		
14:0	g	0.000		0	0.000		
15.0	g						
16:0	g	0.720		0	0.226		
17:0	g						
18:0	g	0.270		0	0.085		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.540	0	0.484
14:1	g			
16:1	g	0.010	0	0.003
18:1	g	1.520	0	0.477
20:1	g	0.010	0	0.003
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	4.330	0	1.360
18:2	g	3.740	0	1.174
18:3	g	0.590	0	0.185
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03923 Infant formula, CARNATION, SOYALAC, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 4g	Measure 2*	Measure 3*
Proximates:							
Water	g	3.00		0	0.13		
Energy	kcal	520		0	22		
Energy	kj	2176		0	94		
Protein (N x 5.95)	g	15.50		0	0.67		
Total lipid (fat)	g	27.90		0	1.20		
Carbohydrate, by difference	g	51.20		0	2.20		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	481		0	21		
Iron	mg	9.70		0	0.42		
Magnesium	mg	62		0	3		
Phosphorus	mg	279		0	12		
Potassium	mg	605		0	26		
Sodium	mg	225		0	10		
Zinc	mg	3.96		0	0.17		
Copper	mg	0.396		0	0.017		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	61.3		0	2.6		
Thiamin	mg	0.390		0	0.017		
Riboflavin	mg	0.470		0	0.020		
Niacin	mg	6.360		0	0.273		
Pantothenic acid	mg						
Vitamin B-6	mg	0.390		0	0.017		
Folate	µg	78		0	3		
Vitamin B-12	µg	1.55		0	0.07		
Vitamin A	IU	1590		0	68		
Vitamin A, RE	µg	419		0	18		
Vitamin E, α-TE	mg	11.741		0	0.505		
Lipids:							
Saturated, total	g	4.050		0	0.174		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.000		0	0.000		
10:0	g	0.000		0	0.000		
12:0	g	0.000		0	0.000		
14:0	g	0.000		0	0.000		
15.0	g						
16:0	g	2.820		0	0.121		
17:0	g						
18:0	g	1.050		0	0.045		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	6.090	0	0.262
14:1	g			
16:1	g	0.030	0	0.001
18:1	g	6.000	0	0.258
20:1	g	0.060	0	0.003
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	17.030	0	0.732
18:2	g	14.700	0	0.632
18:3	g	2.330	0	0.100
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop

NDB No. 03925 Infant formula, CARNATION, I-SOYALAC, with iron, ready-to-feed

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	87.50		0	26.69		
Energy	kcal	67		0	20		
Energy	kj	280		0	85		
Protein (N x 5.95)	g	2.00		0	0.61		
Total lipid (fat)	g	3.60		0	1.10		
Carbohydrate, by difference	g	6.60		0	2.01		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	66		0	20		
Iron	mg	1.25		0	0.38		
Magnesium	mg	7		0	2		
Phosphorus	mg	41		0	13		
Potassium	mg	77		0	23		
Sodium	mg	28		0	9		
Zinc	mg	0.51		0	0.16		
Copper	mg	0.077		0	0.023		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	7.9		0	2.4		
Thiamin	mg	0.060		0	0.018		
Riboflavin	mg	0.060		0	0.018		
Niacin	mg	0.820		0	0.250		
Pantothenic acid	mg						
Vitamin B-6	mg	0.060		0	0.018		
Folate	µg	10		0	3		
Vitamin B-12	µg	0.20		0	0.06		
Vitamin A	IU	205		0	63		
Vitamin A, RE	µg	54		0	16		
Vitamin E, α-TE	mg	1.513		0	0.461		
Lipids:							
Saturated, total	g	0.510		0	0.156		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.000		0	0.000		
10:0	g	0.000		0	0.000		
12:0	g	0.000		0	0.000		
14:0	g	0.000		0	0.000		
15.0	g						
16:0	g	0.360		0	0.110		
17:0	g						
18:0	g	0.130		0	0.040		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	0.770	0	0.235
14:1	g			
16:1	g	0.000	0	0.000
18:1	g	0.760	0	0.232
20:1	g	0.010	0	0.003
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	2.170	0	0.662
18:2	g	1.870	0	0.570
18:3	g	0.300	0	0.092
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03926 Infant formula, CARNATION, I-SOYALAC, with iron, liquid concentrate

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 31g	Measure 2*	Measure 3*
Proximates:							
Water	g	75.00		0	23.55		
Energy	kcal	132		0	41		
Energy	kj	552		0	173		
Protein (N x 5.95)	g	4.00		0	1.26		
Total lipid (fat)	g	7.20		0	2.26		
Carbohydrate, by difference	g	13.20		0	4.14		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	132		0	41		
Iron	mg	2.50		0	0.79		
Magnesium	mg	14		0	4		
Phosphorus	mg	82		0	26		
Potassium	mg	154		0	48		
Sodium	mg	54		0	17		
Zinc	mg	1.02		0	0.32		
Copper	mg	0.152		0	0.048		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	15.6		0	4.9		
Thiamin	mg	0.120		0	0.038		
Riboflavin	mg	0.120		0	0.038		
Niacin	mg	1.640		0	0.515		
Pantothenic acid	mg						
Vitamin B-6	mg	0.120		0	0.038		
Folate	µg	20		0	6		
Vitamin B-12	µg	0.40		0	0.13		
Vitamin A	IU	410		0	129		
Vitamin A, RE	µg	108		0	34		
Vitamin E, α-TE	mg	3.026		0	0.950		
Lipids:							
Saturated, total	g	1.030		0	0.323		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.000		0	0.000		
10:0	g	0.000		0	0.000		
12:0	g	0.000		0	0.000		
14:0	g	0.000		0	0.000		
15.0	g						
16:0	g	0.720		0	0.226		
17:0	g						
18:0	g	0.270		0	0.085		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	1.540	0	0.484
14:1	g			
16:1	g	0.010	0	0.003
18:1	g	1.520	0	0.477
20:1	g	0.010	0	0.003
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	4.330	0	1.360
18:2	g	3.740	0	1.174
18:3	g	0.590	0	0.185
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**
Measure 1: 1 fl oz

NDB No. 03928 Infant formula, CARNATION, I-SOYALAC, with iron, powder

Refuse: 0%

Nutrients and units		Amount in 100 grams of edible portion			Amount in edible portion of common measures of food		
		Mean	Std. Error	Samples	Measure 1* 4g	Measure 2*	Measure 3*
Proximates:							
Water	g	3.00		0	0.13		
Energy	kcal	520		0	22		
Energy	kj	2176		0	94		
Protein (N x 5.95)	g	15.50		0	0.67		
Total lipid (fat)	g	27.90		0	1.20		
Carbohydrate, by difference	g	51.20		0	2.20		
Fiber, total dietary	g	0.0		0	0.0		
Ash	g						
Sugars, total	g						
Minerals:							
Calcium	mg	512		0	22		
Iron	mg	9.70		0	0.42		
Magnesium	mg	54		0	2		
Phosphorus	mg	318		0	14		
Potassium	mg	597		0	26		
Sodium	mg	217		0	9		
Zinc	mg	3.96		0	0.17		
Copper	mg	0.598		0	0.026		
Manganese	mg						
Selenium	µg						
Vitamins:							
Ascorbic acid	mg	61.3		0	2.6		
Thiamin	mg	0.470		0	0.020		
Riboflavin	mg	0.470		0	0.020		
Niacin	mg	6.360		0	0.273		
Pantothenic acid	mg						
Vitamin B-6	mg	0.470		0	0.020		
Folate	µg	78		0	3		
Vitamin B-12	µg	1.55		0	0.07		
Vitamin A	IU	1590		0	68		
Vitamin A, RE	µg	419		0	18		
Vitamin E, α-TE	mg	11.741		0	0.505		
Lipids:							
Saturated, total	g	4.050		0	0.174		
4:0	g	0.000		0	0.000		
6.0	g	0.000		0	0.000		
8:0	g	0.000		0	0.000		
10:0	g	0.000		0	0.000		
12:0	g	0.000		0	0.000		
14:0	g	0.000		0	0.000		
15.0	g						
16:0	g	2.820		0	0.121		
17:0	g						
18:0	g	1.050		0	0.045		
20:0	g						
22.0	g						
24:0	g						

Monounsaturated, total	g	6.090	0	0.262
14:1	g			
16:1	g	0.030	0	0.001
18:1	g	6.000	0	0.258
20:1	g	0.060	0	0.003
22.1	g	0.000	0	0.000
Polyunsaturated, total	g	17.030	0	0.732
18:2	g	14.700	0	0.632
18:3	g	2.330	0	0.100
18:4	g	0.000	0	0.000
20:4	g	0.000	0	0.000
20:5	g	0.000	0	0.000
22:5	g	0.000	0	0.000
22:6	g	0.000	0	0.000
Cholesterol	mg	0	0	0
Phytosterols	mg			
Amino acids:				
Tryptophan	g			
Threonine	g			
Isoleucine	g			
Leucine	g			
Lysine	g			
Methionine	g			
Cystine	g			
Phenylalanine	g			
Tyrosine	g			
Valine	g			
Arginine	g			
Histidine	g			
Alanine	g			
Aspartic acid	g			
Glutamic acid	g			
Glycine	g			
Proline	g			
Serine	g			
Other:				
Caffeine	mg			
Theobromine	mg			
Alcohol	g			

Blanks in the Mean column indicate lack of reliable data. The Samples column is the number of analyses upon which the mean is based. A sample of zero indicates the mean was estimated, usually from a recipe, another form of the same food, or a similar food.

*** Common Measures:**

Measure 1: 1 scoop