

Index

α

α-linolenic acid, 17, 18, 84-85, 180
α-tocopherol, see Vitamin E

A

Adequate Intake (AI), 12
AIDS (acquired immune deficiency syndrome),
breastfeeding and, 73-74
ALA, see α-linolenic acid
Alcohol,
breastfeeding and, 72, 163-164
Allergy, allergies, see Food hypersensitivity *see also* Food intolerance
Amino acids, 16, 23, 191, 194
essential, 17
hypoallergenic infant formula and, 82-83
Anemia, 190-192
cow's milk and, 85, 158
iron and, 23, 25
lead and, 35
screening for, 12
vitamin B2 (riboflavin) deficiency and, 22
vitamin B12 deficiency and, 21
vitamin C deficiency and, 21
vegetarian diets and, 22, 136
Anthropometric data, 12, 14, 157
Appetite, 11, 20, 123
Appetite (Growth) spurts, 59, 63-64, 162
ARA, see Arachidonic acid
Arachidonic acid (ARA), 17-18, 164
Artificial food colorings, 105
Artificially sweetened beverages and foods, 114-115

B

Baby food, see Commercially prepared infant foods, Home-prepared infant foods
Beverages, 114
artificially sweetened "low calorie", 114
milk, see Cow's milk
soy milk, see Soy-based beverage
sweetened, 86, 89, 114, 124, 132, 133, 158, 172, 174, 176
water, 28-31, 91, 176
Biochemical data, 12, 14
Biotin, 181, 194
Birth defects, 12
Birth weight, 13, 61, 64-65, 142, 183
low, 81, 83, 102
Bonding, bonds, 47, 89
Bottles, Bottle feeding,
bottle in bed, 89, 133
complementary bottles, 65, 161
feeding skills/styles and, 42, 103
guidelines, 47, 88, 89, 90, 133, 165, 168
propping the bottle, 89, 90, 124
preparing, 90, 115
sterilize, 68, 91, 90, 92, 96, 162, 166
weaning from, 123, 142, 177
weaning from breast to, 75
Bottled water, see Water, Bottled
Bowel movements, 141
of breastfed infants, see Breastfed infants:
bowel movements
Breast(s), 53
areola, 58, 61, 62, 67, 159, 160, 161
care of, 66-67, 161
flat or inverted nipples, 61
normal fullness of, 60, 159
practices not recommended, 62
refusal, 64
size of, 53
sore nipples, 61-62
Breast milk, 55
appearance of, 68
characteristics of, 55-57, 159
colostrum, 55-57, 60, 159
composition, 55
expression of, 67, 69
breast pump, 67-68
manual, 67
storage and, 68
warming and, 69
mature breast milk, 57
Breast piercing or surgery, 74
Breastfeeding, Breastfed infants,
alcohol consumption by mother and,
71-72, 163-164
attachment (latch-on) to the breast, 58,
61, 62, 63, 159, 160
c-hold or palmer grasp, 58
sore nipples related to incorrect, 61-62
benefits to mother and infant, 51-52, 159
biting and, 64
bottles (complementary) and pacifier use and, 65, 161
bowel movements and, 60-61, 160
brain development and, 17-18
burping and, 60
caffeine-containing products and, 72
cigarette smoking and, 71-72, 163-164
contraindications to, 73-74
feeding patterns, appetite/growth spurts, 59, 63,
87, 162
frequency and duration, 59, 62, 160
engorgement and, 62
sore nipples and, 61-62
sleepy/placid infants and, 59-60
drug use and, 71-73
engorgement, 60, 62-63, 65, 70, 160-161

equipment, aids, devices for, 66
 breast shells (milk cups), 61, 66
 nipple shield and, 66
 nursing bra, 62, 66
 nursing pad, 66, 160
feeding cues, 59
feeding positions, 57-58
 across-the-lap or cradle-hold, 57-58
 lying down or side-lying, 57
 football hold or clutch-hold, 58
 plugged ducts and, 63
 poor suckling and, 63
 sore nipples and, 61-62
fluoride, 27
fussy infant, 59, 72
galactosemia, 74
growth rate,
in breastfed versus formula-fed infants, 13-14
 expected weight gain, 13-14
 slow, 64-65
herbal tea, 73
hormones and, 53-54, 55, 159
 prolactin and, 52, 53
 oxytocin 53, 55
indicators of an infant getting enough
milk, 60-61, 160
let-down or milk ejection reflex and, 55, 61, 62, 160
 inhibition by alcohol
 consumption, 72
 inhibition by cigarette smoking and, 71
 methods to encourage and, 55
 signs of, 55
 stimuli triggering or inhibiting, 55
mastitis and, 63, 161
metabolic disorders and, 74
milk ejection reflex, *see* let-down
nipple preference or confusion, 63, 65, 70
non-nutritive sucking, 60
ovulation suppression and, 51, 159
phenylketonuria and, 74
promotion of, 53
protection against breast cancer and, 51
recovery from childbirth and, 51
refusal to, 64
relactation and, 75
skin-to-skin contact and, 53
sleeping through the night and, 65
stools, *see* bowel movements
sucking and, 56, 60
support and, 52-53
teething and, 64, 134, 176
time away from the infant, 69-70, 163
weaning and, 74-75, 164
weight gain and, 61, 64

C

Caffeine-containing products, 72

beverages and, 114
coffee and, 72, 114, 163, 175, 196

Calcium, *see* Minerals

Carbohydrates,

dietary fiber, 16
fermentable, and tooth decay, 16, 132-134
functions of, 14-16
nutritional needs of infants and, 12
sorbitol in juice and, 14
sources of, 14

Caries, *see* Oral Health: dental caries, tooth decay

Carotenes, 19-20

Casein, 81

Cereal, iron-fortified, 85, 106-107, 109, 195-196

source of carbohydrate, 14, 157
absorption of iron from, 24, 106, 158
infant, 85, 106, 171
wheat, hypersensitivity reactions to, 105,
106, 171, 174, 196
introduction of, 106, 168
adult, designed for, 107
vegetarian diet and, 137-139

Cheese, *see* Dairy products

Chloride, 28, 85, 192

Choking,

bottle feeding and, 88, 89-90, 122, 124, 165
cheese and, 110, 173
chips and pretzels, 125
crumbs and, 125, 175
feeding position and, 167, 175
gag reflex and, 41, 42
grain products and, 113, 149, 171
ice chips and, 127
legumes and, 111, 139, 173
protein-rich foods and, 111
meats and, 113, 125
nuts and nut butters and, 111, 113, 125, 139
prevention of, 124-125, 175
complementary foods and, 124-125
sweetened foods and, 114
vegetables and fruits and, 109, 172

Cholesterol, 17-18, 158

Chromium, 182, 193

Cigarette smoking,

by breastfeeding mothers, 163-164
by other smokers around the infant, 164
effects on infant, 71
referral for smoking cessation, 71-72,
163-164

Cleanliness,

preparing infant foods, 115, 168

Clostridium botulinum, botulism, 113, 117, 133, 139, 174

Coffee, *see* Caffeine-containing products

Colic, 12, 140

- bottle feeding and, 88-89
 - effects of cigarette smoking and, 71
 - food allergies (hypersensitivities) and, 83
 - formula-fed infants and, 140
 - herbal tea and, 114
 - low iron formula and, 82
 - Commercially prepared infant foods**, 102, 120
 - amount eaten per meal and, 123
 - cereal and, 106
 - cheese and yogurt and, 110
 - desserts and, 108, 113, 174
 - fluoride and, 26, 27, 38, 131, 158
 - fruits and vegetables and, 108-109, 120, 172
 - grain products (allergies) and, 113
 - introducing complementary(solids) foods, 106
 - meats and mixed dinners, 110
 - as iron source and, 24, 106
 - renal solute load and, 111
 - nitrates/nitrites and, 109
 - selection, serving, storage of, 121, 170-172
 - sodium content of, 27, 28
 - Complementary Bottles**, 65, 161
 - Complementary Foods**,
 - allergies, *see* Food hypersensitivities
 - amounts recommended, 123, 167-168, 195-196
 - breastfed infant and, 64, 74, 101
 - choking and, *see* Choking
 - commercially prepared, *see* Commercially prepared infant foods
 - developmental delays and, 102
 - developmental readiness and, 41, 44, 101-102
 - feeding guidelines, 122-123
 - fluoride and, 27
 - fish, *see* Fish and seafood
 - finger foods, 103, 113, 174
 - food safety and, 122
 - formula-fed infant and, 88,
 - fruit and vegetables, 108-109, 172, 195-196
 - home-prepared, *see* Home-prepared infant foods
 - infant cereal, 107-108
 - introduction of, 101-105, 120, 122, 167
 - iron intake and, 27, 158
 - inappropriate feeding practices, 90, 104
 - preferences and, 106
 - preparation and, 115-119, 168-170
 - protein-rich foods and, 109-113, 173, 195-196
 - storage of, 115-118, 168-170
 - sweeteners and sweetened foods, 113, 114, 174
 - water needs, *see* Water: needs when complementary foods introduced
 - Constipation**, 141
 - low-iron formula and, 82
 - Copper**, *see* Minerals
 - Corn Syrup**, 14, 82, 108, 113, 176, *see also*
 - Sweeteners and sweetened foods and beverages
 - Cow's Milk**,
 - compared to breast milk, 86, 136
 - compared to infant formulas, 85
 - evaporated, 86
 - hypersensitivity reactions and, 85
 - iron content of, 24-25, 85
 - iron deficiency anemia, *see* Anemia
 - low-fat, 85-86
 - nutrient content and, 85
 - potassium and, 85
 - protein and, 85
 - renal solute load, stress on kidneys and, 28-29, 85
 - scurvy and, 21, 191
 - skim , 85-86
 - sodium content of, 27
 - sweetened condensed, 86
 - weaning, *see* Weaning
 - whole, 85
- D**
- Dairy products**, 190-192, *see also* Cow's milk
 - egg, *see* Egg
 - cheese, 109-110, 196
 - hypersensitivity (allergy) and, 105
 - iron absorption and, 24
 - vegetarian diets and, 21, 136-138
 - yogurt, 109-110, 138, 173, 190-193, 196
 - Dehydration**, 29, 37-38
 - cow's milk and, 85
 - infant formula preparation and, 91
 - feeding sweetened beverages and, 114
 - gastrointestinal problems and, 140-141
 - Demand feeding approach**, 59, 88
 - Dental care**, 131-134, 177
 - Developmental disabilities**, 11, 41, 102
 - Developmental readiness**, 41, 101, 103, 167
 - DHA**, *see* Docosahexaenoic Acid
 - Diarrhea**, 29, 36-37, 118, 140-141
 - fruit juice and, 16, 107, 157
 - low-iron infant formula and, 82-83
 - symptom of food hypersensitivity/allergy, 83, 105
 - sweetened beverages and, 114, 133
 - Dietary Reference Intakes (DRIs)**, 11, 12, 15, 180-182
 - Diet history**, 11
 - Dietary fiber**, *see* Fiber
 - Dry beans and peas**, *see* Legumes and Protein-Rich Foods
 - Docosahexaenoic Acid**, 17, 18, 84, 164
 - Drugs**, 73, 114, 164
- E**
- Early Periodic Screening, Diagnosis, and Treatment Program (EPSDT)**, 46
 - EER**, *see* Estimated Energy Requirement
 - Eggs**, 21, 110, 118, 173, 195-196, *see also* Dairy products
 - hypersensitivity/allergic reactions and, 105, 110
 - preparation and storage, 118, 169, 173
 - vegetarian diet and, 21, 136
 - Energy**, 12, 13, 15, 45, 137, 157, 190-193

Engorgement, see Breastfeeding: concerns
Environmental Protection Agency (EPA), 29, 35, 71, 110, 112, 166
Essential amino acids, see Amino Acids
Essential fatty acids, see Fatty Acids
Estimated Average Requirement (EAR), 12
Estimated Energy Requirement (EER), 12, 13, 15
Evaporated milk, see Cow's milk
Exercise, see Physical Activity
Expressing breast milk, see Breast Milk: expression of

F

Fat, see Lipids
Fatty acids, 190, 191, 194, see also Linoleic acid, Arachidonic acid, α -Linolenic acid, Docosahexaenoic acid essential, 17, 20, 84, 158
fish and, 112
infant formula additives 84, 164
Feeding Cues (hunger and satiety), 13, 42-43, 45-47, 59, 70, 87
complementary feeding, 125
formula fed infants, 89, 90, 92, 166
breastfed infants, 162
obesity, 142
Feeding Relationship, 45-47, 158-159
Feeding Skills, 41-47, 102, 113, 115, 116, 118, 158-159
Fever,
water needs and, 29, 91, 158
constipation and, 141
dehydration and, 85
mastitis and, 63, 161
Fiber, 14, 16, 108, 111, 157, 180, 190
vegetarian diet and, 137
Fish and seafood/shellfish, 109, 112, 173, 190-193, 196,
see also Mercury
choking and, 111, 125, 175
hypersensitivity(allergy)/intolerances and,
105, 110, 112, 173
food safety resources, 110, 116, 117, 122
preparation and storage of, 115, 117-118,
120, 168-169
Food Hypersensitivities (allergies), 104-105, 173,
see also Intolerance
breastfeeding and, 51
chocolate and, 113
cow's milk and, 85
cow's milk protein, 82-83, 85, 139, 164
dairy products, 105, 110
family history of, 105
fish and shellfish and, 105, 110, 112, 173
hypoallergenic infant formulas and, 82-83
infant cereal and, 106
introducing complementary foods and, 101, 104
nuts and nut butters and, 105, 111, 139
protein-rich foods and, 109
soy-based infant formula and, 82, 164

symptoms of, 83, 105
wheat cereal, 106
whole egg and egg white and, 105, 110, 118

Formula, see Infant Formula
Fruit, see Complementary foods
Fruit juice, 107, 171-172
bottle feeding and, 89
canned, 108
colic and, 140
dental caries and, 132-134, 176
diarrhea and, 16, 29, 107, 140, 157-158, 172
feeding from a cup, 108
guidelines on introducing and, 107, 174
iron absorption and, 24
pasteurized, 108
sorbitol and, 14, 16, 107, 140, 157
Fussy infant, 59, 87, 165, see also Colic
caffeine-containing products and, 72

G

Gag Reflex, 41, 42
Galactosemia, 74, 82, 164
Gastroesophageal Reflux, 64, 89, 123, 139
Gastrointestinal Problems, 141-145
colic, 82, 140
constipation, 141
diarrhea, 140 - 141
low-iron infant formula and, 82
spitting up and vomiting, 139-140
Goat's Milk, see Milk
Grain Products, 111, 174, 190-194, 195-196
as finger foods, 113, 174
bread, 111
cereal, see Cereal
choking and, 113, 125, 139, 174, 175, 196
Growth charts (CDC), 13, 14, 61, 183-184, 186-189
and obesity, 142
Growth Rate, 12-16, 157
vegetarian diets, 136
in breastfed infants, 61, 65, 71, 84, 86, 88
obesity, 142
Growth Spurts, see Appetite Spurts

H

Herbal teas, 73, 114, 175
Home-prepared infant foods, 109, 115, 119, 168-170
cleanliness, preparation, 115-116, 120, 169
cooking guidelines, 117
dry beans, peas, tofu, 119
eggs, 118
equipment for preparation, 117-118, 169
meats, poultry, fish, 28, 109, 119
serving and storage, 116, 121
vegetables and fruit, 109, 118
Honey, 113, 117, 136, 141, 176
early childhood caries and, 133, 176

clostridium botulinum, 113, 133, 139, 174

Human milk, *see* Breast Milk

Hunger Cues, *see* Feeding cues

Hypersensitivity reactions, *see* Food Hypersensitivities

I

Imitation milks, *see* Milk

Infant Cereal, *see* Cereal

Infant Formula,

additives,

nucleotides, 51, 84

prebiotics, 84

probiotics, 84

breastfed infants and, 52-53, 64, 65, 68, 70, 74-75

carbohydrate, 14

composition, 81

concentrated, 91, 92, 94, 166

gastrointestinal problems and, 139-141

exempt, 83, 84

lipids, 17-18, 158

essential fatty acids, 17

long-chain polyunsaturated fatty acids, 84

early childhood caries and, 132, 133

fluoride, 26-27

feeding

amount recommended, 87, 195-196

feeding cues, hunger, satiety, 87

frequency, 87

from a bottle, 88-90

sleepy infant, 88

hypoallergenic, 82-83,

iron requirements, 24, 87

iron-fortified, 81-82, 85, 138, 158

lactose-free, 83

low-iron, 82

medical indications for, 24

milk-based, 81

phenylketonuria and, 74

powdered, 95

Enterobacter sakazakii (*E. sakazakii*), 92

preparation, 91, 93-95

limited kitchen appliances and, 96

power outage, natural disaster, 96

protein, 16

ready-to-feed, 92, 93

renal solute load and, 28-29

selection of, 89

soy-based, 82

composition, 82

vegetarian diets, use in, 23, 136-137, 138

gastrointestinal problems, 139-141

hypersensitivity/allergy and, 82

storage of, 92

traveling with, 92

vitamin D, 19

warming, 96

water, 28-29

water safety and, 29, 36-38

Infectious Diseases,

breastfeeding and, 73-74

Intolerance,

food, 11, 105

lactose, 82-83

Iron, *see* Minerals

K

Kwashiorkor, 17, 190

L

Lactation, *see* Breastfeeding, Breast milk

Lactose, 14, 57, 81

Lactose intolerance, 82, 83, 105

Lead, *see also* Water, water safety

exposure from food, 120, 169

poisoning, 23, 25

iron deficiency and, 25

canned food or beverages and, 108, 172

feeding complementary foods and, 122, 167

Legumes (Dry beans or Peas) and Tofu, 17, 111, 119,

123, 190-196 *see also* Protein-rich foods

choking and, 111

fiber and, 16

modifying texture of, 111

preparation of, 118

vegetarian diets and, 136-139

Linoleic Acid, 17-18, 84-85

Lipids, 17, 18, 86, 160, *see also* Linoleic Acid, α -linolenic acid

breast milk content of, 17

cholesterol, 18

comparison of content in different milks, 18

role of breast milk, 18

atherosclerosis life and, 18

essential fatty acids, 17

functions of, 17

in low-fat and skim milks, 85-86

long-chain polyunsaturated fatty acids

(LCPUFA), 17, 18, 84

arachidonic acid (ARA), 17, 18, 84, 164

docosahexaenoic acid (DHA), 17,

18, 84, 164

sources, 17-18

trans fats, 18

M

Macrobiotic diets, 23, 138

Manganese, *see* Minerals

Magnesium, *see* Minerals

Marasmus,

protein deficiency, 17

soy-based beverages and, 86

Mastitis, *see* Breastfeeding Problems

Meats, Poultry and Fish, 111, 190-196, *see also*

Protein-rich foods

- commercially prepared, 110, 120, 121, 170-171
- cooking temperature guidelines and, 117, 173
- choking and, 111, 125, 175
- Escherichia coli* O157:H7 (E. coli) and, 37, 118
- home preparation, use, storage of, 109, 115-117, 120
- processed, 118, 174, 196
- raw/partially cooked, 118
- renal solute load and, 102, 111

Media Use, 154

Mercury, 110, 112

Metabolic Disorder, 12, 76, 84

Methemoglobinemia,

- drinking and, 37
- home-prepared vegetables and, 109

Microwave Oven,

- warming bottles of infant formula, 93, 96, 120, 166-167
- thawing and warming breast milk, 162-163
- commercially prepared infant foods, 121
- food preparation, 116-117, 121

Milk, *see also* Cow's milk

- goat's milk, 86
- imitation, 175
- iron content of, 24-25
- rice-based beverage, rice milk, 86, 137
- soy-based beverage, soy milk, 83, 86

Milk Cup, *see* Breast shell

Minerals,

- calcium, 19, 23, 194
 - absorption of, 19, 23, 190
 - deficiency, 23
 - Dietary Reference Intakes (DRIs), 23, 182
 - functions, 23
 - lead poisoning and, 23
 - sources of, 23
 - tooth development and, 23, 131
 - vegetarian diets and, 23, 136-137
 - vitamin D interaction, 19, 190
- chloride, 28, 85, 192
- chromium, 182, 193
- copper
 - water supply and, 36, 38, 166
- fluoride, 26, 158, 177, 192
 - bottled water and, 26-27, 38
 - breastfed infants and, 27
 - commercially prepared infant foods and, 27
 - dental care, caries and, 26, 131-134
 - Dietary Reference Intake (DRIs), 27, 182
 - excessive intake of, 26-27
 - formula-fed infants and, 27
 - functions, 26
 - mottling of teeth, 27, 36
 - role of tooth development, 26, 131
 - sources, 26

supplementation, 26

water testing for, 26, 36-37

well water and, 36-37

iodine, 182, 193

iron,

- cow's milk and, 24-25, 85
- complementary foods and, 101, 106
- commercially prepared infant foods, 24, 110
- constipation, 141
- deficiency, 25
- Dietary Reference Intakes (DRIs), 24, 84, 182
- needs of,
 - breastfed infants, 24, 82
 - formula-fed infants, 24, 106

elevated blood lead levels, 25

forms of iron,

- heme iron 24
- nonheme iron 24

functions, 23, 192

goat's milk and, 25, 86

hematocrit and hemoglobin, 25

in cereal, *see* Cereal, iron-fortified

infant formula and, 81-82

in protein-rich foods, 109

lead poisoning and, 25

Recommended Dietary Allowance (RDA), 24

sources of, 24

soy-based beverages, 24

vegetarian diets and, 138

manganese, 182, 193

magnesium, 182, 193

molybdenum, 193

phosphorus, 192-193

tooth development, 131

vitamin D and, 19

whole cow's milk and, 85

potassium, 193

renal solute load and, 28

milk and, 85

selenium, 183, 194

sodium, 192, 194

cereals, designed for adults, 107

commercially prepared infant foods, 27

cow's milk and, 85

functions, 27

meats and, 118, 173

minimum daily requirement, 27

renal solute load and, 28, 85

food preparation and, 28, 117-119, 170

sources of, 27

zinc,

Dietary Reference Intakes (DRIs), 26, 182, 192

exclusively breastfed infants, 106

functions, 25

introducing complementary foods and, 101, 109

iron-fortified infant cereal and, 106

lead poisoning and, 25
Recommended Dietary Allowance (RDA), 26, 138
sources of, 25
vegetarian diets and, 25, 138

Molybdenum, 193

Monosodium Glutamate (MSG), 105

Motor Skills, 47, 149-151
infant equipment and, 151

N

Niacin, *see* Vitamins

Nicotine, *see* Cigarettes

Nipple preference, 65, *see* Breastfeeding:
Bottles and Pacifier Use
poor suckling and, 63

Nipple Shield, 66

Nitrate,
in vegetables, 109, 116, 138
in water, 30, 35, 37

Nursing, *see* Breastfeeding

Nursing Bra, 64, 66

Nursing Pad, 66, 160

Nutrition Assessment, 11, 14, 53, 101, 104, 137, 157

Nutrition Education, 1, 11, 157, 198

Nuts and nut butters, 111, 190
choking and, 107, 111, 125, 139, 175
hypersensitivities (allergies), 105, 139
vegetarian diets and, 136

O

Obesity,
feeding relationship and, 45,
breastfeeding and, 51, 142
prevention, 142, 177

Oral Health, 131, 176
care of teeth, 133, 134
dental caries, tooth decay, 131
prevention of, 132, 133
Streptococcus mutans (*S. mutans*) and,
131-132
mother's oral health and, 132
dental care guidelines, 131, 132, 134
early childhood caries, 123, 132
bottle feeding and, 89
breastfeeding and, 132
prevention of, 133
fruit juice and, 16, 89, 107, 132, 133, 134, 171, 176
oral health resources, 136
role of fluoride, 26-27, 35, 131, 132, 133, 134
teething, 134
tooth development, 131

Oral Rehydration Therapy (oral electrolyte solution), 29,
114, 141, 158

Overweight, *see* Obesity

P

Pacifier,
breastfeeding and, 65, 161
dental caries and, 132, 176
sweeteners and, 133, 174, 176

Pantothenic Acid, *see* Vitamins

Partially breastfed infant, 27, 65, 81, 82, 87

Phosphorus, *see* Minerals

Physical Activity, 12, 13, 47, 149, *see also* Motor Skills
exercise programs, 151-152
guidelines for, 151, 177
infant walkers and, 151, 177
inactivity, 151, 177
television, 152

Potassium, *see* Minerals

Poultry, *see also* Meat, Protein-rich foods
preparation, use, and storage of, 115, 117-118,
120, 168-170, 173
temperature guidelines, 117

Prematurity, premature, 12
infants and E. sakazakii, 92
infants and feeding skills, 102
infants and lactase, 83

Prolactin, *see* Breastfeeding, hormones

Protein, 16-17, 22, 23, 157-158, 190, *see also* Protein-rich
foods, Amino acids
as an energy source, 13, 16
cow's milk and, 81, 85, 86, 139, 164
deficiency of, 17
DRIs, 12, 16
essential amino acids, 17
functions of, 14, 16
breast milk and, 55, 56, 57
infant formula and, 81, 82, 83
renal solute load and, 28
RDA, 16
sources, 16-17
soy-based beverages, 86
tooth development and, 131
vegetarian diets and, 137

Protein-Rich Foods, 109-111, 173, 190, 195-196, *see also*
Protein and Meat
choking and, 117
exclusively breastfed infants and, 106
guidelines on water intake and, 111, 114, 173
insufficient water intake and, 28

Pyridoxine (Vitamin B6), *see* Vitamins

R

Recommended Dietary Allowance (RDA), 12

Recommended Energy Allowances, 13

Reflex, 41, 42, 44, 47
gag, 41, 42
rooting, 41, 42, 59, 88
suck/swallow, 41, 42, 47
tongue thrust, 41, 42, 102

Relactation, 66, 75
 Renal Solute Load,
 water intake and, 28-29
 cow's milk and, 85
 goat's milk and, 86
 transitioning to complementary foods, 102
 protein-rich foods and, 111
Riboflavin *see* Vitamins
Rickets, 19, 192, 194
Rooting, *see* Reflex

S

Salmonella, 110
Satiety cues, 13, 42-43, 45, 46, 47, 70, 87, 142, 159
Selenium, *see* Minerals
Scurvy, 21, 91
Seafood, *see* Fish and seafood
Shaken Baby Syndrome, 149
Shellfish, *see* Fish and seafood
Smoking, *see* Cigarettes
Socioeconomic, 12, 134, 142
Sodium, *see* Minerals
Solids, *see* Complementary Foods
Sorbitol, 12, 107, 140
Soy-based beverage, soy milk, 23, 24, 25, 86, 137, 158
Spitting Up, 89, 139-140
Spoon Feeding, 43, 103
Suck/swallow reflex, *see* Reflex
Sudden Infant Death Syndrome (SIDS), 139, 151, 177
 smoking and, 71
Sugar, *see* Sweeteners and sweetened foods
Supplements (vitamin and mineral), 18, 164, 168
 breastfeeding mother use of, 73
 folate, 22
 fluoride, 27, 158, 134
 iron, 24, 158
 vitamin D, 19, 158
 vegetarian diets, 138
Streptococcus mutans (S. mutans), 131-132
Sweeteners and sweetened foods and beverages, 113, 114, 115, 174, 196
 beverages, 86, 114, 124, 132, 133, 158, 172, 174, 176
 complementary foods, 106, 107, 108, 121, 169
 dental Caries and, 131, 133, 134, 176
 diarrhea, 141, 157, 172
 food preparation and, 116, 169
 fruit juice, 172, 157
 honey, dangers of, 113

T

Tea,
 herbal, 73, 114
 regular, 12
 infants and, 29, 86, 114, 115, 133, 140, 141
 lactating women and, 72

Teething, 134, 176
 medication and choking prevention, 124, 175
 appetite and, 123
 in breastfed infants, 59, 64
Theobromine, 114
Thiamin, *see* Vitamins
Tofu, 111, 119, 173, 192-193, *see also* Protein-rich foods
 as a source of calcium, 23
 vegetarian diets and, 137
Tolerable Upper Intake Level (UL), 12
Tooth Decay, 131, 176, 192, *see also* Oral Health and
 Early Childhood Caries
 bottle feeding and, 90, 165
 fluoride and, 26
 fruit juice and, 134, 171
 prevention of, 133-134, 176-177
 sweetened foods, sweeteners and, 113, 114
Tongue thrust reflex, 41, 42, 102
Trans fats, 18, *see also* Lipids
Tummy Time, 151

V

Vegan Diets, *see* Vegetarian diets
Vegetables, 108-109, 172, 190-194, 195-196
 canned, 116
 choking and, 109, 125, 134, 175
 introduction of, 108, 172
 low renal solute load,
 nitrates, nitrites and, 109
 preparation of, 115-117, 169
 source of fiber, 16, 137, 157
Vegetarian Diets,
 classifications of, 136
 energy content of, 137
 nutrients of concern,
 calcium, 138
 iron, 138
 protein, 137
 riboflavin, 138-139
 vitamin B12, 137-138
 vitamin D, 138
 zinc, 138
 nutrition counseling for, 137-139
 risks of, 136-137
 fruitarian diet, 136
 macrobiotic, 136
 vegan, 136
 rickets, 136

Vitamin-mineral supplements, *see* Supplements
Vitamin A, *see* Vitamins
Vitamin B1, *see* Vitamins, Thiamin
Vitamin B2, *see* Vitamins, Riboflavin
Vitamin B6, *see* Vitamins
Vitamin B12, *see* Vitamins
Vitamin C, *see* Vitamins
Vitamin D, *see* Vitamins, Rickets

Vitamin E, *see* Vitamins

Vitamin K, *see* Vitamins

Vitamins,

- biotin, 181, 194
- folate, folic acid, 21, 181, 191
 - functions of, 21
 - evaporated cow's milk and, 86
 - in boiled cow's milk and infant formula, 86, 91
 - in goat's milk, 86
 - Recommended Dietary Allowance (RDA), 21
 - sources of, 22
 - niacin, 23, 181, 192
 - functions of, 23
 - Recommended Dietary Allowance (RDA), 23
 - sources of, 23
- pantothenic acid, 181, 194
- riboflavin (vitamin B2), 22
 - functions of, 22
 - Recommended Dietary Allowance (RDA), 22
 - sources of, 22
 - vegetarian, macrobiotic diets and, 22, 138-139
- thiamin (vitamin B1), 22
 - deficiency, in breastfed infants, 22
 - functions of, 22
 - Recommended Dietary Allowance (RDA), 22
 - sources of, 22
- vitamin A, 19, 180, 190
 - functions of, 19
 - deficiency of, 20
 - Dietary Reference Intakes (DRIs), 19
 - sources of, 20
- vitamin B6 (pyridoxine), 22, 181, 191
 - functions of, 22
 - Dietary Reference Intakes (DRIs), 22
 - sources of, 22
- vitamin B12, 21, 136-138, 181, 191
 - deficiency of in breastfed infants, 21
 - functions of, 21
 - Dietary Reference Intakes (DRIs), 21
 - sources of, 21
 - vegetarian diets and, 21
- vitamin C, 20-21, 181, 191
 - deficiency of, 21
 - Dietary Reference Intakes (DRIs), 20
 - functions of, 20
 - fruit juice and, 107
 - iron absorption and, 24, 85, 138
 - sources of, 21
- vitamin D, 18, 19, 158, 180, 190, 201
 - breast milk and, 19
 - calcium absorption, 23
 - cow's milk, 86
 - deficiency of, 19
 - Dietary Reference Intakes (DRIs), 18,

- goat's milk 86
- functions of, 18-19
- Rickets, 19
- sources of, 19
- vegetarian diets, 136, 138
- vitamin E (α -tocopherol), 20, 190,
 - cow's milk, low fat, skim milk and, 85
 - Dietary Reference Intakes (DRIs), 20, 180
 - functions of, 20
 - sources of, 20
- vitamin K, 20, 180, 190-191
 - breast milk and, 20
 - deficiency of, 20
 - functions of, 20
 - infant formula and, 20
 - sources of, 20

Vomiting, 139-140, *see also* Gastrointestinal Problems

- copper exposure and, 36
- food hypersensitivity/allergy and, 83, 105, 168
- herbal teas and, 114
- low-iron formula, 82
- nitrate exposure and, 37
- Rotavirus and, 38
- treatment of, 29, 114, 158
- water needs and, 29

W

- Water, 28, 158
 - lead, 36
 - boiling of, 36
 - nitrate and, 37
 - dehydration and, 29
 - excessive intake of, 29
 - fluoride content, 26-27, 134, 158
 - in bottled water, 26
 - functions of, 28
 - insufficient intake of, 28-29
 - intoxication, 29, 158, 174
 - guidelines on feeding, 28, 124, 168, 196
 - natural disaster and, 96
 - needs when complementary foods are introduced, 28, 38, 111, 114
 - oral health and, 134, 176
 - preparing infant formula, 91-92
 - protein-rich foods and, 111, 168
 - renal solute load and, 28
 - requirements, 28
 - safety of, 29-30, 35-38, 166
 - bacterial and viral contaminants, 37-38
 - bottled water and, 38
 - copper and, 36
 - EPA Safe Drinking Water Hotline, 30
 - lead, 30, 35-36
 - nitrate, 37
 - water testing recommendations, 35, 166
 - water treatment devices or units, 38

well water, 38, 158
sterilizing, 28, 91, 166

Weaning,

appetite/growth spurts and, 64
complementary bottles, pacifiers and, 65, 161
from the breast, 24, 74-75, 164
from the bottle, 123
from nipple shield, 66
obesity and, 142, 177
refusal to breastfeed, 64
slow weight gain and, 64
vegetarian diet and, 25, 137, 138

Weight,

poor/slow gain, 60, 64
gaining, 13, 61
sleepy/placid infant and, 59-60, 88
obesity and, 142, 177

Whey, 81

World Health Organization, 13, 51

Z

Zinc, see Minerals

READER RESPONSE

Infant Nutrition and Feeding: A Reference Handbook for Nutrition and Health Counselors in the WIC and CSF Programs

Dear Reader,

Please take a few minutes to complete this form and mail it. Although not mandatory, your response will help us evaluate the usefulness of this guide. Thank you!

Please comment on the content of this handbook:			
Chapter/Section	Information is Useful/Clear	Information is Not Useful/Clear	Other Comments
Nutritional Needs of Infants			
Development of Infant Feeding Skills			
Breastfeeding			
Infant Formula Feeding			
Complementary Foods			
Special Concerns in Infant Feeding			
Physical Activity in Infancy			
Summary of Key Points			
Appendix			
Figures and Tables			
Resources			

Are you planning to use the handbook? Yes No

If Yes, how will you use it?

As a reference guide

As a resource in planning topics to cover at individual counseling sessions and group classes

As a resource in planning in-service training sessions for other professionals or paraprofessionals

Other (please describe) _____

If this publication was revised, what changes would you suggest? Please include any other comments on this handbook.


Title _____

Organization/Program _____

City and State _____

U.S. Department of Agriculture


Food and Nutrition Service, SFPD
Alexandria, VA 22302-1594



NO POSTAGE
NECESSARY IF
MAILED IN THE
UNITED STATES

Official Business

Penalty for Private Use, \$300



BUSINESS REPLY MAIL
FIRST CLASS MAIL PERMIT NO. 12725 WASHINGTON, D.C.

Postage will be paid by Food and Nutrition Service

NUTRITION SERVICES STAFF
U.S. DEPARTMENT OF AGRICULTURE
FOOD AND NUTRITION SERVICE
3101 PARK CENTER DRIVE RM 1014
ALEXANDRIA, VA 22302-9943

FOLD HERE

TAPE HERE • DO NOT STAPLE

