Item ID Plumber: 00042

Asther Currie, D.J.

Corporate Author Defense Research Establishment Suffield: Ralston:

Alberta

Report/Article Title Downwind Travel of Herbicides (U): Procedures to be Used in Trials 4-11, Filed

Experiment No. 593)

Jeannal/Book Title

Year 1970

Month/Bay May

Color

Number of Images 9

Descriptes Notes Project No. D-20-50-09

AD872227

AD Proposition

DOWNWIND TRAVEL OF HERBICIDES (U)

(Procedures to be used in Trials 4-11, Field Experiment No. 593)

Prepared by

D.J. Currie

PROJECT NO. D-20-50-09

May 1970



DEFENCE RESEARCH ESTABLISHMENT SUFFIELD: RALSTON: ALBERTA

The deviot that information is permitted subject to recognition of proprietary and patent rights".

SUFFIELD MEMORANDUM NO. 18/70

DOWNWIND TRAVEL OF HERBICIDES (U)

(Procedures to be used in Trials 4-11, Field Experiment No. 593)

Prepared by

D. J. Currie

PROJECT NO. D-20-50-09

WARNING

DEFENCE RESEARCH ESTABLISHMENT SUFFIELD RALSTON ALBERTA

SUFFIELD MEMORANDUM NO. 18/70

DOWNWIND TRAVEL OF HERBICIDES (U)

(Procedures to be used in Trials 4-11, Field Experiment No. 593)

Prepared by

D.J. Currie

REFERENCES

- Saskatchewan Research Council (SRC) letter dated
 14 May 69 (DRES 221-50/3)
- b. Proposed pesticide field trial program, prepared by SRC 23 June 69
- DRB 6800-1-1 dated 3 July 69
- d. Suffield Memorandum No. 71/69
- e. DRB 652 dated 28 April 70

2. PURPOSE

The purpose of this series of trials is to determine the amount of 2,4-D (ester and amine) which is likely to drift from a typical ground application of the material under several weather and spraying conditions.

SCOPE

Trials 1-3 of this field experiment were conducted in July 1969. Continuation of the experiment will consist of a series of eight trials, four of which will be done with C14 tagged material. Weather conditions typical of spraying operations on farm land will be sought. Measurements will be made of liquid, vapour and aerosol

contributions from herbicide put on a layout of crosswind dimension to meters, downwind dimension 12.5 m. The desired ground coverage (sprayed material) is $4~{\rm g/m^2}$.

4. <u>JITE</u>

Vertical Grid Layout.

>. <u>WEATHER</u>

- a. Wind direction any
- b. Wind speed 4-16 mph
- c. Air temperature not higher than 95°F
- d. Precipitation nil during period of each trial or in the 24 hours prior to each trial
- e. Stability near neutral to moderate lapse.

6. TRIAL CONDITIONS

The trials will be conducted under the following circumstances:

Trial No.	Material	Weather
4	Cl4 tagged 2,4-D ester	Windspeed 12-16 mph
5	Untagged 2,4-D ester	ti H
6	Cl4 tagged 2,4-D amine	Comparable to that for Trials 4 and 5 or Trial 1
7	Untagged 2,4-D amine	H H
8*	C ¹⁴ tagged 2,4-D ester or amine	Comparable to Trials 4 and 5
9 *	Untagged 2,4-D ester or amine	11 71
10	C ¹⁴ tagged 2,4-D ester or amine	Light wind, early evening
11	As required	Check trial

high volume, low pressure spray settings

MATERIAL

- a. 2,4-D butyl ester, tagged C14 provided by Saskatchewan Research Council (SRC) (2.25 mC1 per trial)
- b. 2,4-D amine, tagged C¹⁴ provided by SRC (2.25 mCi per trial)
- c. 2,4-D butyl ester and amine untagged (provided by SRC)
- d. Agricultural boom sprayer (nozzles provided by SRC)
- e. Pie plates 45
- f. Cascade impactors 9
- g. Paper samplers (9 in x 6 in. photographic sheets on 18 inch square jump cards) 15 required for trials with untagged material only (provided by SRC)
- h. Gasoline pumps 42
- i. Airborne cloud samplers (provided by SRC but charged silica gel. DRES) 145

8. LAYOUT

Figure 1 is a diagram of the trial layout.

9. PROCEDURES

- a. All samplers will be set out prior to zero at positions dictated by wind direction. Pie plates will contain silica gel.
- b. A meteorological OP will be set up in a position designated by the H/TSS.
- c. After ground samplers have been positioned, a trial run will be made by the boom sprayer crew to ensure their familiarity with the layout and to achieve the desired traverse speed. The apparatus will then be charged with the material to be sprayed in an area designated by the H/TSS.
 - d. On instruction from the H/TSS, the layout will be sprayed a single pass. The start of the spray will be zero for the trial.
- e. Pie plates will be capped and picked up as soon as possible after the boom sprayer has completed its pass. Jump cards will be recovered immediately following this recovery.

- f. Cascade impactors, operated at 17.5 1/min, will be placed at heights of \$45 m at 3 positions 2 m from the downwind edge of the sprayed area and 0.5 m and 2 m at 3 positions 12 m downwind.
- g. Airborne cloud samples will be taken at 1/2, 1, 2, 3, 5, and 9 m heights on the tower and the 30 m and 75 m circles, and at area will be 2 m from the upwind edge of the 75 m circle. The details of all sampler positions is given in Figure 1. The samplers will operate at 10 1/m.

10. CAMPLING SCHEDULE

Circle (m)	Interval (min)	No. of Positions
Tower	0-3, 3-30*	2
30	Total Dose	3
75	0-3, 3-30* Total Dose	3 4 + 13
175	Total Dose	13

^{*} Interval may be extended after Trial 4

11. METEOROLOGICAL OBSERVATIONS

The following meteorological information is required during each trial.

- a. Wind speeds at 1/2, 2 and 10 m
- b. Wind direction at 2 m
- c. Air and surface temperatures
- d. Temperature gradient 4m 1/2m
- e. Relative humidity
- f. Cloud conditions and sunshine

<u> ANALYSIS</u>

For trials with C14 tagged material, analyses will be done by liquid scintillation counting by Saskatchewan Research Council (SRC). Samples from trials with untagged material will be analyzed by a colormetric procedure (for pie plates) and by gas liquid chromatography using an electron canture detection.

by JhC. Procedures for preparation, handling and disposition of samples will be issued separately. A few preliminary analyses will be done by DRES as required to assist SRC.

13. RADIATION SAFETY

- a. It is expected that a total of 10 mCi of C¹⁴ tagged 2,4-D ester and amine will be shipped by SRC for storage at DRES prior to this series of trials. The amount of C¹⁴ to be used In any one trial is 2.25 mCi. On receipt from SRC, the tagged 2,4-D ester and 2,4-D amine will be kept in the Radioactive Storage Building. All mixing of these materials for spraying will be done at that location.
- b. Film badges will be worn by all personnel engaged in the trials with radioactive material.
- c. The vehicle used to transport tagged material from the mixing site to the layout will carry "Radioactive Material" signs front and rear and on both sides. The boom sprayer reservoir will arry a trifoil radiation warning sign.
- d. The boom sprayer will be flushed three times with water and once with isopropyl alcohol following each spray run with tagged material. Unused residues from these trials will be collected on site in suitable containers which will be dumped in the Radioactive Disposal Area.
- e. Room 222E, Central Laboratory, is designated as the area in which samples from trials with tagged materials will be handled. The room will be signed accordingly (medium level laboratory) and access to it will be restricted to personnel directly concerned with FE 593.
 - f. A post trial survey will be conducted to follow the decay of beta activity in the sprayed area. It is expected that this will not be measurable for more than 30 days.

14: ADMINISTRATION

H/Chem

Provide Radiation Safety Officer, Chemical test team, Co-ordinate sampling schedule and record sampling times. Prepare samples as required for dispatch to Canadian Dept. of Agriculture Laboratory, Regina, Saskatchewan. Provide film badges as required.

H/Tech S.

In charge of trial. Layout preparation. Record zero and spray run times. Provide spray apparatus. Sample of sprayed materials to Chem S. Mix 2,4-D ester and water as directed by SRC. Provide "Radioactive Material" signs for Munitions vehicle as required.

H/Met

Forecast and meteorological observations.

SRC

Provide 2,4-D ester and amine, both tagged and untagged; metal components for Gelman type samplers; paper; liquid scintillation counting vials. Assist in layout and sample preparation and provide all analyses required. Forward results of analyses to DRES as they become available.




FIGURE 1