

## VI. REFERENCES

- Åkerberg AKE, Liljeberg HGM, Granfeldt YE, Drews AW, Björck IME. 1998. An in vitro method, based on chewing, to predict resistant starch content in foods allows parallel determination of potentially available starch and dietary fiber. *J Nutr* 128:651–660.
- Alaimo K, McDowell MA, Briefel RR, Bischof AM, Caughman CR, Loria CM, Johnson CL. 1994. Dietary intake of vitamins, minerals, and fiber of persons ages 2 months and over in the United States: Third National Health and Nutrition Examination Survey, Phase 1, 1988–91. Advance Data from Vital and Health Statistics, No. 258. Hyattsville, MD: National Center for Health Statistics.
- Alberts DS, Ritenbaugh C, Story JA, Aickin M, Rees-McGee S, Buller MK, Atwood J, Phelps J, Ramanujam PS, Bellapravalu S, Patel J, Bettinger L, Clark L. 1996. Randomized, double-blinded, placebo-controlled study of effect of wheat bran fiber and calcium on fecal bile acids in patients with resected adenomatous colon polyps. *J Natl Cancer Inst* 88:81–92.
- Alberts DS, Martinez ME, Roe DJ, Guillén-Rodríguez JM, Marshall JR, van Leeuwen JB, Reid ME, Ritenbaugh C, Vargas PA, Bhattacharyya AB, Earnest DL, Sampliner RE. 2000. Lack of effect of a high-fiber cereal supplement on the recurrence of colorectal adenomas. *N Engl J Med* 342:1156–1162.
- Aldoori WH, Giovannucci EL, Stampfer MJ, Rimm EB, Wing AL, Willett WC. 1997. Prospective study of diet and the risk of duodenal ulcer in men. *Am J Epidemiol* 145:42–50.
- Anderson JW, Ward K. 1979. High-carbohydrate, high-fiber diets for insulin-treated men with diabetes mellitus. *Am J Clin Nutr* 32:2312–2321.
- Anderson JW, Story L, Sieling B, Chen W-JL, Petro MS, Story JA. 1984. Hypercholesterolemic effects of oat-bran or bean intake for hypercholesterolemic men. *Am J Clin Nutr* 40:1146–1155.
- Anderson JW, Gilinsky NH, Deakins DA, Smith SF, O'Neal DS, Dillon DW, Oeltgen PR. 1991. Lipid responses of hypercholesterolemic men to oat-bran and wheat-bran intake. *Am J Clin Nutr* 54:678–683.
- Anderson JW, Allgood LD, Turner J, Oeltgen PR, Daggly BP. 1999. Effects of psyllium on glucose and serum lipid responses in men with type 2 diabetes and hypercholesterolemia. *Am J Clin Nutr* 70:466–473.
- Anderson JW, Allgood LD, Lawrence A, Altringer LA, Jerdack GR, Hengehold DA, Morel JG. 2000. Cholesterol-lowering effects of psyllium intake adjunctive to diet therapy in men and women with hypercholesterolemia: Meta-analysis of 8 controlled trials. *Am J Clin Nutr* 71:472–479.
- Anonymous. 1989. GDCh Stellungnahme der Untergruppe "Ballaststoffe" der Arbeitsgruppe "Freagen der Ernährung" der Fachgruppe "Lebensmittelchemie und gerichtliche Chemie" in der GDCh". *Lebensmittelchemie und Gerichtliche Chemie* 43:113–117.
- Anonymous. 1992. Belgian Food Law, KB 8/1/1992.
- Anonymous. 1993. Italian Food Law, DL 16/2/1993.
- Anonymous. 2000. AACC holds midyear meeting. *Cereal Foods World* 45:327.
- ANZFA (Australia New Zealand Food Authority). 2000. *Notice of a Proposed Change to Food Regulation and Further Invitation for Submissions. Application 227. Inulin and Fructooligosaccharides as Dietary Fibre*. Canberra: ANZFA.

- AOAC (Association of Official Analytical Chemists). 1995. *Official Methods of Analysis of the Association of Official Analytical Chemists*, 16th edition. Horowitz W, ed. Washington, DC: AOAC. Pp. 18–19.
- Appleby PN, Thorogood M, Mann JI, Key TJ. 1998. Low body mass index in non-meat eaters: The possible roles of animal fat, dietary fibre and alcohol. *Int J Obes* 22:454–460.
- Argenzio RA, Miller N, von Engelhardt W. 1975. Effect of volatile fatty acids on water and ion absorption from the goat colon. *Am J Physiol* 229:997–1002.
- Ascherio A, Rimm EB, Giovannucci EL, Colditz GA, Rosner B, Willett WC, Sacks F, Stampfer MJ. 1992. A prospective study of nutritional factors and hypertension among US men. *Circulation* 86:1475–1484.
- Ascherio A, Hennekens C, Willett WC, Sacks F, Rosner B, Manson J, Witteman J, Stampfer MJ. 1996. Prospective study of nutritional factors, blood pressure, and hypertension among US women. *Hypertension* 27:1065–1072.
- Asp N-G. 1997. Resistant starch—An update on its physiological effects. In: Kritchevsky D, Bonfield C, eds. *Dietary Fiber in Health and Disease*. New York: Plenum Press. Pp. 201–210.
- Asp N-G, Johansson C-G. 1981. Techniques for measuring dietary fiber: Principal aims of methods and a comparison of results obtained by different techniques. In: James WPT, Theander O, eds. *The Analysis of Dietary Fiber in Food*. New York: Marcel Dekker. Pp. 173–189.
- Asp N-G, Johansson C-G, Hallmer H, Siljeström M. 1983. Rapid enzymatic assay of insoluble and soluble dietary fiber. *J Agric Food Chem* 31:476–482.
- Asp N-G, van Amelsvoort JMM, Hautvast JGAJ. 1996. Nutritional implications of resistant starch. *Nutr Res Rev* 9:1–31.
- Birkett AM, Jones GP, de Silva AM, Young GP, Muir JG. 1997. Dietary intake and faecal excretion of carbohydrate by Australians: Importance of achieving stool weights greater than 150 g to improve faecal markers relevant to colon cancer risk. *Eur J Clin Nutr* 51:625–632.
- Björck I, Nyman M, Pedersen B, Siljeström M, Asp N-G, Eggum BO. 1986. On the digestibility of starch in wheat bread—Studies in vitro and in vivo. *J Cereal Sci* 4:1–11.
- Brodribb AJM, Humphreys DM. 1976. Diverticular disease: Three studies. Part II—Treatment with bran. *Br Med J* 1:425–428.
- Brown L, Rosner B, Willett WC, Sacks FM. 1999. Cholesterol-lowering effects of dietary fiber: A meta-analysis. *Am J Clin Nutr* 69:30–42.
- Bugaut M, Bentejac M. 1993. Biological effects of short-chain fatty acids in nonruminant mammals. *Ann Rev Nutr* 13:217–241.
- Burkitt DP, Walker ARP, Painter NS. 1972. Effect of dietary fibre on stools and transit-times, and its role in the causation of disease. *Lancet* 2:1408–1412.
- Burkitt DP, Walker ARP, Painter NS. 1974. Dietary fiber and disease. *J Am Med Assoc* 229:1068–1074.
- Burley VJ, Paul AW, Blundell JE. 1993. Sustained post-ingestive action of dietary fibre: Effects of a sugar-beet-fibre-supplemented breakfast on satiety. *J Hum Nutr Diet* 6:253–260.
- Champ M. 1992. Determination of resistant starch in foods and food products: Interlaboratory study. *Eur J Clin Nutr* 46:S51–S62.
- Champ M, Kozłowski F, Lecanu G. 2001. In-vivo and in-vitro methods for resistant starch measurement. In: McCleary BV, Prosky L, eds. *Advanced Dietary Fibre Technology*. Oxford: Blackwell Science. Pp. 106–119.
- Cleave TL, Campbell GD. 1966. *Diabetes, Coronary Thrombosis, and the Saccharine Disease*. Bristol, England: John Wright and Sons.

- COMA (Committee on Medical Aspects of Food and Nutrition Policy). 1998. Committee news. *Food Safety Information Bulletin*, No. 97. Aberdeen, Scotland: Food Standards Agency, MAFF, Department of Health.
- Craig SAS, Holden JF, Khaled MY. 2000. Determination of polydextrose as dietary fiber in foods. *JAOAC Int* 83:1006–1012.
- Cummings, JH. 1997. Bowel habit and constipation. In: Institut Danone, ed. *The Large Intestine in Nutrition and Disease*. Bruxelles: Institut Danone. Pp. 87–101.
- de Slegte J. In press. Determination of trans-galactooligosaccharides in selected food products by ion-exchange chromatography: Collaborative study. *JAOAC Int*.
- DeVries JW. 2001. Analytical issues regarding the regulatory aspects of dietary fibre nutrition labelling. In: McCleary BV, Prosky L, eds. *Advanced Dietary Fibre Technology*. Oxford: Blackwell Science. Pp. 123–138.
- Englyst HN, Cummings JH. 1984. Simplified method for the measurement of total non-starch polysaccharides by gas-liquid chromatography of constituent sugars as alditol acetates. *Analyst* 109:937–942.
- Englyst HN, Cummings JH. 1986. Digestion of the carbohydrates of banana (*Musa paradisiaca sapientum*) in the human small intestine. *Am J Clin Nutr* 44:42–50.
- Englyst HN, Cummings JH. 1987. Digestion of polysaccharides of potato in the small intestine of man. *Am J Clin Nutr* 45:423–431.
- Englyst HN, Hudson GJ. 1987. Colorimetric method for routine measurement of dietary fibre as non-starch polysaccharides. A comparison with gas-liquid chromatography. *Food Chem* 24:63–76.
- Englyst H, Wiggins HS, Cummings JH. 1982. Determination of the non-starch polysaccharides in plant foods by gas-liquid chromatography of constituent sugars as alditol acetates. *Analyst* 107:307–318.
- Englyst HN, Kingman SM, Cummings JH. 1992a. Classification and measurement of nutritionally important starch fractions. *Eur J Clin Nutr* 46:S33–S50.
- Englyst HN, Quigley ME, Hudson GJ, Cummings JH. 1992b. Determination of dietary fibre as non-starch polysaccharides by gas-liquid chromatography. *Analyst* 117:1707–1714.
- Englyst HN, Quigley ME, Hudson GJ. 1994. Determination of dietary fibre as non-starch polysaccharides with gas-liquid chromatographic, high-performance liquid chromatographic or spectrophotometric measurement of constituent sugars. *Analyst* 119:1497–1509.
- Everson GT, Daggy BP, McKinley C, Story JA. 1992. Effects of psyllium hydrophilic mucilloid on LDL-cholesterol and bile acid synthesis in hypercholesterolemic men. *J Lipid Res* 33:1183–1192.
- Fahey GC, Grieshop CM. 2000. *Analysis of the Net Energy Value of Two Soluble Fibers*. Bethesda, MD: Life Sciences Research Office, American Society of Nutritional Sciences. Pp. 1–28.
- FAO/WHO (Food and Agriculture Organization of the United Nations/World Health Organization). 1995. *Guidelines for Nutrition Labelling. Codex Alimentarius, Volume 1A. General Requirements*. Rome: FAO.
- FAO/WHO (Food and Agriculture Organization of the United Nations/World Health Organization). 2000. *Progress Report on Dietary Fibre*. Codex Committee on Nutrition and Foods for Special Dietary Uses, Codex Alimentarius Commission. CX/NFSDU 00/3-Add.2. Rome: FAO.
- Favier ML, Bost PE, Guittard C, Demigne C, Remesy C. 1997. The cholesterol-lowering effect of guar gum is not the result of a simple diversion of bile acids toward fecal excretion. *Lipids* 32:953–959.

- Federal, Provincial and Territorial Advisory Committee on Population Health. 1999. *Statistical Report on the Health of Canadians*. Ottawa: Health Canada.
- Field CJ, McBurney MI, Massimino S, Hayek MG, Sunvold GD. 1999. The fermentable fiber content of the diet alters the function and composition of canine gut associated lymphoid tissue. *Vet Immunol Immunopathol* 72:325–341.
- Fleming SE, Yeo S. 1990. Production and absorption of short-chain fatty acids. In: Kritchevsky D, Bonfield C, Anderson JW, eds. *Dietary Fiber: Chemistry, Physiology, and Health Effects*. New York: Plenum Press. Pp. 301–315.
- Fukagawa NK, Anderson JW, Hageman G, Young VR, Minaker KL. 1990. High-carbohydrate, high-fiber diets increase peripheral insulin sensitivity in healthy young and old adults. *Am J Clin Nutr* 52:524–528.
- Furda I. 1977. Fractionation and examination of biopolymers from dietary fiber. *Cereal Foods World* 22:252–254.
- Gassull MA, Goff DV, Haisman P, Hockaday TDR, Jenkins DJA, Jones K, Leeds AR, Wolever TMS. 1976. The effect of unavailable carbohydrate gelling agents in reducing the post-prandial glycaemia in normal volunteers and diabetics. *J Physiol* 259:52P–53P.
- Gerber, M. 1998. Fibre and breast cancer. *Eur J Cancer Prev* 7:S63–S67.
- Giovannucci E, Stampfer MJ, Colditz G, Rimm EB, Willett, WC. 1992. Relationship of diet to risk of colorectal adenoma in men. *J Natl Cancer Inst* 84:91–98.
- Giovannucci E, Rimm EB, Stampfer MJ, Colditz GA, Ascherio A, Willett WC. 1994. Intake of fat, meat, and fiber in relation to risk of colon cancer in men. *Cancer Res* 54:2390–2397.
- Goering HK, Van Soest PJ. 1970. *Forage Fiber Analyses (Apparatus, Reagents, Procedures, and Some Applications)*. Agriculture Handbook No. 379. Washington, DC: US Department of Agriculture.
- Goñi I, García-Diz L, Mañas E, Saura-Calixto F. 1996. Analysis of resistant starch: A method for foods and food products. *Food Chem* 56:445–449.
- Gordon DT, Ohkuma, K. In press. Determination of resistant maltodextrin and total dietary fiber in selected foods by ion-exchange chromatography: Collaborative study. *J AOAC Int*.
- Gove PB, ed. 1967. *Webster's Third International Dictionary*. Springfield, MA: G&C Merriam Company.
- Health and Welfare Canada. 1985. *Report of the Expert Advisory Committee on Dietary Fibre*. Ottawa: Supply and Services Canada.
- Health Canada. 1988. *Guideline Concerning the Safety and Physiological Effects of Novel Fibre Sources and Food Products Containing Them*. Ottawa: Food Directorate, Health Protection Branch, Health Canada.
- Health Canada. 1997a. Appendix 2. Guideline for planning and statistical review of clinical laxation studies for dietary fibre. In: *Guideline Concerning the Safety and Physiological Effects of Novel Fibre Sources and Food Products Containing Them*. Ottawa: Food Directorate, Health Protection Branch, Health Canada.
- Health Canada. 1997b. *Canada's Food Guide to Healthy Eating for People Four Years and Over*. Ottawa: Minister of Public Works and Government Services Canada.
- Hellendoorn EW, Noordhoff MG, Slagman J. 1975. Enzymatic determination of the indigestible residue (dietary fibre) content of human food. *J Sci Food Agric* 26:1461–1468.
- Henneberg W, Stohmann F. 1860. Beitrage zur Begrundung einer rationellen Fütterung der Wiederkauer, I. Braunschweig.

- Hignett R. 2000. *Letter to All Interested Parties. Nutrition Labelling of Dietary Fibre*. [Online]. Available: [http://foodstandards.gov.uk/farm\\_fork/nutfibre.htm](http://foodstandards.gov.uk/farm_fork/nutfibre.htm) [accessed March 14, 2001].
- Hipsley EH. 1953. Dietary "fibre" and pregnancy toxemia. *Br Med J* 2:420-422.
- Hoebregs H. 1997. Fructans in foods and food products, ion-exchange chromatographic method: Collaborative study. *JAOAC Int* 80:1029-1037.
- Høverstad T, Fausa O, Bjørneklett A, Bøhmer T. 1984. Short-chain fatty acids in the normal human feces. *Scand J Gastroenterol* 19:375-381.
- Hungate RE. 1966. *The Rumen and its Microbes*. New York: Academic Press.
- Jenkins DJA, Newton C, Leeds AR, Cummings JH. 1975. Effect of pectin, guar gum, and wheat fibre on serum cholesterol. *Lancet* 1:1116-1117.
- Jenkins DJA, Wolever TMS, Leeds AR, Gassull MA, Haisman P, Dilawari J, Goff DV, Metz GL, Alberti KGMM. 1978. Dietary fibres, fibre analogues, and glucose tolerance: Importance of viscosity. *Br Med J* 1:1392-1394.
- Jenkins DJA, Kendall CWC, Axelsen M, Augustin LSA, Vuksan V. 2000. Viscous and nonviscous fibres, nonabsorbable and low glycaemic index carbohydrates, blood lipids and coronary heart disease. *Curr Opin Lipidol* 11:49-56.
- Jian-xian Z. 1995. Active polysaccharides. In: *Functional Foods*. Beijing: China Light Industry Publishing House. P. 10.
- Jung HG. 1989. Forage lignins and their effects on fiber digestibility. *Agron J* 81:33-38.
- Jung HG, Fahey GC. 1983. Nutritional implications of phenolic monomers and lignin: A review. *J Anim Sci* 57:206-219.
- Kelly D, Coutts AG. 2000. Early nutrition and the development of immune function in the neonate. *Proc Nutr Soc* 59:177-185.
- Lanza E. 1990. National Cancer Institute Satellite Symposium on Fiber and Colon Cancer. In: Kritchevsky D, Bonfield C, Anderson JW, eds. *Dietary Fiber: Chemistry, Physiology, and Health Effects*. New York: Plenum Press. Pp. 383-387.
- Lee SC, Prosky L, DeVries JW. 1992. Determination of total, soluble, and insoluble dietary fiber in foods—Enzymatic-gravimetric method, MES-TRIS buffer: Collaborative study. *JAOAC Int* 75:395-416.
- Li BW, Cardozo MS. 1994. Determination of total dietary fiber in foods and products with little or no starch, nonenzymatic-gravimetric method: Collaborative study. *JAOAC Int* 77:687-689.
- Lim BO, Yamada K, Nonaka M, Kuramoto Y, Hung P, Sugano M. 1997. Dietary fibers modulate indices of intestinal immune function in rats. *J Nutr* 127:663-667.
- Livesey G. 1990. Energy values of unavailable carbohydrate and diets: An inquiry and analysis. *Am J Clin Nutr* 51:617-637.
- LSRO (Life Sciences Research Office). 1987. *Physiological Effects and Health Consequences of Dietary Fiber*. Bethesda, MD: LSRO.
- Lund EK, Gee JM, Brown JC, Wood PJ, Johnson IT. 1989. Effect of oat gum on the physical properties of the gastrointestinal contents and on the uptake of D-galactose and cholesterol by rat small intestine in vitro. *Br J Nutr* 62:91-101.
- Marlett JA, Longacre MJ. 1996. Comparison of in vitro and in vivo measures of resistant starch in selected grain products. *Cereal Chem* 73:63-68.
- Marlett JA, Hosig KB, Vollendorf NW, Shinnick FL, Haack VS, Story JA. 1994. Mechanism of serum cholesterol reduction by oat bran. *Hepatology* 20:1450-1457.
- McCance RA, Lawrence RD. 1929. *The Carbohydrate Content of Foods*. London: HMSO.
- McCleary BV. 2001a. Measurement of dietary fibre components: The importance of enzyme purity, activity and specificity. In: McCleary BV, Prosky L, eds. *Advanced Dietary Fibre Technology*. Oxford: Blackwell Science Press. Pp. 89-105.

- McCleary BV. 2001b. Two issues in dietary fibre measurement. *Cereal Foods World* 46:164–166.
- McCleary BV, Blakeney AB. 1999. Measurement of inulin and oligofructan. *Cereal Food World* 44:398–406.
- McCleary BV, Codd R. 1991. Measurement of (1-3)(1-4)- $\beta$ -D-glucan in barley and oats. A streamlined enzymatic procedure. *J Sci Food Agric* 55:303–312.
- McCleary BV, Murphy A, Mugford DC. 2000. Measurement of total fructan in foods by enzymatic/spectrophotometric method: Collaborative study. *J AOAC Int* 83:356–364.
- McKay DM, Perdue MH. 1993. Intestinal epithelial function: The case for immunophysiological regulation. Cells and mediators (first of two parts). *Dig Dis Sci* 38:1377–1387.
- Miller TL, Wolin MJ. 1979. Fermentations by saccharolytic intestinal bacteria. *Am J Clin Nutr* 32:164–172.
- Miller WC, Niederpruem MG, Wallace JP, Lindeman AK. 1994. Dietary fat, sugar, and fiber predict body fat content. *J Am Diet Assoc* 94:612–615.
- Ministry of Health and Welfare. 1996. Regarding the Analytical Methods for Nutritional Components in Connection with Introduction of the Standards for Nutrition Labeling. Notification by the Environmental Health Bureau, Eishin No. 47.
- Mongeau R, Brassard R. 1993. Enzymatic-gravimetric determination in foods of dietary fiber as sum of insoluble and soluble fiber fractions: Summary of collaborative study. *J AOAC Int* 76:923–925.
- Mortensen PB, Clausen MR. 1996. Short-chain fatty acids in the human colon: Relation to gastrointestinal health and disease. *Scand J Gastroenterol Suppl* 31:132–148.
- Muir JG, O'Dea K. 1992. Measurement of resistant starch: Factors affecting the amount of starch escaping digestion in vitro. *Am J Clin Nutr* 56:123–127.
- New Zealand. 1984. *Food Regulations 1984*. Wellington, New Zealand: Government Printer.
- Olson BH, Anderson SM, Becker MP, Anderson JW, Hunninghake DB, Jenkins DJA, LaRosa JC, Rippe JM, Roberts DCK, Stoy DB, Summerbell CD, Truswell AS, Wolever TMS, Morris DH, Fulgoni VL. 1997. Psyllium-enriched cereals lower blood total cholesterol and LDL cholesterol, but not HDL cholesterol, in hypercholesterolemic adults: Results of a meta-analysis. *J Nutr* 127:1973–1980.
- Paul AA, Southgate DAT. 1978. *McCance and Widdowson's 'The Composition of Foods', 4th edition*. London: HMSO.
- Prosky L, Asp N-G, Furda I, DeVries JW, Schweizer TF, Harland BF. 1985. Determination of total dietary fiber in foods and food products: Collaborative study. *J Assoc Off Anal Chem* 68:677–679.
- Prosky L, Asp N-G, Schweizer TF, DeVries JW, Furda I. 1988. Determination of insoluble, soluble, and total dietary fiber in foods and food products: Interlaboratory study. *J Assoc Off Anal Chem* 71:1017–1023.
- Prosky L, Asp N-G, Schweizer TF, DeVries JW, Furda I. 1992. Determination of insoluble and soluble dietary fiber in foods and food products: Collaborative study. *J AOAC Int* 75:360–367.
- Prosky L, Asp N-G, Schweizer TF, DeVries JW, Furda I, Lee SC. 1994. Determination of soluble dietary fiber in foods and food products: Collaborative study. *J AOAC Int* 77:690–694.
- Quigley ME, Englyst HN. 1992. Determination of neutral sugars and hexosamines by high-performance liquid chromatography with pulsed amperometric detection. *Analyt* 117:1715–1718.

- Quigley ME, Englyst HN. 1994. Determination of the uronic acid constituents of non-starch polysaccharides by high-performance liquid chromatography with pulsed amperometric detection. *Analyst* 119:1511–1518.
- Rimm EB, Ascherio A, Giovannucci E, Spiegelman D, Stampfer MJ, Willett WC. 1996. Vegetable, fruit, and cereal fiber intake and risk of coronary heart disease among men. *J Am Med Assoc* 275:447–451.
- Ripsin CM, Keenan JM, Jacobs DR, Elmer PJ, Welch RR, Van Horn L, Liu K, Turnbull WH, Thye FW, Kestin M, Hegsted M, Davidson DM, Davidson MH, Dugan LD, Demark-Wahnefried W, Beling S. 1992. Oat products and lipid lowering: A meta-analysis. *J Am Med Assoc* 267:3317–3325.
- Roberfroid M. 1993. Dietary fiber, inulin, and oligofructose: A review comparing their physiological effects. *Crit Rev Food Sci Nutr* 33:103–148.
- Rose DP, Goldman M, Connolly JM, Strong LE. 1991. High-fiber diet reduces serum estrogen concentrations in premenopausal women. *Am J Clin Nutr* 54:520–525.
- Salmerón J, Ascherio A, Rimm EB, Colditz GA, Spiegelman D, Jenkins DJ, Stampfer MJ, Wing AL, Willett WC. 1997a. Dietary fiber, glycemic load, and risk of NIDDM in men. *Diabetes Care* 20:545–550.
- Salmerón J, Manson JE, Stampfer MJ, Colditz GA, Wing AL, Willett WC. 1997b. Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes mellitus in women. *J Am Med Assoc* 277:472–477.
- Sandford PA, Baird J. 1983. Industrial utilization of polysaccharides. In: Aspinall GO, ed. *The Polysaccharides*, Vol 2. New York: Academic Press. pp. 411–490.
- Schatzkin A, Lanza E, Corle D, Lance P, Iber F, Caan B, Shike M, Weissfeld J, Burt R, Cooper MR, Kikendall JW, Cahill J. 2000. Lack of effect of a low-fat, high-fiber diet on the recurrence of colorectal adenomas. *N Engl J Med* 342:1149–1155.
- Schweizer TF, Würsch P. 1979. Analysis of dietary fibre. *J Sci Food Agric* 30:613–619.
- Shinnick FL, Longacre MJ, Ink SL, Marlett JA. 1988. Oat fiber: Composition versus physiological function in rats. *J Nutr* 118:144–151.
- Smith T, Brown JC, Livesey G. 1998. Energy balance and thermogenesis in rats consuming nonstarch polysaccharides of various fermentabilities. *Am J Clin Nutr* 68:802–819.
- Southgate DAT. 1969. Determination of carbohydrates in foods. II. Unavailable carbohydrates. *J Sci Food Agric* 20:331–335.
- Southgate DAT. 1981. Use of the Southgate method for unavailable carbohydrates in the measurement of dietary fiber. In: James WPT, Theander O, eds. *The Analysis of Dietary Fiber in Food*. New York: Marcel Dekker. Pp. 1–19.
- Terry P, Lagergren J, Ye W, Wolk A, Nyren O. 2001. Inverse association between intake of cereal fiber and risk of gastric cardia cancer. *Gastroenterology* 120:387–391.
- Theander O, Åman P. 1979. Studies on dietary fibres. 1. Analysis and chemical characterization of water-soluble and water-insoluble dietary fibres. *Swedish J Agric Res* 9:97–106.
- Theander O, Westerlund E. 1986. Determination of individual components of dietary fiber. In: Spiller GA, ed. *CRC Handbook of Dietary Fiber in Human Nutrition*. Boca Raton, FL: CRC Press. Pp. 57–75.
- Theander O, Åman P, Westerlund E, Graham H. 1994. Enzymatic/chemical analysis of dietary fiber. *JAOAC Int* 77:703–709.
- Theander O, Åman P, Westerlund E, Andersson R, Pettersson D. 1995. Total dietary fiber determined as neutral sugar residues, uronic acid residues, and Klason lignin (the Uppsala method): Collaborative study. *JAOAC Int* 78:1030–1044.

- Titgemeyer EC, Cameron MG, Bourquin LD, Fahey GC. 1991. Digestion of cell wall components by dairy heifers fed diets based on alfalfa and chemically treated oat hulls. *J Dairy Sci* 74:1026–1037.
- Trock B, Lanza E, Greenwald P. 1990. Dietary fiber, vegetables, and colon cancer: Critical review and meta-analyses of the epidemiologic evidence. *J Natl Cancer Inst* 82:650–661.
- Trowell H. 1972. Crude fibre, dietary fibre and atherosclerosis. *Atherosclerosis* 16:138–140.
- Trowell HC, Southgate DAT, Wolever TMS, Leeds AR, Gassull MA, Jenkins DJA. 1976. Dietary fibre redefined. *Lancet* 1:967.
- USDA/DHHS (U.S. Department of Agriculture/Department of Health and Human Services). 2000. *Nutrition and Your Health: Dietary Guidelines for Americans*. Home and Garden Bulletin No. 232. Washington, DC: Government Printing Office.
- USFDA (U.S. Food and Drug Administration). 1987. Nutrition labeling of food; calorie content. *Federal Register* 52:28590–28691.
- Van Soest PJ. 1963. Use of detergents in the analysis of fibrous feeds. II. A rapid method for the determination of fiber and lignin. *J Assoc Off Agric Chem* 46:829–835.
- Van Soest P, Wine RH. 1967. Use of detergents in the analysis of fibrous feeds. IV. Determination of plant cell wall constituents. *J Assoc Off Agric Chem* 50:50–55.
- Watt BK. 1976. *Composition of Foods: Raw, Processed, Prepared*. Agriculture Handbook No. 8. Washington, DC: Agricultural Research Service, U.S. Department of Agriculture.
- Williams RD, Olmsted WH. 1935. A biochemical method for determining indigestible residue (crude fiber) in feces: Lignin, cellulose, non-water-soluble hemicelluloses. *J Biol Chem* 108:653–666.
- Wolever TMS, Jenkins DJA. 1993. Effect of dietary fiber and foods on carbohydrate metabolism. In: Spiller GA, ed. *CRC Handbook of Dietary Fiber in Human Nutrition*. Boca Raton, FL: CRC Press. Pp. 111–152.
- Wolk A, Manson JE, Stampfer MJ, Colditz GA, Hu FB, Speizer FE, Hennekens CH, Willett WC. 1999. Long-term intake of dietary fiber and decreased risk of coronary heart disease among women. *J Am Med Assoc* 281:1998–2004.
- Wood PJ, Braaten JT, Scott FW, Riedel KD, Wolynetz MS, Collins MW. 1994. Effect of dose and modification of viscous properties of oat gum on plasma glucose and insulin following an oral glucose load. *Br J Nutr* 72:731–743.

